

16 April 2026

## Aurum extends gold mineralisation at Boundiali's BST1 by 220m below current MRE

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce the latest gold results from its ongoing 100,000m diamond drilling program at the 3.03Moz Boundiali Gold Project<sup>1</sup> in Côte d'Ivoire. These assay results from **BDT3** and **BST1** are from holes designed to grow Mineral Resources and increase confidence. These results will be incorporated in the next MRE update of these deposits expected later this year (Q3 CY2026).

### Key drill intercepts include<sup>2</sup>:

#### BST1 Deposit:

- **29m @ 1.00 g/t Au** from 444m inc. **1m @ 18.14 g/t Au** (BSDD0053)
- **8m @ 3.38 g/t Au** from 279m inc. **1m @ 22.80 g/t Au** (BSDD0052).

#### BDT3 Deposit:

- **7m @ 1.23 g/t Au** from 352m inc. **3.58m @ 2.05 g/t Au** (DSDD0364A)
- **7.09m @ 1.09 g/t Au** from 291m inc. **1.09m @ 3.91 g/t Au** (DSDD0376).

### Investment Highlights:

- **BST1 depth extension:** Drilling confirms gold mineralisation outside of current MRE down to 220m vertically below current resource model; gold system remains open.
- **130,000m planned for CY2026:** 14 diamond drill rigs turning to drive resource growth and news flow.
- **Boundiali Pre-Feasibility Study (PFS)** expected in Q2 CY2026 and Definitive Feasibility Study (DFS) expected late CY2026.
- **Combined group resources of 4.2Moz gold**, including the flagship **3.03Moz Boundiali Gold Project** and the **1.16Moz Napié Gold Project**<sup>3</sup>.
- **Strong financial position:** Aurum is well-funded with **\$61M** cash (31 March 2026 unaudited) for continued exploration success.

**Aurum's Managing Director Dr. Caigen Wang** said: *"These new results continue to demonstrate the Boundiali system has a potential gold endowment well above our current Mineral Resources. At **BST1**, we have confirmed depth (220m below current MRE) and strike extensions. This confirms that the **BST1** system remains open and has significant depth persistence in the fresh rock.*

*These results demonstrate the scale potential on offer at Boundiali. Our drilling at Boundiali has targeted only the most obvious outcropping anomalies and we have achieved rapid resource growth to **3.03Moz** since acquiring the ground. All deposits remain open and we now have 14 diamond drill rigs operating to drive resource growth of these deposits as well as testing the potential for blind discoveries, which in our view remains enormous.*

*Group gold resources now stand at **4.2Moz** and with **\$61M** in the bank, we are perfectly positioned for our diamond drills to deliver further resource growth in addition to reporting the results of the Boundiali PFS in Q2 CY2026 and drive towards a DFS in late 2026."*

<sup>1</sup> "Boundiali Resource Grows to 3Moz - Indicated Up 49%" released to the Australian Securities Exchange on 23 February 2026 and available to view on [www.asx.com.au](http://www.asx.com.au)

<sup>2</sup> Refer to tables accompanying this report for collar location information and assay results for the new drilling

<sup>3</sup> "Napié Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on [www.asx.com.au](http://www.asx.com.au)

### New Drilling – Boundiali Gold Project<sup>4</sup>

Aurum received assay results<sup>5</sup> from 17 diamond drill (DD) holes totalling 6,610.75m, conducted as part of an integrated step-out, step-back, and infill program on the **BD** tenement (80% interest) and **BST** tenement (100% interest). The assay results from drilling on the **BDT3** and **BST1** deposits were received after cut-off for inclusion in the recent Boundiali Mineral Resource Estimate (MRE) update and will be used for the next update on these deposits, expected in Q3 CY2026.

Details of drill collar location and assay results and intercepts<sup>6</sup> for the new drilling at Boundiali can be found in Table 1 and Table 2 respectively. Plans showing location of the Boundiali Gold Project and the assay results are presented in the following figures: General locations in Figure 1, Figure 2, and project details in Figure 3. A detailed plan showing results is presented in Figure 4 (**BDT3**) and Figure 5 (**BST1**). Example cross sections of the latest results are presented in Figure 6 (**BDT3**) and Figure 7 (**BST1**).

### BDT3

Aurum completed 10 DD holes for 3,902.65m to test depth extensions. These holes drilled on 100-200m line spacing have confirmed the gold mineralisation system is still open. Better results include:

- 20m @ 0.69 g/t Au from 257m inc. 0.50m @ 7.90 g/t Au (DSDD0368)
- 22.80m @ 0.45 g/t Au from 341m inc. 1m @ 1.81 g/t Au (DSDD0363)
- 20.60m @ 0.48 g/t Au from 353m inc. 1m @ 1.88 g/t Au (DSDD0360)
- 7m @ 1.23 g/t Au from 352m inc. **3.58m @ 2.05 g/t Au** (DSDD0364A)
- 7.09m @ 1.09 g/t Au from 291m inc. **1.09m @ 3.91 g/t Au** (DSDD0376).

These new results are in addition to previous exploration drilling at **BDT3** that returned impressive results<sup>7</sup>:

- **12m @ 22.02 g/t Au** from 145m inc. **2m @ 35.59 g/t Au & 7m @ 27.50 g/t Au** (DSDD0136)
- **22.71m @ 4.78 g/t Au** from 177.59m inc. **5.41m @ 12.66 g/t Au & 10m @ 3.60 g/t Au** (DSDD0162)
- **12m @ 7.52 g/t Au** from 394m inc. **3m @ 18.51 g/t Au** (DSDD0343)
- **9m @ 8.15 g/t Au** from 207m inc. **2m @ 35.83 g/t Au** (DSDD0361).

The **BDT3** gold deposit lies within an underexplored **13km by 3km mineralised corridor**. Gold mineralisation is hosted in a thick, north-south trending sandstone unit, positioned between hanging wall and footwall volcano-sedimentary rocks. The gold, which is free milling<sup>8</sup>, is associated with fine disseminated pyrite and an alteration assemblage of hematite, silica, chlorite, tourmaline, quartz veinlets, albite, and carbonate. True widths for these gold intercepts are estimated at about 60% - 80% of reported downhole lengths.

### BST1

The Company completed seven DD holes for 2,708.10m. These intersected multiple broad zones of gold mineralisation. Hole BSDD0053 was designed to follow up a shallow northerly plunge and confirmed gold mineralisation 220m below and outside of the current MRE. Better assay results include:

- **29m @ 1.00 g/t Au** from 444m inc. **1m @ 18.14 g/t Au** (BSDD0053)
- **8m @ 3.38 g/t Au** from 279m inc. **1m @ 22.80 g/t Au** (BSDD0052)
- 11m @ 1.49 g/t Au from 212m inc. **2m @ 6.54 g/t Au** (BSDD0052)
- 13m @ 0.95 g/t Au from 231m inc. 4m @ 1.83 g/t Au (BSDD0052)

<sup>4</sup> Refer to About Aurum's Boundiali Gold Project

<sup>5</sup> Refer to Table 1 for collar information and Table 2 for full assay results for the new drilling.

<sup>6</sup> All intercepts are reported at a 0.2 g/t Au cut-off grade with up to 3m internal dilution and no top cut applied, and are reported as downhole lengths

<sup>7</sup> ASX release dated 27 February 2025, 21 May 2025, 5 February 2026, 16 February 2026

<sup>8</sup> ASX release dated 23 December 2024, AUE achieves in excess of 95% gold recoveries from Boundiali



- 22m @ 0.43 g/t Au from 292m inc. **1m @ 2.39 g/t Au** (BSDD0052).

These new results are in addition to previous exploration drilling at **BST1** that returned impressive results<sup>9</sup>:

- **20m @ 10.45g/t Au** from 38m (BRC0004S BIS)
- **30m @ 8.30g/t Au** from 39m (NDC007)
- **28m @ 4.04g/t Au** from 3m and **6m @ 3.29g/t Au** from 47m (BRC003)
- **9m @ 7.90g/t Au** from 99m (BRC006)
- **27m @ 2.42g/t Au** from 27m (BRC175).

The **BST1** gold deposit, located 19km to the south of **BDT1** on the Nyangboue shear zone, is hosted in a sedimentary package comprising alternating sandstones and shales with minor intraformational conglomerates. Broad zones of lower grade disseminated mineralisation envelope higher grade zones which are in some instances associated with quartz veining with visible gold. Gold mineralisation encountered occurs as discrete higher-grade zones within a broad low-grade envelope within a folded sedimentary package. Extensive sulphide and carbonate alteration occurs with higher grade zones being associated with structurally controlled zones of quartz veining. Oxidation extends to approximately 50m vertical depth and being a sedimentary protolith is soft and friable. True widths for these shallow, wide gold intercepts are estimated at about 65% - 85% of reported downhole lengths.

Gold mineralisation at all the Boundiali deposits is still open along strike and at depth, and Aurum is planning further work with drilling currently ongoing at **BDT2**. So far, ongoing drilling at Boundiali has only targeted the most obvious outcropping anomalies. Aurum believes the potential for blind discoveries also remains, providing a clear pathway for resource growth in CY2026.

### Next Steps

Aurum is using its strong balance sheet and self-owned drill fleet to drive multi-rig drilling activity throughout CY2026 focussed on rapid resource conversion and economic de-risking.

#### 1. Boundiali: Moving to Development

- **Drilling (100,000m):** 14 diamond rigs will continue testing strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Updates:** Next major MRE update is targeted for Q3 CY2026.
- **PFS Delivery:** Completion of the open-pit Pre-Feasibility Study is expected in Q2 CY2026 to evaluate project economics.
- **DFS Transition:** Results from new 2026 drilling and the PFS will be incorporated in a **Definitive Feasibility Study (DFS)** expected in late 2026.

#### 2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program is planned to grow the 1.16Moz gold resource.
- **Drilling Efficiency:** Aurum is building an exploration camp near the gold deposits to reduce operating costs.

#### 3. Regional Exploration & Discovery

<sup>9</sup> Predictive Discovery ASX announcements dated 23 June 2016, 25 July 2016, 8 August 2016, 17 May 2017, 29 May 2017, 27 May 2019 and Turaco Gold's ASX Announcements dated 12 November 2021, 17 June 2022



- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new targets identified via soil anomalies and geological mapping.
- **Early-Stage Growth:** Advancement of the **Encore JV** and **Major Star Plus** partnership projects to identify new gold systems.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

#### **FORWARD-LOOKING STATEMENTS**

*This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, and potential Mineral Resource Estimate at the Boundiali and Napié Gold Projects. These statements are based on current expectations and are subject to risks and uncertainties inherent in mineral exploration and mining. Factors that could cause actual results to differ materially include exploration risks, drilling results, resource estimation, gold prices, operational risks, regulatory changes, and broader economic conditions. Investors should not place undue reliance on these forward-looking statements.*

#### **COMPETENT PERSON'S STATEMENT**

*The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a non-executive Director of the Company since 1 February 2024 and joined as an executive Director on 1 June 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this release.*

#### **COMPLIANCE STATEMENT**

*The information in this release that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali Resource Grows to 3Moz - Indicated Up 49%" released to the Australian Securities Exchange on 23 February 2026 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.*

*This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at [www.asx.com.au](http://www.asx.com.au) and includes results reported previously and published on ASX platform:*

10 Apr 2026, Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au (ASX:AUE)  
 23 Mar 2026, Aurum raises \$28.8M via Strategic Placement (ASX:AUE)  
 13 Mar 2026, Half Yearly Report and Accounts (ASX:AUE)  
 5 Mar 2026, Aurum Hits High-Grade Gold at Napie, Côte d'Ivoire (ASX:AUE)  
 23 Feb 2026, Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)  
 16 Feb 2026, Boundiali extends strike and depth at **BDT3** and **BST1** (ASX:AUE)  
 5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE)  
 28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)  
 14 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)  
 7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)  
 19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)  
 11 Dec 2025, Drilling at Napie Extends Gold Mineralisation to 400m Depth (ASX:AUE)  
 28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE)  
 18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)  
 07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside **BDT2** resources (ASX:AUE)  
 06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)  
 30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
 27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)  
 06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)  
 29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)  
 10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napie (ASX:AUE)  
 01 Sep 2025, Aurum expands footprint of Boundiali and Napie Gold Projects (ASX:AUE)  
 05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)  
 29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)  
 25 Jul 2025, Aurum hits 1.43m @ 234.35 g/t gold from 107m at BMT3 (ASX:AUE)  
 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)  
 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)  
 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)  
 27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)  
 21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)  
 13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)  
 13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)  
 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)  
 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)  
 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)  
 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)  
 27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)  
 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)  
 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)  
 7 Mar 25, Investor Presentation March 2025 (ASX:AUE)  
 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)  
 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)  
 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)  
 4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)  
 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)  
 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)  
 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)  
 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)  
 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)  
 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)  
 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)  
 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)  
 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)  
 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)  
 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)  
 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)  
 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)  
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3  
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)  
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)  
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)  
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)  
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)  
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)  
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)  
 30 Oct 2024, Bidders Statement (ASX:AUE)  
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)  
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)  
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)  
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)  
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)  
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)  
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)  
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)  
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)  
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)  
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)  
 12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)  
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)  
 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)  
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)  
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)  
 21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)  
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)  
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)  
 15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI:ASX)  
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI:ASX)  
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)  
 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

*The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.*




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Plan view showing new drill results (yellow) for BDT3<sup>10</sup>

<sup>10</sup> Only showing intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.




Figure 5: Plan view showing new drill results (yellow) for BST1<sup>11</sup>

<sup>11</sup> Only showing intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.




Figure 6: Cross Section looking north (+/-25m) showing new drill results (yellow) for BDT3<sup>12</sup>

<sup>12</sup> Only showing intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.




Figure 7: Cross Section looking north (+/-30m) showing new drill results (yellow) for **BST1**<sup>13</sup>

<sup>13</sup> Only showing intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.

**Table 1: Drill collar information for holes drilled at Boundiali (BDT3 & BST1)**

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0353	785,455	1,054,412	383	310.30	270	-55	BDT3	DD
DSDD0358	785,601	1,054,125	376	410.85	270	-50		
DSDD0359	785,582	1,054,311	378	400.05	270	-55		
DSDD0360	785,599	1,054,211	377	401.55	270	-55		
DSDD0362	785,543	1,054,413	383	412.00	270	-55		
DSDD0363	785,626	1,053,923	376	453.30	270	-57		
DSDD0364A	785,631	1,053,726	367	455.80	270	-60		
DSDD0368	785,456	1,054,522	388	312.10	270	-55		
DSDD0373	785,660	1,053,622	362	344.80	270	-60		
DSDD0376	785,538	1,054,520	386	401.90	270	-55		
<b>10 holes</b>				<b>3,902.65m</b>				
BSDD0046	784,582	1,035,350	411	485.00	90	-60	BST1	
BSDD0049	784,462	1,034,950	430	453.80	90	-60		
BSDD0050	784,820	1,035,452	417	163.40	90	-60		
BSDD0051	784,701	1,035,450	414	300.80	90	-60		
BSDD0052	784,537	1,034,880	422	338.10	90	-60		
BSDD0053	784,500	1,035,450	414	514.40	90	-60		
BSDD0054	784,450	1,034,880	428	452.60	90	-60		
<b>7 holes</b>				<b>2,708.10m</b>				
<b>17 holes</b>				<b>6,610.75m</b>			<b>TOTAL</b>	

**Table 2: Significant assay results for holes drilled at Boundiali (BDT3 & BST1)<sup>14</sup>**

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT3	DSDD0353	49.50	50.45	0.95	0.104			
BDT3	DSDD0353	79.00	80.00	1.00	0.498	1.80 m @ 0.63 g/t Au	1.1	
BDT3	DSDD0353	80.00	80.80	0.80	0.791			
BDT3	DSDD0353	133.00	134.00	1.00	0.628	3.00 m @ 0.48 g/t Au	1.4	
BDT3	DSDD0353	134.00	135.00	1.00	0.415			
BDT3	DSDD0353	135.00	136.00	1.00	0.402			
BDT3	DSDD0353	146.25	147.00	0.75	0.155			
BDT3	DSDD0353	148.00	149.08	1.08	<b>1.118</b>	1.08 m @ 1.12 g/t Au	1.2	<b>1.08 m @ 1.12 g/t Au</b>
BDT3	DSDD0353	155.66	157.00	1.34	0.239	1.34 m @ 0.24 g/t Au	0.3	
BDT3	DSDD0353	159.00	159.92	0.92	0.238	0.92 m @ 0.24 g/t Au	0.2	
BDT3	DSDD0353	163.50	164.00	0.50	0.282	2.50 m @ 0.24 g/t Au	0.6	
BDT3	DSDD0353	164.00	165.00	1.00	0.008			
BDT3	DSDD0353	165.00	166.00	1.00	0.449			
BDT3	DSDD0353	166.00	166.77	0.77	0.102			
BDT3	DSDD0353	168.00	169.00	1.00	0.116			
BDT3	DSDD0353	170.90	172.00	1.10	0.441	<b>9.10 m @ 0.71 g/t Au</b>	<b>6.5</b>	
BDT3	DSDD0353	172.00	173.00	1.00	0.419			
BDT3	DSDD0353	173.00	174.00	1.00	<b>2.140</b>			<b>1.00 m @ 2.14 g/t Au</b>
BDT3	DSDD0353	174.00	175.00	1.00	0.166			
BDT3	DSDD0353	175.00	176.00	1.00	0.923			
BDT3	DSDD0353	176.00	177.00	1.00	0.079			
BDT3	DSDD0353	177.00	178.00	1.00	0.028			
BDT3	DSDD0353	178.00	179.00	1.00	0.189			
BDT3	DSDD0353	179.00	180.00	1.00	<b>2.031</b>			<b>1.00 m @ 2.03 g/t Au</b>
BDT3	DSDD0353	200.00	201.00	1.00	0.685			1.00 m @ 0.69 g/t Au
BDT3	DSDD0353	201.00	202.30	1.30	0.184			
BDT3	DSDD0353	202.30	203.00	0.70	0.112	6.30 m @ 0.21 g/t Au	1.3	
BDT3	DSDD0353	220.70	222.00	1.30	0.317			
BDT3	DSDD0353	222.00	223.00	1.00	0.344			
BDT3	DSDD0353	223.00	224.00	1.00	0.218			
BDT3	DSDD0353	224.00	225.00	1.00	0.065			
BDT3	DSDD0353	225.00	226.00	1.00	0.033			
BDT3	DSDD0353	226.00	227.00	1.00	0.246			
BDT3	DSDD0353	227.00	228.00	1.00	0.169			
BDT3	DSDD0353	244.00	245.00	1.00	<b>4.425</b>	<b>1.00 m @ 4.42 g/t Au</b>	<b>4.4</b>	<b>1.00 m @ 4.42 g/t Au</b>
BDT3	DSDD0353	248.00	249.00	1.00	0.137			
BDT3	DSDD0353	249.00	250.00	1.00	0.403	1.00 m @ 0.40 g/t Au	0.4	
BDT3	DSDD0353	254.63	255.50	0.87	0.383	0.87 m @ 0.38 g/t Au	0.3	
BDT3	DSDD0353	255.50	256.15	0.65	0.104			
BDT3	DSDD0353	260.00	261.00	1.00	0.362	1.00 m @ 0.36 g/t Au	0.4	
BDT3	DSDD0353	274.00	275.00	1.00	0.163			
BDT3	DSDD0353	275.00	276.00	1.00	0.490	1.00 m @ 0.49 g/t Au	0.5	
BDT3	DSDD0353	277.00	278.00	1.00	0.151			
BDT3	DSDD0353	278.00	279.00	1.00	0.115			
BDT3	DSDD0353	281.00	282.00	1.00	0.156			
BDT3	DSDD0353	282.00	283.00	1.00	0.140			
BDT3	DSDD0353	297.00	298.00	1.00	0.115			
BDT3	DSDD0358	32.27	33.00	0.73	0.102			
BDT3	DSDD0358	196.26	197.00	0.74	0.109			
BDT3	DSDD0358	203.00	204.00	1.00	0.117			

<sup>14</sup> 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied

BDT3	DSDD0358	356.62	358.00	1.38	0.356					
BDT3	DSDD0358	358.00	359.00	1.00	0.594					
BDT3	DSDD0358	359.00	360.00	1.00	0.699	5.38 m @ 0.60 g/t Au	3.2			
BDT3	DSDD0358	360.00	361.00	1.00	0.657					
BDT3	DSDD0358	361.00	362.00	1.00	0.799					
BDT3	DSDD0358	362.00	363.00	1.00	0.149					
BDT3	DSDD0358	364.00	365.00	1.00	0.105					
BDT3	DSDD0358	365.00	366.00	1.00	0.109					
BDT3	DSDD0358	367.00	368.00	1.00	0.301	8.00 m @ 0.38 g/t Au	3.1			
BDT3	DSDD0358	368.00	369.00	1.00	0.008					
BDT3	DSDD0358	369.00	370.00	1.00	0.008					
BDT3	DSDD0358	370.00	370.88	0.88	0.008					
BDT3	DSDD0358	370.88	372.00	1.12	0.303					
BDT3	DSDD0358	372.00	373.00	1.00	<b>1.713</b>					
BDT3	DSDD0358	373.00	374.00	1.00	0.460					
BDT3	DSDD0358	374.00	375.00	1.00	0.226					
BDT3	DSDD0358	381.00	382.00	1.00	0.118					
BDT3	DSDD0358	382.00	383.00	1.00	<b>1.398</b>			1.00 m @ 1.40 g/t Au	1.4	1.00 m @ 1.40 g/t Au
BDT3	DSDD0358	383.00	384.00	1.00	0.120					
BDT3	DSDD0358	396.31	397.50	1.19	0.172					
BDT3	DSDD0358	397.50	398.50	1.00	0.119					
BDT3	DSDD0358	398.50	399.56	1.06	0.252	1.06 m @ 0.25 g/t Au	0.3			
BDT3	DSDD0359	107.00	108.00	1.00	0.100					
BDT3	DSDD0359	109.00	110.00	1.00	0.130					
BDT3	DSDD0359	110.00	111.00	1.00	0.130					
BDT3	DSDD0359	111.00	112.16	1.16	0.120					
BDT3	DSDD0359	260.00	261.28	1.28	0.120					
BDT3	DSDD0359	261.28	262.00	0.72	<b>1.780</b>	1.72 m @ 2.33 g/t Au	4.0	1.72 m @ 2.33 g/t Au		
BDT3	DSDD0359	262.00	263.00	1.00	<b>2.720</b>					
BDT3	DSDD0359	263.00	264.00	1.00	0.130					
BDT3	DSDD0359	265.00	266.00	1.00	0.110					
BDT3	DSDD0359	267.00	268.00	1.00	0.110					
BDT3	DSDD0359	268.00	269.00	1.00	0.102					
BDT3	DSDD0359	269.00	270.00	1.00	0.410	1.00 m @ 0.41 g/t Au	0.4			
BDT3	DSDD0359	270.00	271.00	1.00	0.108					
BDT3	DSDD0359	286.30	287.58	1.28	0.159					
BDT3	DSDD0359	290.47	291.70	1.23	0.622	1.23 m @ 0.62 g/t Au	0.8			
BDT3	DSDD0359	296.00	297.26	1.26	0.107					
BDT3	DSDD0359	297.26	298.00	0.74	0.278					
BDT3	DSDD0359	298.00	299.00	1.00	0.323	6.74 m @ 0.23 g/t Au	1.6			
BDT3	DSDD0359	299.00	300.00	1.00	0.214					
BDT3	DSDD0359	300.00	301.00	1.00	0.133					
BDT3	DSDD0359	301.00	302.00	1.00	0.031					
BDT3	DSDD0359	302.00	303.21	1.21	0.215					
BDT3	DSDD0359	303.21	304.00	0.79	0.494					
BDT3	DSDD0359	365.00	366.00	1.00	0.200			1.00 m @ 0.20 g/t Au	0.2	
BDT3	DSDD0359	383.00	384.00	1.00	0.110					
BDT3	DSDD0360	3.00	4.03	1.03	0.102					
BDT3	DSDD0360	15.00	15.96	0.96	0.134					
BDT3	DSDD0360	17.84	18.52	0.68	0.174					
BDT3	DSDD0360	20.86	21.40	0.54	0.295	0.54 m @ 0.29 g/t Au	0.2			
BDT3	DSDD0360	24.00	24.57	0.57	0.108					
BDT3	DSDD0360	26.11	27.00	0.89	0.161					
BDT3	DSDD0360	37.50	39.00	1.50	0.116					
BDT3	DSDD0360	48.00	49.50	1.50	0.297	1.50 m @ 0.30 g/t Au	0.4			
BDT3	DSDD0360	70.00	71.50	1.50	0.128					
BDT3	DSDD0360	72.53	74.00	1.47	0.126					
BDT3	DSDD0360	76.00	77.00	1.00	0.256	1.00 m @ 0.26 g/t Au	0.3			

BDT3	DSDD0360	317.00	318.00	1.00	0.292	1.00 m @ 0.29 g/t Au	0.3	
BDT3	DSDD0360	318.00	319.00	1.00	0.115			
BDT3	DSDD0360	332.00	333.00	1.00	0.128			
BDT3	DSDD0360	333.00	334.00	1.00	0.420	1.00 m @ 0.42 g/t Au	0.4	
BDT3	DSDD0360	341.00	342.00	1.00	0.440			
BDT3	DSDD0360	342.00	343.00	1.00	0.206	3.00 m @ 0.38 g/t Au	1.1	
BDT3	DSDD0360	343.00	344.00	1.00	0.481			
BDT3	DSDD0360	344.00	345.00	1.00	0.120			
BDT3	DSDD0360	345.00	346.00	1.00	0.144			
BDT3	DSDD0360	348.00	349.00	1.00	0.703	1.00 m @ 0.70 g/t Au	0.7	
BDT3	DSDD0360	353.00	354.00	1.00	0.214			
BDT3	DSDD0360	354.00	355.00	1.00	0.521			
BDT3	DSDD0360	355.00	356.00	1.00	0.882			
BDT3	DSDD0360	356.00	357.00	1.00	<b>1.878</b>			1.00 m @ 1.88 g/t Au
BDT3	DSDD0360	357.00	358.00	1.00	0.628			
BDT3	DSDD0360	358.00	359.00	1.00	0.335			
BDT3	DSDD0360	359.00	360.00	1.00	0.469			
BDT3	DSDD0360	360.00	361.00	1.00	0.633			
BDT3	DSDD0360	361.00	362.00	1.00	<b>1.329</b>			1.00 m @ 1.33 g/t Au
BDT3	DSDD0360	362.00	363.00	1.00	0.124			
BDT3	DSDD0360	363.00	364.00	1.00	0.031	20.60 m @ 0.48 g/t Au	9.9	
BDT3	DSDD0360	364.00	365.00	1.00	0.059			
BDT3	DSDD0360	365.00	366.00	1.00	0.705			
BDT3	DSDD0360	366.00	367.00	1.00	0.099			
BDT3	DSDD0360	367.00	368.00	1.00	0.008			
BDT3	DSDD0360	368.00	369.00	1.00	0.136			
BDT3	DSDD0360	369.00	370.00	1.00	0.756			
BDT3	DSDD0360	370.00	371.00	1.00	0.152			
BDT3	DSDD0360	371.00	372.00	1.00	0.101			
BDT3	DSDD0360	372.00	373.00	1.00	0.209			
BDT3	DSDD0360	373.00	373.60	0.60	<b>1.030</b>			0.60 m @ 1.03 g/t Au
BDT3	DSDD0362	0.00	1.00	1.00	0.117			
BDT3	DSDD0362	1.00	2.20	1.20	0.805	1.20 m @ 0.81 g/t Au	1.0	
BDT3	DSDD0362	24.00	25.00	1.00	0.127			
BDT3	DSDD0362	241.85	243.00	1.15	0.246			
BDT3	DSDD0362	243.00	244.00	1.00	<b>1.998</b>	3.15 m @ 0.87 g/t Au	2.7	1.00 m @ 2.00 g/t Au
BDT3	DSDD0362	244.00	245.00	1.00	0.450			
BDT3	DSDD0362	273.00	274.00	1.00	<b>1.221</b>	1.00 m @ 1.22 g/t Au	1.2	1.00 m @ 1.22 g/t Au
BDT3	DSDD0362	280.00	281.00	1.00	0.101			
BDT3	DSDD0362	281.00	282.00	1.00	0.169			
BDT3	DSDD0362	293.00	294.00	1.00	0.364	1.00 m @ 0.36 g/t Au	0.4	
BDT3	DSDD0362	295.00	296.00	1.00	0.182			
BDT3	DSDD0362	296.00	296.50	0.50	0.165			
BDT3	DSDD0362	296.50	298.00	1.50	0.112			
BDT3	DSDD0362	298.00	299.00	1.00	0.125			
BDT3	DSDD0362	300.00	301.00	1.00	0.127			
BDT3	DSDD0362	310.00	311.00	1.00	0.513			
BDT3	DSDD0362	311.00	312.00	1.00	0.127			
BDT3	DSDD0362	312.00	313.00	1.00	0.089			
BDT3	DSDD0362	313.00	314.00	1.00	<b>1.396</b>	8.10 m @ 0.62 g/t Au	5.1	1.00 m @ 1.40 g/t Au
BDT3	DSDD0362	314.00	315.00	1.00	0.053			
BDT3	DSDD0362	315.00	316.00	1.00	0.246			
BDT3	DSDD0362	316.00	316.80	0.80	0.075			
BDT3	DSDD0362	316.80	318.10	1.30	<b>1.981</b>			1.30 m @ 1.98 g/t Au
BDT3	DSDD0362	329.00	330.00	1.00	0.147			
BDT3	DSDD0362	331.00	332.00	1.00	0.142			
BDT3	DSDD0362	335.00	336.00	1.00	0.134			
BDT3	DSDD0362	337.00	338.00	1.00	0.147			

BDT3	DSDD0362	338.00	339.00	1.00	0.111			
BDT3	DSDD0362	357.65	359.00	1.35	0.145			
BDT3	DSDD0362	359.00	360.00	1.00	0.264	1.00 m @ 0.26 g/t Au	0.3	
BDT3	DSDD0362	362.00	363.00	1.00	0.149			
BDT3	DSDD0362	364.00	365.14	1.14	0.172			
BDT3	DSDD0362	365.14	366.00	0.86	0.328			
BDT3	DSDD0362	366.00	367.00	1.00	0.297			
BDT3	DSDD0362	367.00	368.00	1.00	0.123	4.86 m @ 0.26 g/t Au	1.3	
BDT3	DSDD0362	368.00	369.00	1.00	0.356			
BDT3	DSDD0362	369.00	370.00	1.00	0.203			
BDT3	DSDD0362	373.00	374.00	1.00	0.319	1.00 m @ 0.32 g/t Au	0.3	
BDT3	DSDD0362	386.00	386.80	0.80	0.169			
BDT3	DSDD0362	397.00	398.00	1.00	0.132			
BDT3	DSDD0363	9.50	10.50	1.00	0.107			
BDT3	DSDD0363	12.62	13.50	0.88	0.105			
BDT3	DSDD0363	77.00	78.00	1.00	0.357	1.00 m @ 0.36 g/t Au	0.4	
BDT3	DSDD0363	93.00	94.00	1.00	0.259	1.00 m @ 0.26 g/t Au	0.3	
BDT3	DSDD0363	295.00	296.00	1.00	0.123			
BDT3	DSDD0363	306.00	307.00	1.00	0.134			
BDT3	DSDD0363	307.00	308.00	1.00	<b>1.325</b>	1.00 m @ 1.32 g/t Au	1.3	<b>1.00 m @ 1.32 g/t Au</b>
BDT3	DSDD0363	316.70	318.00	1.30	0.765			
BDT3	DSDD0363	318.00	319.30	1.30	<b>1.386</b>			<b>1.30 m @ 1.39 g/t Au</b>
BDT3	DSDD0363	319.30	320.50	1.20	0.033	6.30 m @ 0.61 g/t Au	3.8	
BDT3	DSDD0363	320.50	322.00	1.50	0.025			
BDT3	DSDD0363	322.00	323.00	1.00	0.958			
BDT3	DSDD0363	339.00	340.00	1.00	0.136			
BDT3	DSDD0363	340.00	341.00	1.00	0.111			
BDT3	DSDD0363	341.00	342.00	1.00	0.483			
BDT3	DSDD0363	342.00	343.00	1.00	0.016			
BDT3	DSDD0363	343.00	344.00	1.00	0.982			
BDT3	DSDD0363	344.00	345.00	1.00	0.158			
BDT3	DSDD0363	345.00	346.00	1.00	0.191			
BDT3	DSDD0363	346.00	347.00	1.00	0.220			
BDT3	DSDD0363	347.00	348.00	1.00	0.685			
BDT3	DSDD0363	348.00	349.30	1.30	0.589			
BDT3	DSDD0363	349.30	350.50	1.20	0.263			
BDT3	DSDD0363	350.50	352.00	1.50	0.204			
BDT3	DSDD0363	352.00	353.00	1.00	0.177	22.80 m @ 0.45 g/t Au	10.2	
BDT3	DSDD0363	353.00	354.50	1.50	0.645			
BDT3	DSDD0363	354.50	355.60	1.10	0.069			
BDT3	DSDD0363	355.60	357.00	1.40	0.215			
BDT3	DSDD0363	357.00	358.00	1.00	0.730			
BDT3	DSDD0363	358.00	359.00	1.00	<b>1.815</b>			<b>1.00 m @ 1.81 g/t Au</b>
BDT3	DSDD0363	359.00	360.00	1.00	0.220			
BDT3	DSDD0363	360.00	361.00	1.00	0.459			
BDT3	DSDD0363	361.00	362.50	1.50	0.486			
BDT3	DSDD0363	362.50	363.80	1.30	0.437			
BDT3	DSDD0363	368.00	369.00	1.00	0.420			
BDT3	DSDD0363	369.00	370.00	1.00	0.112	3.00 m @ 0.26 g/t Au	0.8	
BDT3	DSDD0363	370.00	371.00	1.00	0.249			
BDT3	DSDD0363	372.00	373.00	1.00	0.110			
BDT3	DSDD0363	389.00	390.00	1.00	0.107			
BDT3	DSDD0363	413.00	414.00	1.00	0.104			
BDT3	DSDD0363	415.00	416.40	1.40	<b>4.254</b>			<b>1.40 m @ 4.25 g/t Au</b>
BDT3	DSDD0363	416.40	417.28	0.88	0.516	2.28 m @ 2.81 g/t Au	6.4	
BDT3	DSDD0363	432.09	432.59	0.50	0.164			
BDT3	DSDD0363	436.83	437.50	0.67	0.330	0.67 m @ 0.33 g/t Au	0.2	
BDT3	DSDD0364A	156.00	157.00	1.00	<b>1.173</b>	1.00 m @ 1.17 g/t Au	1.2	<b>1.00 m @ 1.17 g/t Au</b>

BDT3	DSDD0364A	202.00	203.00	1.00	0.144		
BDT3	DSDD0364A	235.00	236.00	1.00	0.471	1.00 m @ 0.47 g/t Au	0.5
BDT3	DSDD0364A	238.00	239.00	1.00	0.258	5.00 m @ 0.20 g/t Au	1.0
BDT3	DSDD0364A	239.00	240.00	1.00	0.378		
BDT3	DSDD0364A	240.00	241.00	1.00	0.036		
BDT3	DSDD0364A	241.00	242.00	1.00	0.080		
BDT3	DSDD0364A	242.00	243.00	1.00	0.271		
BDT3	DSDD0364A	244.00	245.00	1.00	0.215		
BDT3	DSDD0364A	247.00	248.12	1.12	0.247	1.12 m @ 0.25 g/t Au	0.3
BDT3	DSDD0364A	250.00	251.00	1.00	0.381	1.00 m @ 0.38 g/t Au	0.4
BDT3	DSDD0364A	251.00	252.40	1.40	0.132		
BDT3	DSDD0364A	316.00	317.00	1.00	0.308	10.00 m @ 0.60 g/t Au	6.0
BDT3	DSDD0364A	317.00	318.00	1.00	0.234		
BDT3	DSDD0364A	318.00	319.00	1.00	0.125		
BDT3	DSDD0364A	319.00	320.00	1.00	0.704		
BDT3	DSDD0364A	320.00	321.00	1.00	0.448		
BDT3	DSDD0364A	321.00	321.80	0.80	0.409		
BDT3	DSDD0364A	321.80	323.00	1.20	0.595		
BDT3	DSDD0364A	323.00	324.00	1.00	0.447		
BDT3	DSDD0364A	324.00	325.00	1.00	<b>1.376</b>		
BDT3	DSDD0364A	325.00	326.00	1.00	<b>1.349</b>		
BDT3	DSDD0364A	326.00	327.00	1.00	0.100		
BDT3	DSDD0364A	334.00	335.00	1.00	0.112		
BDT3	DSDD0364A	351.00	352.00	1.00	0.117		
BDT3	DSDD0364A	352.00	353.00	1.00	<b>2.163</b>	7.00 m @ 1.23 g/t Au	8.6
BDT3	DSDD0364A	353.00	354.00	1.00	<b>1.666</b>		
BDT3	DSDD0364A	354.00	355.00	1.00	<b>1.936</b>		
BDT3	DSDD0364A	355.00	355.58	0.58	<b>2.742</b>		
BDT3	DSDD0364A	355.58	357.00	1.42	0.181		
BDT3	DSDD0364A	357.00	358.00	1.00	0.150		
BDT3	DSDD0364A	358.00	359.00	1.00	0.858		
BDT3	DSDD0364A	359.00	360.00	1.00	0.197		
BDT3	DSDD0364A	360.00	361.00	1.00	0.112		
BDT3	DSDD0364A	364.00	365.00	1.00	0.223		
BDT3	DSDD0368	102.00	103.33	1.33	0.196		
BDT3	DSDD0368	103.33	104.00	0.67	0.254	1.67 m @ 0.45 g/t Au	0.7
BDT3	DSDD0368	104.00	105.00	1.00	0.576		
BDT3	DSDD0368	105.00	106.17	1.17	0.134		
BDT3	DSDD0368	116.69	117.50	0.81	0.634	3.96 m @ 1.09 g/t Au	4.3
BDT3	DSDD0368	117.50	118.00	0.50	0.846		
BDT3	DSDD0368	118.00	119.00	1.00	<b>1.384</b>		
BDT3	DSDD0368	119.00	120.00	1.00	0.743		
BDT3	DSDD0368	120.00	120.65	0.65	<b>1.911</b>		
BDT3	DSDD0368	141.50	142.00	0.50	0.108		
BDT3	DSDD0368	146.00	147.00	1.00	0.111		
BDT3	DSDD0368	149.00	149.50	0.50	0.309	0.50 m @ 0.31 g/t Au	0.2
BDT3	DSDD0368	151.81	152.37	0.56	0.365	0.56 m @ 0.36 g/t Au	0.2
BDT3	DSDD0368	158.13	159.00	0.87	0.132		
BDT3	DSDD0368	179.90	180.50	0.60	0.168	2.25 m @ 0.73 g/t Au	1.6
BDT3	DSDD0368	180.50	181.00	0.50	0.497		
BDT3	DSDD0368	181.00	182.00	1.00	0.361		
BDT3	DSDD0368	182.00	182.75	0.75	<b>1.372</b>		
BDT3	DSDD0368	189.00	190.00	1.00	0.278	1.00 m @ 0.28 g/t Au	0.3
BDT3	DSDD0368	190.00	191.00	1.00	0.145		
BDT3	DSDD0368	194.00	195.00	1.00	0.115		
BDT3	DSDD0368	195.00	196.00	1.00	0.242	1.00 m @ 0.24 g/t Au	0.2
BDT3	DSDD0368	202.00	203.00	1.00	0.110		
BDT3	DSDD0368	203.00	204.00	1.00	0.593	1.70 m @ 0.46 g/t Au	0.8

BDT3	DSDD0368	204.00	204.70	0.70	0.267					
BDT3	DSDD0368	217.18	217.70	0.52	0.143					
BDT3	DSDD0368	220.29	221.21	0.92	0.261	0.92 m @ 0.26 g/t Au	0.2			
BDT3	DSDD0368	240.35	241.42	1.07	0.392	1.07 m @ 0.39 g/t Au	0.4			
BDT3	DSDD0368	257.00	258.00	1.00	0.931	20.00 m @ 0.69 g/t Au	13.8			
BDT3	DSDD0368	258.00	259.00	1.00	0.043					
BDT3	DSDD0368	259.00	260.20	1.20	0.732					
BDT3	DSDD0368	260.20	261.00	0.80	0.391					
BDT3	DSDD0368	261.00	262.40	1.40	0.432					
BDT3	DSDD0368	262.40	263.28	0.88	0.516					
BDT3	DSDD0368	263.28	264.00	0.72	0.253					
BDT3	DSDD0368	264.00	265.00	1.00	0.997					
BDT3	DSDD0368	265.00	265.50	0.50	<b>7.903</b>					<b>0.50 m @ 7.90 g/t Au</b>
BDT3	DSDD0368	265.50	266.00	0.50	0.041					
BDT3	DSDD0368	266.00	267.00	1.00	0.141					
BDT3	DSDD0368	267.00	268.00	1.00	0.078					
BDT3	DSDD0368	268.00	268.50	0.50	<b>3.014</b>					<b>0.50 m @ 3.01 g/t Au</b>
BDT3	DSDD0368	268.50	269.00	0.50	0.080					
BDT3	DSDD0368	269.00	270.00	1.00	0.048					
BDT3	DSDD0368	270.00	271.00	1.00	0.389					
BDT3	DSDD0368	271.00	271.60	0.60	0.008					
BDT3	DSDD0368	271.60	272.30	0.70	0.008					
BDT3	DSDD0368	272.30	273.00	0.70	0.008					
BDT3	DSDD0368	273.00	274.00	1.00	0.575					
BDT3	DSDD0368	274.00	274.55	0.55	0.035					
BDT3	DSDD0368	274.55	275.50	0.95	0.030					
BDT3	DSDD0368	275.50	276.28	0.78	0.055					
BDT3	DSDD0368	276.28	277.00	0.72	<b>3.522</b>		<b>0.72 m @ 3.52 g/t Au</b>			
BDT3	DSDD0368	291.00	292.13	1.13	0.218	1.13 m @ 0.22 g/t Au	0.2			
BDT3	DSDD0373	55.00	56.00	1.00	<b>1.752</b>	1.00 m @ 1.75 g/t Au	1.8	<b>1.00 m @ 1.75 g/t Au</b>		
BDT3	DSDD0373	158.00	159.00	1.00	0.432	1.00 m @ 0.43 g/t Au	0.4			
BDT3	DSDD0373	173.00	174.00	1.00	0.179					
BDT3	DSDD0373	211.00	212.00	1.00	<b>4.606</b>	<b>1.00 m @ 4.61 g/t Au</b>	<b>4.6</b>	<b>1.00 m @ 4.61 g/t Au</b>		
BDT3	DSDD0373	251.40	252.00	0.60	0.103					
BDT3	DSDD0376	9.00	9.98	0.98	0.108					
BDT3	DSDD0376	28.50	29.28	0.78	0.365	0.78 m @ 0.36 g/t Au	0.3			
BDT3	DSDD0376	43.50	44.00	0.50	0.271	0.50 m @ 0.27 g/t Au	0.1			
BDT3	DSDD0376	74.00	75.00	1.00	0.127					
BDT3	DSDD0376	84.00	84.50	0.50	<b>1.266</b>	0.50 m @ 1.27 g/t Au	0.6	<b>0.50 m @ 1.27 g/t Au</b>		
BDT3	DSDD0376	114.00	115.00	1.00	0.114					
BDT3	DSDD0376	118.00	119.00	1.00	0.180					
BDT3	DSDD0376	122.49	123.00	0.51	0.124					
BDT3	DSDD0376	123.00	123.57	0.57	0.119					
BDT3	DSDD0376	130.00	131.00	1.00	0.233					
BDT3	DSDD0376	131.00	131.62	0.62	0.143	3.00 m @ 0.38 g/t Au	1.1			
BDT3	DSDD0376	131.62	132.50	0.88	0.782					
BDT3	DSDD0376	132.50	133.00	0.50	0.269					
BDT3	DSDD0376	144.00	145.00	1.00	0.137					
BDT3	DSDD0376	205.00	206.00	1.00	0.367	6.50 m @ 0.21 g/t Au	1.4			
BDT3	DSDD0376	206.00	207.00	1.00	0.099					
BDT3	DSDD0376	207.00	208.00	1.00	0.017					
BDT3	DSDD0376	208.00	208.70	0.70	0.024					
BDT3	DSDD0376	208.70	209.50	0.80	0.217					
BDT3	DSDD0376	209.50	210.00	0.50	0.325					
BDT3	DSDD0376	210.00	210.79	0.79	0.382					
BDT3	DSDD0376	210.79	211.50	0.71	0.337					
BDT3	DSDD0376	214.50	215.00	0.50	0.756	0.50 m @ 0.76 g/t Au	0.4			
BDT3	DSDD0376	219.00	220.00	1.00	0.514	4.50 m @ 0.53 g/t Au	2.4			

BDT3	DSDD0376	220.00	221.00	1.00	0.016			
BDT3	DSDD0376	221.00	221.51	0.51	0.021			
BDT3	DSDD0376	221.51	222.30	0.79	0.129			
BDT3	DSDD0376	222.30	222.89	0.59	0.534			
BDT3	DSDD0376	222.89	223.50	0.61	<b>2.346</b>			<b>0.61 m @ 2.35 g/t Au</b>
BDT3	DSDD0376	239.00	240.00	1.00	0.143			
BDT3	DSDD0376	240.00	241.00	1.00	0.160			
BDT3	DSDD0376	243.00	244.00	1.00	0.349	1.00 m @ 0.35 g/t Au	0.3	
BDT3	DSDD0376	244.00	244.91	0.91	0.122			
BDT3	DSDD0376	259.00	260.00	1.00	0.132			
BDT3	DSDD0376	260.00	261.48	1.48	0.175			
BDT3	DSDD0376	261.48	262.00	0.52	0.414			
BDT3	DSDD0376	262.00	263.10	1.10	0.522	2.29 m @ 0.44 g/t Au	1.0	
BDT3	DSDD0376	263.10	263.77	0.67	0.332			
BDT3	DSDD0376	264.50	265.00	0.50	0.139			
BDT3	DSDD0376	267.00	268.18	1.18	0.165			
BDT3	DSDD0376	268.18	268.90	0.72	0.337	0.72 m @ 0.34 g/t Au	0.2	
BDT3	DSDD0376	268.90	269.49	0.59	0.171			
BDT3	DSDD0376	269.49	270.00	0.51	0.115			
BDT3	DSDD0376	276.00	277.36	1.36	0.160			
BDT3	DSDD0376	278.00	279.00	1.00	0.451	1.00 m @ 0.45 g/t Au	0.5	
BDT3	DSDD0376	279.00	280.00	1.00	0.116			
BDT3	DSDD0376	282.00	283.00	1.00	0.145			
BDT3	DSDD0376	283.65	284.50	0.85	0.193			
BDT3	DSDD0376	285.70	286.28	0.58	0.382	1.30 m @ 0.32 g/t Au	0.4	
BDT3	DSDD0376	286.28	287.00	0.72	0.263			
BDT3	DSDD0376	290.45	291.00	0.55	0.134			
BDT3	DSDD0376	291.00	292.00	1.00	0.472			
BDT3	DSDD0376	292.00	293.00	1.00	0.522			
BDT3	DSDD0376	293.00	294.00	1.00	0.806			
BDT3	DSDD0376	294.00	295.00	1.00	0.955	7.09 m @ 1.09 g/t Au	7.7	
BDT3	DSDD0376	295.00	296.00	1.00	0.280			
BDT3	DSDD0376	296.00	297.00	1.00	0.432			
BDT3	DSDD0376	297.00	298.09	1.09	<b>3.907</b>			<b>1.09 m @ 3.91 g/t Au</b>
BDT3	DSDD0376	298.09	299.00	0.91	0.150			
BDT3	DSDD0376	299.00	300.00	1.00	0.139			
BDT3	DSDD0376	317.00	318.00	1.00	0.932			
BDT3	DSDD0376	318.00	319.00	1.00	0.185	4.00 m @ 1.63 g/t Au	6.5	
BDT3	DSDD0376	319.00	320.00	1.00	0.246			
BDT3	DSDD0376	320.00	321.00	1.00	<b>5.147</b>			<b>1.00 m @ 5.15 g/t Au</b>
BDT3	DSDD0376	330.00	330.55	0.55	0.410	0.55 m @ 0.41 g/t Au	0.2	
BDT3	DSDD0376	334.30	335.00	0.70	<b>4.700</b>	1.70 m @ 2.09 g/t Au	3.6	<b>0.70 m @ 4.70 g/t Au</b>
BDT3	DSDD0376	335.00	336.00	1.00	0.265			
BDT3	DSDD0376	337.00	338.00	1.00	0.110			
BST1	BSDD0046	0.00	1.50	1.50	0.129			
BST1	BSDD0046	1.50	3.00	1.50	0.276	1.50 m @ 0.28 g/t Au	0.4	
BST1	BSDD0046	3.00	3.77	0.77	0.156			
BST1	BSDD0046	9.50	10.86	1.36	0.431	1.36 m @ 0.43 g/t Au	0.6	
BST1	BSDD0046	19.50	21.00	1.50	0.166			
BST1	BSDD0046	21.00	22.50	1.50	0.395	1.50 m @ 0.40 g/t Au	0.6	
BST1	BSDD0046	34.50	36.00	1.50	0.925	1.50 m @ 0.93 g/t Au	1.4	
BST1	BSDD0046	40.00	41.50	1.50	0.208	1.50 m @ 0.21 g/t Au	0.3	
BST1	BSDD0046	45.50	46.87	1.37	0.474	1.37 m @ 0.47 g/t Au	0.6	
BST1	BSDD0046	46.87	48.00	1.13	0.112			
BST1	BSDD0046	58.00	59.00	1.00	0.163			
BST1	BSDD0046	83.00	84.00	1.00	0.137			
BST1	BSDD0046	99.00	100.00	1.00	0.531	1.00 m @ 0.53 g/t Au	0.5	
BST1	BSDD0046	147.00	148.00	1.00	0.247	1.00 m @ 0.25 g/t Au	0.2	

BST1	BSDD0046	171.00	172.00	1.00	0.102			
BST1	BSDD0046	223.00	224.00	1.00	0.111			
BST1	BSDD0046	232.00	233.00	1.00	0.488	1.00 m @ 0.49 g/t Au	0.5	
BST1	BSDD0046	235.00	236.00	1.00	0.274	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0046	247.00	248.00	1.00	0.364	1.00 m @ 0.36 g/t Au	0.4	
BST1	BSDD0046	262.00	263.00	1.00	0.160			
BST1	BSDD0046	265.00	266.00	1.00	0.347	1.00 m @ 0.35 g/t Au	0.3	
BST1	BSDD0046	275.00	276.00	1.00	0.409	2.00 m @ 0.56 g/t Au	1.1	
BST1	BSDD0046	276.00	277.00	1.00	0.719			
BST1	BSDD0046	278.00	279.00	1.00	0.162			
BST1	BSDD0046	282.00	283.20	1.20	0.196			
BST1	BSDD0046	300.00	300.96	0.96	0.122			
BST1	BSDD0046	302.00	303.00	1.00	0.221	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0046	307.00	308.00	1.00	0.521			
BST1	BSDD0046	308.00	309.00	1.00	0.032			
BST1	BSDD0046	309.00	310.00	1.00	0.539			
BST1	BSDD0046	310.00	311.00	1.00	0.103			
BST1	BSDD0046	311.00	312.00	1.00	0.166			
BST1	BSDD0046	312.00	313.00	1.00	0.880	11.00 m @ 0.25 g/t Au	2.8	
BST1	BSDD0046	313.00	314.00	1.00	0.021			
BST1	BSDD0046	314.00	315.00	1.00	0.008			
BST1	BSDD0046	315.00	315.54	0.54	0.511			
BST1	BSDD0046	315.54	317.00	1.46	0.008			
BST1	BSDD0046	317.00	318.00	1.00	0.201			
BST1	BSDD0046	320.47	321.00	0.53	0.408			
BST1	BSDD0046	321.00	322.00	1.00	1.814			1.00 m @ 1.81 g/t Au
BST1	BSDD0046	322.00	323.00	1.00	0.008			
BST1	BSDD0046	323.00	324.00	1.00	0.008			
BST1	BSDD0046	324.00	325.00	1.00	1.135	9.53 m @ 0.44 g/t Au	4.2	1.00 m @ 1.14 g/t Au
BST1	BSDD0046	325.00	326.00	1.00	0.027			
BST1	BSDD0046	326.00	327.00	1.00	0.008			
BST1	BSDD0046	327.00	328.00	1.00	0.465			
BST1	BSDD0046	328.00	329.00	1.00	0.025			
BST1	BSDD0046	329.00	330.00	1.00	0.499			
BST1	BSDD0046	330.00	331.00	1.00	0.167			
BST1	BSDD0046	333.00	334.00	1.00	0.164			
BST1	BSDD0046	337.00	338.00	1.00	0.173			
BST1	BSDD0046	344.62	346.00	1.38	0.759			
BST1	BSDD0046	346.00	347.00	1.00	0.406	4.38 m @ 0.49 g/t Au	2.2	
BST1	BSDD0046	347.00	348.00	1.00	0.103			
BST1	BSDD0046	348.00	349.00	1.00	0.607			
BST1	BSDD0046	352.00	353.00	1.00	0.583	1.00 m @ 0.58 g/t Au	0.6	
BST1	BSDD0046	354.00	355.00	1.00	0.134			
BST1	BSDD0046	361.00	362.00	1.00	0.599			
BST1	BSDD0046	362.00	363.00	1.00	0.333			
BST1	BSDD0046	363.00	364.00	1.00	0.149			
BST1	BSDD0046	364.00	365.00	1.00	0.201			
BST1	BSDD0046	365.00	366.00	1.00	0.008			
BST1	BSDD0046	366.00	367.00	1.00	0.008			
BST1	BSDD0046	367.00	368.00	1.00	0.490			
BST1	BSDD0046	368.00	369.00	1.00	0.819			
BST1	BSDD0046	369.00	370.00	1.00	0.693	19.00 m @ 0.38 g/t Au	7.2	
BST1	BSDD0046	370.00	371.00	1.00	0.680			
BST1	BSDD0046	371.00	372.00	1.00	0.378			
BST1	BSDD0046	372.00	373.00	1.00	0.995			
BST1	BSDD0046	373.00	374.00	1.00	0.020			
BST1	BSDD0046	374.00	375.00	1.00	0.100			
BST1	BSDD0046	375.00	376.00	1.00	0.327			

BST1	BSDD0046	376.00	377.00	1.00	0.008			
BST1	BSDD0046	377.00	378.00	1.00	0.029			
BST1	BSDD0046	378.00	379.00	1.00	0.666			
BST1	BSDD0046	379.00	380.00	1.00	0.702			
BST1	BSDD0046	382.00	383.00	1.00	0.190			
BST1	BSDD0046	383.00	384.00	1.00	0.511	1.00 m @ 0.51 g/t Au	0.5	
BST1	BSDD0046	390.00	391.00	1.00	0.422			
BST1	BSDD0046	391.00	392.00	1.00	0.336			
BST1	BSDD0046	392.00	393.00	1.00	0.212	4.55 m @ 0.38 g/t Au	1.7	
BST1	BSDD0046	393.00	394.00	1.00	0.326			
BST1	BSDD0046	394.00	394.55	0.55	0.760			
BST1	BSDD0046	402.00	403.00	1.00	0.912	1.00 m @ 0.91 g/t Au	0.9	
BST1	BSDD0046	405.50	406.00	0.50	0.291			
BST1	BSDD0046	406.00	407.00	1.00	0.032	2.50 m @ 0.21 g/t Au	0.5	
BST1	BSDD0046	407.00	408.00	1.00	0.358			
BST1	BSDD0046	414.00	414.80	0.80	<b>1.534</b>	0.80 m @ 1.53 g/t Au	1.2	<b>0.80 m @ 1.53 g/t Au</b>
BST1	BSDD0046	419.00	420.00	1.00	0.904	1.00 m @ 0.90 g/t Au	0.9	
BST1	BSDD0046	426.00	427.00	1.00	0.583			
BST1	BSDD0046	427.00	428.00	1.00	<b>1.233</b>			<b>1.00 m @ 1.23 g/t Au</b>
BST1	BSDD0046	428.00	429.00	1.00	0.028			
BST1	BSDD0046	429.00	430.00	1.00	0.206			
BST1	BSDD0046	430.00	431.00	1.00	0.105			
BST1	BSDD0046	431.00	432.00	1.00	0.062			
BST1	BSDD0046	432.00	433.00	1.00	0.303			
BST1	BSDD0046	433.00	433.80	0.80	0.849			
BST1	BSDD0046	439.00	439.70	0.70	0.719	0.70 m @ 0.72 g/t Au	0.5	
BST1	BSDD0046	451.00	452.00	1.00	0.117			
BST1	BSDD0049	1.92	3.00	1.08	0.120			
BST1	BSDD0049	4.50	6.00	1.50	0.300			
BST1	BSDD0049	6.00	7.50	1.50	0.260	3.00 m @ 0.28 g/t Au	0.8	
BST1	BSDD0049	12.50	13.50	1.00	<b>1.130</b>	1.00 m @ 1.13 g/t Au	1.1	<b>1.00 m @ 1.13 g/t Au</b>
BST1	BSDD0049	24.00	25.50	1.50	<b>1.480</b>			<b>1.50 m @ 1.48 g/t Au</b>
BST1	BSDD0049	25.50	27.00	1.50	0.010	4.00 m @ 0.61 g/t Au	2.4	
BST1	BSDD0049	27.00	28.00	1.00	0.200			
BST1	BSDD0049	40.50	42.00	1.50	0.860	1.50 m @ 0.86 g/t Au	1.3	
BST1	BSDD0049	51.00	52.50	1.50	0.130			
BST1	BSDD0049	60.42	61.50	1.08	0.260	1.08 m @ 0.26 g/t Au	0.3	
BST1	BSDD0049	74.00	75.00	1.00	0.170			
BST1	BSDD0049	101.00	102.00	1.00	0.170			
BST1	BSDD0049	154.00	155.00	1.00	0.410	1.00 m @ 0.41 g/t Au	0.4	
BST1	BSDD0049	165.20	166.00	0.80	0.340	0.80 m @ 0.34 g/t Au	0.3	
BST1	BSDD0049	179.42	180.00	0.58	0.100			
BST1	BSDD0049	180.00	181.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0049	197.00	198.00	1.00	0.120			
BST1	BSDD0049	208.00	209.00	1.00	0.800	1.00 m @ 0.80 g/t Au	0.8	
BST1	BSDD0049	213.00	214.00	1.00	0.780	1.00 m @ 0.78 g/t Au	0.8	
BST1	BSDD0049	214.00	214.64	0.64	0.100			
BST1	BSDD0049	232.00	233.00	1.00	<b>1.930</b>			
BST1	BSDD0049	233.00	234.00	1.00	<b>1.070</b>	2.00 m @ 1.50 g/t Au	3.0	<b>2.00 m @ 1.50 g/t Au</b>
BST1	BSDD0049	243.00	244.14	1.14	<b>1.170</b>	1.14 m @ 1.17 g/t Au	1.3	<b>1.14 m @ 1.17 g/t Au</b>
BST1	BSDD0049	281.00	282.00	1.00	0.260			
BST1	BSDD0049	282.00	283.00	1.00	0.110	3.00 m @ 0.60 g/t Au	1.8	
BST1	BSDD0049	283.00	284.00	1.00	<b>1.420</b>			<b>1.00 m @ 1.42 g/t Au</b>
BST1	BSDD0049	287.00	288.00	1.00	0.420	1.00 m @ 0.42 g/t Au	0.4	
BST1	BSDD0049	303.00	304.00	1.00	0.150			
BST1	BSDD0049	304.00	305.00	1.00	0.490	1.00 m @ 0.49 g/t Au	0.5	
BST1	BSDD0049	313.00	314.00	1.00	0.462			
BST1	BSDD0049	314.00	315.00	1.00	<b>1.901</b>	2.00 m @ 1.18 g/t Au	2.4	<b>1.00 m @ 1.90 g/t Au</b>

BST1	BSDD0049	319.00	320.00	1.00	0.229	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0049	328.00	329.00	1.00	0.150			
BST1	BSDD0049	336.00	337.00	1.00	0.607	3.00 m @ 0.61 g/t Au	1.8	
BST1	BSDD0049	337.00	338.00	1.00	0.236			
BST1	BSDD0049	338.00	339.00	1.00	0.996			
BST1	BSDD0049	340.00	341.00	1.00	0.136			
BST1	BSDD0049	365.00	366.00	1.00	0.150			
BST1	BSDD0049	375.00	376.00	1.00	0.100			
BST1	BSDD0049	376.00	377.00	1.00	<b>1.060</b>	1.00 m @ 1.06 g/t Au	1.1	<b>1.00 m @ 1.06 g/t Au</b>
BST1	BSDD0049	382.00	383.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0049	388.00	389.00	1.00	<b>1.120</b>	1.00 m @ 1.12 g/t Au	1.1	<b>1.00 m @ 1.12 g/t Au</b>
BST1	BSDD0049	398.00	399.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.3	
BST1	BSDD0049	400.00	401.00	1.00	0.120			
BST1	BSDD0049	401.00	402.00	1.00	0.100			
BST1	BSDD0049	402.00	403.00	1.00	<b>2.520</b>	<b>1.00 m @ 2.52 g/t Au</b>	<b>2.5</b>	<b>1.00 m @ 2.52 g/t Au</b>
BST1	BSDD0049	408.00	409.00	1.00	0.150			
BST1	BSDD0049	409.00	410.00	1.00	0.850	1.00 m @ 0.85 g/t Au	0.9	
BST1	BSDD0049	423.00	424.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0049	424.00	425.00	1.00	0.130			
BST1	BSDD0049	430.00	430.55	0.55	0.900	<b>2.00 m @ 1.35 g/t Au</b>	<b>2.7</b>	<b>1.45 m @ 1.52 g/t Au</b>
BST1	BSDD0049	430.55	432.00	1.45	<b>1.520</b>			
BST1	BSDD0049	433.00	433.55	0.55	0.130			
BST1	BSDD0050	66.00	67.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0050	73.00	74.00	1.00	0.118			
BST1	BSDD0050	90.00	91.00	1.00	0.186			
BST1	BSDD0050	121.00	122.14	1.14	0.100			
BST1	BSDD0050	135.00	136.00	1.00	0.111			
BST1	BSDD0050	143.00	144.00	1.00	0.330	1.00 m @ 0.33 g/t Au	0.3	
BST1	BSDD0050	153.00	154.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0051	1.50	3.00	1.50	0.105			
BST1	BSDD0051	3.00	4.50	1.50	0.124			
BST1	BSDD0051	4.50	6.00	1.50	0.139			
BST1	BSDD0051	10.50	12.00	1.50	0.139			
BST1	BSDD0051	15.00	16.50	1.50	0.420	1.50 m @ 0.42 g/t Au	0.6	
BST1	BSDD0051	16.50	18.00	1.50	0.121			
BST1	BSDD0051	31.50	33.00	1.50	0.134			
BST1	BSDD0051	55.00	56.00	1.00	0.226	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0051	66.00	67.00	1.00	0.258	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0051	76.00	77.00	1.00	0.939	1.00 m @ 0.94 g/t Au	0.9	
BST1	BSDD0051	82.00	83.00	1.00	0.131			
BST1	BSDD0051	83.00	84.00	1.00	0.137			
BST1	BSDD0051	91.00	92.00	1.00	<b>1.262</b>	1.00 m @ 1.26 g/t Au	1.3	<b>1.00 m @ 1.26 g/t Au</b>
BST1	BSDD0051	97.00	98.00	1.00	0.163			
BST1	BSDD0051	107.00	108.00	1.00	0.175			
BST1	BSDD0051	116.00	117.00	1.00	0.139			
BST1	BSDD0051	121.96	123.00	1.04	0.265	2.04 m @ 0.25 g/t Au	0.5	
BST1	BSDD0051	123.00	124.00	1.00	0.243			
BST1	BSDD0051	124.00	125.00	1.00	0.111			
BST1	BSDD0051	128.00	129.00	1.00	0.581	1.00 m @ 0.58 g/t Au	0.6	
BST1	BSDD0051	143.00	144.00	1.00	0.161			
BST1	BSDD0051	149.00	150.00	1.00	0.368	1.00 m @ 0.37 g/t Au	0.4	
BST1	BSDD0051	181.00	181.61	0.61	0.117			
BST1	BSDD0051	194.00	195.00	1.00	0.166			
BST1	BSDD0051	196.00	197.00	1.00	0.434	1.00 m @ 0.43 g/t Au	0.4	
BST1	BSDD0051	199.00	200.00	1.00	0.266	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0051	204.00	204.97	0.97	0.131			
BST1	BSDD0051	209.42	210.00	0.58	0.116			
BST1	BSDD0051	216.00	217.42	1.42	0.132			

BST1	BSDD0051	235.00	236.00	1.00	0.391	2.00 m @ 1.15 g/t Au	2.3	
BST1	BSDD0051	236.00	237.00	1.00	<b>1.912</b>			<b>1.00 m @ 1.91 g/t Au</b>
BST1	BSDD0051	240.00	241.00	1.00	0.650	1.00 m @ 0.65 g/t Au	0.7	
BST1	BSDD0051	244.00	245.00	1.00	0.388	1.00 m @ 0.39 g/t Au	0.4	
BST1	BSDD0051	253.00	254.00	1.00	0.152	2.00 m @ 0.85 g/t Au	1.7	
BST1	BSDD0051	263.00	263.75	0.75	0.114			
BST1	BSDD0051	263.75	265.00	1.25	0.137			
BST1	BSDD0051	265.00	266.00	1.00	0.359			
BST1	BSDD0051	266.00	267.00	1.00	<b>1.332</b>			<b>1.00 m @ 1.33 g/t Au</b>
BST1	BSDD0051	279.00	280.00	1.00	<b>1.408</b>			<b>1.00 m @ 1.41 g/t Au</b>
BST1	BSDD0051	292.00	293.00	1.00	0.245	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0051	297.00	298.00	1.00	0.288	2.00 m @ 0.25 g/t Au	0.5	
BST1	BSDD0051	298.00	299.00	1.00	0.205			
BST1	BSDD0051	300.00	300.80	0.80	0.114			
BST1	BSDD0052	9.00	10.00	1.00	0.249	1.00 m @ 0.25 g/t Au	0.2	
BST1	BSDD0052	16.50	18.00	1.50	0.121			
BST1	BSDD0052	43.50	44.36	0.86	0.287	0.86 m @ 0.29 g/t Au	0.2	
BST1	BSDD0052	135.00	136.00	1.00	0.110			
BST1	BSDD0052	147.00	148.00	1.00	<b>2.369</b>	1.00 m @ 2.37 g/t Au	2.4	<b>1.00 m @ 2.37 g/t Au</b>
BST1	BSDD0052	170.00	171.00	1.00	0.155			
BST1	BSDD0052	175.00	176.00	1.00	0.238	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0052	180.00	180.71	0.71	0.137			
BST1	BSDD0052	183.00	184.00	1.00	0.304	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0052	194.00	194.62	0.62	0.149			
BST1	BSDD0052	194.62	196.00	1.38	0.776	<b>4.38 m @ 0.63 g/t Au</b>	<b>2.8</b>	
BST1	BSDD0052	196.00	197.00	1.00	0.514			
BST1	BSDD0052	197.00	198.00	1.00	0.126			
BST1	BSDD0052	198.00	199.00	1.00	<b>1.045</b>			<b>1.00 m @ 1.04 g/t Au</b>
BST1	BSDD0052	201.00	202.00	1.00	0.105			
BST1	BSDD0052	202.00	203.00	1.00	0.655	2.00 m @ 0.67 g/t Au	1.3	
BST1	BSDD0052	203.00	204.00	1.00	0.687			
BST1	BSDD0052	206.00	207.00	1.00	0.176			
BST1	BSDD0052	207.00	208.00	1.00	0.705	1.00 m @ 0.70 g/t Au	0.7	
BST1	BSDD0052	212.00	213.00	1.00	<b>1.220</b>	<b>11.00 m @ 1.49 g/t Au</b>	<b>16.4</b>	<b>1.00 m @ 1.22 g/t Au</b>
BST1	BSDD0052	213.00	214.00	1.00	0.382			
BST1	BSDD0052	214.00	215.00	1.00	0.008			
BST1	BSDD0052	215.00	216.00	1.00	0.546			
BST1	BSDD0052	216.00	217.00	1.00	0.017			
BST1	BSDD0052	217.00	218.00	1.00	0.684			
BST1	BSDD0052	218.00	219.00	1.00	0.027			
BST1	BSDD0052	219.00	220.00	1.00	0.213			
BST1	BSDD0052	220.00	221.00	1.00	<b>1.698</b>			
BST1	BSDD0052	221.00	222.00	1.00	<b>11.388</b>			<b>2.00 m @ 6.54 g/t Au</b>
BST1	BSDD0052	222.00	223.00	1.00	0.261			
BST1	BSDD0052	230.00	231.00	1.00	0.183			
BST1	BSDD0052	231.00	232.00	1.00	0.324	<b>13.00 m @ 0.95 g/t Au</b>	<b>12.4</b>	
BST1	BSDD0052	232.00	233.00	1.00	0.352			
BST1	BSDD0052	233.00	234.00	1.00	0.025			
BST1	BSDD0052	234.00	235.00	1.00	0.042			
BST1	BSDD0052	235.00	236.00	1.00	<b>2.809</b>			
BST1	BSDD0052	236.00	237.00	1.00	0.019			
BST1	BSDD0052	237.00	238.00	1.00	0.028			
BST1	BSDD0052	238.00	239.00	1.00	<b>4.453</b>			<b>4.00 m @ 1.83 g/t Au</b>
BST1	BSDD0052	239.00	240.00	1.00	0.008			
BST1	BSDD0052	240.00	241.00	1.00	0.030			
BST1	BSDD0052	241.00	242.00	1.00	<b>2.177</b>			
BST1	BSDD0052	242.00	243.00	1.00	0.023			<b>3.00 m @ 1.43 g/t Au</b>
BST1	BSDD0052	243.00	244.00	1.00	<b>2.080</b>			

BST1	BSDD0052	250.10	251.00	0.90	0.172			
BST1	BSDD0052	251.00	252.00	1.00	<b>1.116</b>	11.00 m @ 0.72 g/t Au	7.9	1.00 m @ 1.12 g/t Au
BST1	BSDD0052	252.00	253.00	1.00	0.032			
BST1	BSDD0052	253.00	254.00	1.00	0.253			
BST1	BSDD0052	254.00	255.00	1.00	<b>1.471</b>			
BST1	BSDD0052	255.00	256.00	1.00	0.911			
BST1	BSDD0052	256.00	257.00	1.00	<b>1.036</b>			
BST1	BSDD0052	257.00	258.00	1.00	0.046			
BST1	BSDD0052	258.00	259.00	1.00	0.053			
BST1	BSDD0052	259.00	260.00	1.00	0.963			
BST1	BSDD0052	260.00	261.00	1.00	<b>1.226</b>			1.00 m @ 1.23 g/t Au
BST1	BSDD0052	261.00	262.00	1.00	0.819			
BST1	BSDD0052	268.00	269.00	1.00	0.211			
BST1	BSDD0052	269.00	270.00	1.00	0.377	3.00 m @ 0.32 g/t Au	1.0	
BST1	BSDD0052	270.00	271.00	1.00	0.368			
BST1	BSDD0052	275.00	276.00	1.00	0.225	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0052	278.00	279.00	1.00	0.137			
BST1	BSDD0052	279.00	280.00	1.00	<b>22.802</b>	8.00 m @ 3.38 g/t Au	27.0	1.00 m @ 22.80 g/t Au
BST1	BSDD0052	280.00	281.00	1.00	0.970			
BST1	BSDD0052	281.00	282.00	1.00	0.362			
BST1	BSDD0052	282.00	283.00	1.00	0.943			
BST1	BSDD0052	283.00	284.00	1.00	0.008			
BST1	BSDD0052	284.00	285.00	1.00	0.025			
BST1	BSDD0052	285.00	286.00	1.00	<b>1.104</b>			1.00 m @ 1.10 g/t Au
BST1	BSDD0052	286.00	287.00	1.00	0.810			
BST1	BSDD0052	290.00	291.00	1.00	0.143			
BST1	BSDD0052	292.00	293.00	1.00	0.203			
BST1	BSDD0052	293.00	294.00	1.00	0.068			
BST1	BSDD0052	294.00	295.00	1.00	0.037			
BST1	BSDD0052	295.00	296.00	1.00	0.714			
BST1	BSDD0052	296.00	297.00	1.00	0.987			
BST1	BSDD0052	297.00	298.00	1.00	0.177			
BST1	BSDD0052	298.00	299.00	1.00	0.160			
BST1	BSDD0052	299.00	300.00	1.00	<b>2.391</b>			
BST1	BSDD0052	300.00	301.00	1.00	0.024			
BST1	BSDD0052	301.00	302.00	1.00	0.869			
BST1	BSDD0052	302.00	303.00	1.00	0.792			
BST1	BSDD0052	303.00	304.00	1.00	0.704			
BST1	BSDD0052	304.00	305.00	1.00	0.310			
BST1	BSDD0052	305.00	306.00	1.00	0.432			
BST1	BSDD0052	306.00	307.00	1.00	0.021			
BST1	BSDD0052	307.00	308.00	1.00	0.018			
BST1	BSDD0052	308.00	309.00	1.00	0.228			
BST1	BSDD0052	309.00	310.00	1.00	0.203			
BST1	BSDD0052	310.00	311.00	1.00	0.033			
BST1	BSDD0052	311.00	312.00	1.00	0.687			
BST1	BSDD0052	312.00	313.00	1.00	0.181			
BST1	BSDD0052	313.00	314.00	1.00	0.288			
BST1	BSDD0052	314.00	315.00	1.00	0.105			
BST1	BSDD0052	318.00	319.00	1.00	0.803			
BST1	BSDD0052	319.00	320.00	1.00	0.862			
BST1	BSDD0052	320.00	321.00	1.00	<b>1.336</b>			
BST1	BSDD0052	321.00	322.00	1.00	0.154			
BST1	BSDD0052	322.00	322.74	0.74	<b>1.222</b>			
BST1	BSDD0053	0.00	1.50	1.50	0.127			
BST1	BSDD0053	106.00	107.00	1.00	0.647	1.00 m @ 0.65 g/t Au	0.6	
BST1	BSDD0053	137.00	138.00	1.00	0.417	1.00 m @ 0.42 g/t Au	0.4	
BST1	BSDD0053	150.00	151.00	1.00	<b>1.674</b>	1.00 m @ 1.67 g/t Au	1.7	
								1.00 m @ 1.67 g/t Au

BST1	BSDD0053	152.00	153.00	1.00	0.105			
BST1	BSDD0053	156.00	157.00	1.00	0.195			
BST1	BSDD0053	158.00	159.00	1.00	0.715	1.00 m @ 0.71 g/t Au	0.7	
BST1	BSDD0053	185.00	186.00	1.00	0.423	1.00 m @ 0.42 g/t Au	0.4	
BST1	BSDD0053	208.00	209.00	1.00	0.193			
BST1	BSDD0053	342.00	343.00	1.00	<b>1.122</b>			<b>1.00 m @ 1.12 g/t Au</b>
BST1	BSDD0053	343.00	344.00	1.00	0.155	3.00 m @ 0.64 g/t Au	1.9	
BST1	BSDD0053	344.00	345.00	1.00	0.640			
BST1	BSDD0053	390.00	391.00	1.00	0.216	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0053	398.00	399.00	1.00	0.125			
BST1	BSDD0053	401.00	402.00	1.00	0.157			
BST1	BSDD0053	403.00	404.00	1.00	0.183			
BST1	BSDD0053	409.00	410.00	1.00	0.114			
BST1	BSDD0053	418.00	419.00	1.00	0.213	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0053	422.00	423.00	1.00	0.146			
BST1	BSDD0053	424.00	425.00	1.00	0.520			
BST1	BSDD0053	425.00	426.00	1.00	0.820			
BST1	BSDD0053	426.00	427.00	1.00	0.070			
BST1	BSDD0053	427.00	428.00	1.00	0.117			
BST1	BSDD0053	428.00	429.00	1.00	<b>1.012</b>			<b>1.00 m @ 1.01 g/t Au</b>
BST1	BSDD0053	429.00	430.00	1.00	0.008	11.00 m @ 0.48 g/t Au	5.3	
BST1	BSDD0053	430.00	431.00	1.00	0.149			
BST1	BSDD0053	431.00	432.00	1.00	0.573			
BST1	BSDD0053	432.00	433.00	1.00	0.854			
BST1	BSDD0053	433.00	434.00	1.00	0.696			
BST1	BSDD0053	434.00	435.00	1.00	0.466			
BST1	BSDD0053	437.00	438.00	1.00	0.111			
BST1	BSDD0053	438.00	439.00	1.00	<b>5.022</b>	2.00 m @ 2.89 g/t Au	5.8	<b>1.00 m @ 5.02 g/t Au</b>
BST1	BSDD0053	439.00	440.00	1.00	0.751			
BST1	BSDD0053	442.00	443.00	1.00	0.101			
BST1	BSDD0053	444.00	445.00	1.00	0.227			
BST1	BSDD0053	445.00	446.00	1.00	<b>1.004</b>			<b>1.00 m @ 1.00 g/t Au</b>
BST1	BSDD0053	446.00	447.00	1.00	0.279			
BST1	BSDD0053	447.00	448.00	1.00	0.310			
BST1	BSDD0053	448.00	449.00	1.00	0.243			
BST1	BSDD0053	449.00	450.00	1.00	<b>1.028</b>			<b>2.00 m @ 1.15 g/t Au</b>
BST1	BSDD0053	450.00	451.00	1.00	<b>1.262</b>			
BST1	BSDD0053	451.00	452.00	1.00	0.583			
BST1	BSDD0053	452.00	453.00	1.00	0.171			
BST1	BSDD0053	453.00	454.00	1.00	0.732			
BST1	BSDD0053	454.00	455.00	1.00	0.121			
BST1	BSDD0053	455.00	456.00	1.00	0.429			
BST1	BSDD0053	456.00	457.00	1.00	0.048			
BST1	BSDD0053	457.00	458.00	1.00	0.060			
BST1	BSDD0053	458.00	459.00	1.00	0.231	29.00 m @ 1.00 g/t Au	29.1	
BST1	BSDD0053	459.00	460.00	1.00	0.047			
BST1	BSDD0053	460.00	461.00	1.00	<b>18.137</b>			<b>1.00 m @ 18.14 g/t Au</b>
BST1	BSDD0053	461.00	462.00	1.00	0.062			
BST1	BSDD0053	462.00	463.00	1.00	0.031			
BST1	BSDD0053	463.00	464.00	1.00	0.434			
BST1	BSDD0053	464.00	465.00	1.00	0.328			
BST1	BSDD0053	465.00	466.00	1.00	0.043			
BST1	BSDD0053	466.00	467.00	1.00	<b>1.233</b>			<b>1.00 m @ 1.23 g/t Au</b>
BST1	BSDD0053	467.00	468.00	1.00	0.213			
BST1	BSDD0053	468.00	469.00	1.00	0.535			
BST1	BSDD0053	469.00	470.00	1.00	0.025			
BST1	BSDD0053	470.00	471.00	1.00	0.187			
BST1	BSDD0053	471.00	472.00	1.00	0.658			

BST1	BSDD0053	472.00	473.00	1.00	0.397						
BST1	BSDD0053	474.00	475.00	1.00	0.178						
BST1	BSDD0053	475.00	476.00	1.00	0.105						
BST1	BSDD0053	477.00	478.00	1.00	<b>3.078</b>						
BST1	BSDD0053	478.00	479.00	1.00	0.339	4.50 m @ 1.29 g/t Au	5.8	4.50 m @ 1.29 g/t Au			
BST1	BSDD0053	479.00	480.00	1.00	<b>1.108</b>						
BST1	BSDD0053	480.00	481.00	1.00	0.243						
BST1	BSDD0053	481.00	481.50	0.50	<b>2.039</b>						
BST1	BSDD0053	481.50	483.00	1.50	0.116						
BST1	BSDD0053	484.00	485.00	1.00	0.406						
BST1	BSDD0053	487.00	488.00	1.00	0.211	1.00 m @ 0.41 g/t Au	0.4				
BST1	BSDD0053	488.00	489.00	1.00	0.138	1.00 m @ 0.21 g/t Au	0.2				
BST1	BSDD0053	489.00	490.00	1.00	0.230						
BST1	BSDD0053	490.00	491.00	1.00	0.047	4.00 m @ 0.25 g/t Au	1.0				
BST1	BSDD0053	491.00	492.00	1.00	0.202						
BST1	BSDD0053	492.00	493.00	1.00	0.506						
BST1	BSDD0053	494.00	495.00	1.00	0.120						
BST1	BSDD0053	496.00	497.00	1.00	0.151						
BST1	BSDD0053	497.00	498.00	1.00	0.220						
BST1	BSDD0053	498.00	499.00	1.00	0.456						
BST1	BSDD0053	499.00	500.00	1.00	0.311	8.00 m @ 0.65 g/t Au	5.2				
BST1	BSDD0053	500.00	501.00	1.00	0.032						
BST1	BSDD0053	501.00	502.00	1.00	0.279						
BST1	BSDD0053	502.00	503.00	1.00	0.283						
BST1	BSDD0053	503.00	504.00	1.00	<b>2.959</b>						
BST1	BSDD0053	504.00	505.00	1.00	0.666						
BST1	BSDD0053	505.00	506.00	1.00	0.168						
BST1	BSDD0053	509.00	510.00	1.00	0.998				1.00 m @ 1.00 g/t Au	1.0	
BST1	BSDD0053	510.00	511.00	1.00	0.136						
BST1	BSDD0053	512.00	513.00	1.00	0.181						
BST1	BSDD0054	3.00	4.50	1.50	0.134						
BST1	BSDD0054	9.00	10.50	1.50	0.306	1.50 m @ 0.31 g/t Au	0.5				
BST1	BSDD0054	21.00	22.50	1.50	0.187						
BST1	BSDD0054	55.00	56.00	1.00	0.113						
BST1	BSDD0054	91.00	92.00	1.00	0.108						
BST1	BSDD0054	214.00	215.00	1.00	0.291	1.00 m @ 0.29 g/t Au	0.3				
BST1	BSDD0054	217.00	218.00	1.00	0.177						
BST1	BSDD0054	248.00	249.00	1.00	0.175						
BST1	BSDD0054	253.00	254.00	1.00	0.155						
BST1	BSDD0054	269.00	270.00	1.00	0.536	1.00 m @ 0.54 g/t Au	0.5				
BST1	BSDD0054	284.00	285.00	1.00	0.364	4.00 m @ 0.29 g/t Au	1.2				
BST1	BSDD0054	285.00	286.00	1.00	0.008						
BST1	BSDD0054	286.00	287.00	1.00	0.021						
BST1	BSDD0054	287.00	288.00	1.00	0.763						
BST1	BSDD0054	327.00	328.00	1.00	0.230	2.00 m @ 0.29 g/t Au	0.6				
BST1	BSDD0054	328.00	329.00	1.00	0.348						
BST1	BSDD0054	329.00	330.00	1.00	0.106						
BST1	BSDD0054	336.00	336.76	0.76	0.122						
BST1	BSDD0054	336.76	338.00	1.24	<b>2.434</b>	1.24 m @ 2.43 g/t Au	3.0	1.24 m @ 2.43 g/t Au			
BST1	BSDD0054	345.00	346.00	1.00	0.159						
BST1	BSDD0054	346.00	347.36	1.36	0.573	1.36 m @ 0.57 g/t Au	0.8				
BST1	BSDD0054	353.00	354.00	1.00	0.104						
BST1	BSDD0054	364.00	365.00	1.00	0.487	1.00 m @ 0.49 g/t Au	0.5				
BST1	BSDD0054	378.00	379.00	1.00	0.237	1.00 m @ 0.24 g/t Au	0.2				
BST1	BSDD0054	382.80	384.00	1.20	0.824	1.20 m @ 0.82 g/t Au	1.0				
BST1	BSDD0054	399.00	400.00	1.00	0.620	1.00 m @ 0.62 g/t Au	0.6				
BST1	BSDD0054	404.00	405.00	1.00	<b>2.587</b>	2.00 m @ 2.53 g/t Au	5.1	2.00 m @ 2.53 g/t Au			
BST1	BSDD0054	405.00	406.00	1.00	<b>2.467</b>						



BST1	BSDD0054	409.00	410.00	1.00	0.254	3.00 m @ 0.20 g/t Au	0.6	
BST1	BSDD0054	410.00	411.00	1.00	0.008			
BST1	BSDD0054	411.00	412.00	1.00	0.343			
BST1	BSDD0054	412.00	413.30	1.30	0.189			
BST1	BSDD0054	424.00	425.00	1.00	0.542	1.00 m @ 0.54 g/t Au	0.5	
BST1	BSDD0054	433.00	433.83	0.83	0.504	0.83 m @ 0.50 g/t Au	0.4	

## About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 4.19Moz gold resources coming from two gold projects, the 3.03 Moz Boundiali Gold Project and the 1.16Moz Napié Gold Project. Aurum owns and is operating 14 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

## Group Mineral Resources

**Table 3: Group Mineral Resources Statement for contained gold based on drilling as at 6 February 2026**  
(figures may not add up due to appropriate rounding)

Mineral Resources			Indicated			Inferred			Total Resources		
Project	Type	Cut-off	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)
Boundiali	Oxide	0.4 g/t Au above 300m depth and 1.0 g/t below 300m depth	2.7	1.0	0.08	2.4	0.8	0.06	5.1	0.9	0.15
	Transition		2.7	1.0	0.09	2.5	0.8	0.07	5.2	0.9	0.15
	Fresh		35.4	1.1	1.20	53.9	0.9	1.53	89.3	1.0	2.73
	<b>Total</b>		<b>40.8</b>	<b>1.0</b>	<b>1.37</b>	<b>58.8</b>	<b>0.9</b>	<b>1.66</b>	<b>99.7</b>	<b>1.0</b>	<b>3.03</b>
Napié	Oxide	0.3 g/t Au above 300m depth and 1.0 g/t below 300m depth	1.0	1.4	0.04	0.9	1.0	0.03	1.9	1.2	0.07
	Transition		0.8	1.2	0.03	1.3	0.9	0.04	2.1	1.0	0.07
	Fresh		7.1	1.2	0.27	19.0	1.2	0.74	26.1	1.2	1.01
	<b>Total</b>		<b>8.9</b>	<b>1.2</b>	<b>0.35</b>	<b>21.2</b>	<b>1.2</b>	<b>0.82</b>	<b>30.0</b>	<b>1.2</b>	<b>1.16</b>
<b>Total</b>			<b>49.7</b>	<b>1.0</b>	<b>1.72</b>	<b>80.0</b>	<b>1.0</b>	<b>2.48</b>	<b>129.7</b>	<b>1.0</b>	<b>4.19</b>

## Boundiali Gold Project (3.03Moz)

The flagship 3.03Moz Boundiali Gold Project is comprised of seven neighbouring exploration tenements and is located within the same greenstone belt as Rolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 6Moz Koné project located to the south. Atlantic Group's Tongon mine (5.0Moz) is located to the northeast:

## BM gold project JV 80% interest - PR0893 ("BM"), 400km<sup>2</sup>

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry



#### **BD gold project JV 80% interest - PR808 ("BD"), 260km<sup>2</sup>**

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry

#### **BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km<sup>2</sup>**

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government get 10% free carry from Aurum interest)

#### **BN gold project JV - PR283 ("BN"), 208.87km<sup>2</sup>**

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of license grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of license grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement.
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation license, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

#### **Encore JV Project**

- Applications (No. 1740 and No. 1745) totalling nearly 320km<sup>2</sup> are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its Boundiali Gold Project.
- Staged earn-in agreement aligns expenditure with milestones for each permit area:
  - Path to 51% interest: 4,000m diamond drilling.
  - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

#### **Major Star Plus Partnership Projects**

- Application (No. 0791), 114.53km<sup>2</sup>, is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its Boundiali Gold Project.
- Application (No. 0793), 99.12km<sup>2</sup>, are structurally located on the immediate west of the Napié gold project, offering growth potential for its Napié Gold Project.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
  - Path to 51% interest in an exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.



- Path to 80% interest in an exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling
- Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
- 85.5~87% interest in a future production mine

### **Mako Gold Pty Ltd (1.16Moz)**

Wholly owned subsidiary of Aurum and holds the following projects:

- 1.16Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <li>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<ul style="list-style-type: none"> <li>Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones.</li> <li>Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically, the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site.</li> <li>Sampling and QAQC procedures were carried out to industry standards.</li> <li>Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamoussoukro for analysis via 500g Photon Assay.</li> </ul>
<ul style="list-style-type: none"> <li><b>Drilling techniques</b></li> </ul>	<ul style="list-style-type: none"> <li>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<ul style="list-style-type: none"> <li>Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.</li> </ul>
<ul style="list-style-type: none"> <li><b>Drill sample recovery</b></li> </ul>	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	<ul style="list-style-type: none"> <li>Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.</li> </ul>
<ul style="list-style-type: none"> <li><b>Logging</b></li> </ul>	<ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining</li> </ul>	<ul style="list-style-type: none"> <li>All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.</li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>studies and metallurgical studies.</i></p> <ul style="list-style-type: none"> <li>• <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i></li> <li>• <i>The total length and percentage of the relevant intersections logged.</i></li> </ul>	<p><i>Metallurgical, Geotechnical and structural data has been recorded</i></p> <ul style="list-style-type: none"> <li>• <i>Photography and recovery measurements were carried out by assistants under a geologist's supervision.</i></li> <li>• <i>All drill holes were logged in full.</i></li> <li>• <i>Logging was qualitative and quantitative in nature.</i></li> </ul>
<ul style="list-style-type: none"> <li>• <b>Sub-sampling techniques and sample preparation</b></li> </ul>	<ul style="list-style-type: none"> <li>• <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></li> <li>• <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></li> <li>• <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></li> <li>• <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></li> <li>• <i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i></li> <li>• <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core.</i></li> <li>• <i>Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au.</i></li> <li>• <i>The entire sample was crushed to 70% passing 2mm.</i></li> <li>• <i>Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks.</i></li> <li>• <i>Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd,</i></li> <li>• <i>Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled.</i></li> <li>• <i>Coarse blank samples: Inserted 1 in every 20 samples</i></li> <li>• <i>Laboratory Internal Duplicates and Standards</i></li> <li>• <i>Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold</i></li> </ul>
<ul style="list-style-type: none"> <li>• <b>Quality of assay data and laboratory tests</b></li> </ul>	<ul style="list-style-type: none"> <li>• <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></li> <li>• <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>The analytical technique used is Chryso<sup>TM</sup> PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to</i></li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>model, reading times, calibrations factors applied and their derivation, etc.</i></p> <ul style="list-style-type: none"> <li><i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i></li> </ul>	<p><i>their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting.</i></p> <ul style="list-style-type: none"> <li><i>No geophysical tools were used to determine any element concentrations used for this report.</i></li> <li><i>Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client.</i></li> <li><i>The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).</i></li> </ul>
<ul style="list-style-type: none"> <li><b>Verification of sampling and assaying</b></li> </ul>	<ul style="list-style-type: none"> <li><i>The verification of significant intersections by either independent or alternative company personnel.</i></li> <li><i>The use of twinned holes.</i></li> <li><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> <li><i>Discuss any adjustment to assay data.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>NA</i></li> <li><i>No holes have been twinned</i></li> <li><i>No adjustment to assay data</i></li> <li><i>Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format.</i></li> <li><i>Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.</i></li> </ul>
<ul style="list-style-type: none"> <li><b>Location of data points</b></li> </ul>	<ul style="list-style-type: none"> <li><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li><i>Specification of the grid system used.</i></li> <li><i>Quality and adequacy of topographic control.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>DD collar positions were initially located using a handheld GPS with a location error of +/-3m.</i></li> <li><i>The datum employed is WGS84, Zone 29</i></li> <li><i>All drill hole locations are then surveyed utilising the differential GPS methods by both company and third-party surveyors.</i></li> <li><i>DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.</i></li> </ul>

Criteria	JORC Code explanation	Commentary
<ul style="list-style-type: none"> <li><b>Data spacing and distribution</b></li> </ul>	<ul style="list-style-type: none"> <li>Data spacing for reporting of Exploration Results.</li> <li>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>Whether sample compositing has been applied.</li> </ul>	<ul style="list-style-type: none"> <li>Drillholes were completed on variable line spacings (from 100m to 50m) and orientations.</li> <li>The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures.</li> <li>The samples were not composited prior to assay.</li> </ul>
<ul style="list-style-type: none"> <li><b>Orientation of data in relation to geological structure</b></li> </ul>	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	<ul style="list-style-type: none"> <li>Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.</li> </ul>
<ul style="list-style-type: none"> <li><b>Sample security</b></li> </ul>	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>	<ul style="list-style-type: none"> <li>Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.</li> </ul>
<ul style="list-style-type: none"> <li><b>Audits or reviews</b></li> </ul>	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.</li> </ul>

•

• Section 2 of the JORC Code, 2012 Edition – Table 1

• Criteria	• JORC Code explanation	• Commentary
<ul style="list-style-type: none"> <li>• <b>Mineral tenement and land tenure status</b></li> </ul>	<ul style="list-style-type: none"> <li>• Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>• The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>• Exploration results are from the Boundiali project area</li> <li>• PR893 (BM), 400km<sup>2</sup>, holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd (“Plusor”). Boundiali DS tenement PR808 (“BD”), 260km<sup>2</sup>, holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner.</li> <li>• There are no impediments to working in the area.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Exploration done by other parties</b></li> </ul>	<ul style="list-style-type: none"> <li>• Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>• The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited</li> <li>• The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Geology</b></li> </ul>	<ul style="list-style-type: none"> <li>• Deposit type, geological setting and style of mineralisation.</li> </ul>	<ul style="list-style-type: none"> <li>• The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué-Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N.</li> <li>• The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts showing evidence of shearing. Free gold is</li> </ul>

Criteria	JORC Code explanation	Commentary
		<p>frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite.</p> <ul style="list-style-type: none"> <li>Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.</li> </ul>
<ul style="list-style-type: none"> <li><b>Drill hole information</b></li> </ul>	<ul style="list-style-type: none"> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> <li>hole length</li> </ul> </li> <li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	<ul style="list-style-type: none"> <li>Complete drill hole data has been provided.</li> <li>Drill hole collar locations are shown in figures in main body of announcement.</li> </ul>
<ul style="list-style-type: none"> <li><b>Data aggregation methods</b></li> </ul>	<ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	<ul style="list-style-type: none"> <li>Assay Intervals are shown in detail. Drilling intervals are predominantly 1m.</li> <li>Metal equivalent values are not being reported.</li> </ul>
<ul style="list-style-type: none"> <li><b>Relationship between mineralisation</b></li> </ul>	<ul style="list-style-type: none"> <li>These relationships are particularly important in the reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>True widths are estimated at approximately 60–85% of reported downhole, based on the interpreted</li> </ul>

• <i>Criteria</i>	• <i>JORC Code explanation</i>	• <i>Commentary</i>
<p><b>widths and intercept lengths</b></p>	<ul style="list-style-type: none"> <li>• <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li> <li>• <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. ‘down hole length, true width not known’).</i></li> </ul>	<p><i>geometry of the mineralised zones.</i></p> <ul style="list-style-type: none"> <li>• <i>The holes were drilled to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.</i></li> </ul>
<ul style="list-style-type: none"> <li>• <b>Diagrams</b></li> </ul>	<ul style="list-style-type: none"> <li>• <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>Appropriate diagrams relevant to material results are shown in the body of this announcement.</i></li> </ul>
<ul style="list-style-type: none"> <li>• <b>Balanced Reporting</b></li> </ul>	<ul style="list-style-type: none"> <li>• <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li>• <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported.</i></li> <li>• <i>Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole being reported.</i></li> </ul>
<ul style="list-style-type: none"> <li>• <b>Other substantive exploration data</b></li> </ul>	<ul style="list-style-type: none"> <li>• <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.</i></li> </ul>
<ul style="list-style-type: none"> <li>• <b>Further work</b></li> </ul>	<ul style="list-style-type: none"> <li>• <i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling).</i></li> <li>• <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs.</i></li> <li>• <i>Diagrams included in body of report as deemed appropriate by competent person</i></li> </ul>