

29 June 2026

## Aurum hits 1.7m @ 70.35 g/t gold from 276.5m at Boundiali's BDT2 deposit

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce the latest gold intercepts from its ongoing 100,000m diamond drilling program at the 3.22Moz Boundiali Gold Project<sup>1</sup> in Côte d'Ivoire. These assay results from the BDT2 deposit are from 26 holes for 8,720.23m, designed to grow Mineral Resources and increase geological confidence.

Key drill intercepts from the BDT2 deposit include<sup>2</sup>:

- **6.54m @ 13.36 g/t Au** from 272m inc. **3.70m @ 23.32 g/t Au** from 274m inc. **1.7m @ 70.35 g/t Au** (DSDD0445)
- **21m @ 1.12 g/t Au** from 228m inc. **1m @ 14.99 g/t Au** (DSDD0447)
- **2.80m @ 4.39 g/t Au** from 220.70m inc. **0.90m @ 12.68 g/t Au** (DSDD0476).

### Highlights:

- **Resource growth potential:** Drilling confirms gold mineralisation outside of current MRE boundaries at BDT2; gold system remains open.
- **130,000m drilling planned for CY2026:** 16 diamond drill rigs to drive resource growth at Boundiali and Napié.
- **Next Boundiali MRE update** is targeted for end Q3 CY2026; **Boundiali Definitive Feasibility Study** (DFS) expected late CY2026.
- Aurum has **4.4Moz gold combined group resources** including flagship **3.22Moz Boundiali Gold Project** and **1.16Moz Napié Gold Project**<sup>3</sup>.
- **Strong financial position:** Aurum is well-funded for continued exploration success with **\$61.5M** cash (31 March 2026 unaudited).

Aurum's Managing Director Dr Caigen Wang said: "These BDT2 results again demonstrate our team's ability to cost-effectively grow Mineral Resources at Boundiali at a rate our peers cannot match. Of the 25 holes drilled, the majority were designed to upgrade Inferred Resources to Indicated status, while others tested the limits of known mineralisation. Deeper holes confirm the gold system remains open at depth, with most intersecting multiple zones of thick mineralisation — including the standout result of **3.70m @ 23.32 g/t Au** from 274m, including **1.7m @ 70.35 g/t Au** (DSDD0445).

These results also speak to the scale potential at Boundiali. Drilling so far has only targeted the most obvious outcropping anomalies, yet we have rapidly grown resources to 3.22Moz since acquiring the ground — with all deposits remaining open. We currently have 16 diamond drill rigs operating across the Boundiali deposits, targeting increased resource confidence, further resource growth, and the enormous potential for new discoveries.

Group gold resources stand at 4.4Moz, and with \$61.5M in the bank at 31 March 2026, we are well positioned to continue delivering on both resource growth and project studies. Critically, these holes — drilled after the cut-off for the May 2026 MRE update — will feed into a major MRE update expected at the end of Q3 CY2026.

Our development momentum at Boundiali is building. Environmental approval granted in May<sup>4</sup> opens the pathway to granting of Mining Licences, expected late Q3 CY2026. We delivered PFS results and Maiden Ore Reserves for the Project in June<sup>5</sup>, followed by key appointments<sup>6</sup> to drive the Definitive Feasibility Study and project execution. We are targeting DFS delivery by end of CY2026, with a goal of first gold production in H1 CY2028."

<sup>1</sup> "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on [www.asx.com.au](http://www.asx.com.au)

<sup>2</sup> Refer to tables accompanying this report for collar location information and assay results for the new drilling

<sup>3</sup> "Napié Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on [www.asx.com.au](http://www.asx.com.au)

<sup>4</sup> "Aurum Receives Environmental Approvals for Boundiali" released to the Australian Securities Exchange on 25 May 2026 and available to view on [www.asx.com.au](http://www.asx.com.au)

<sup>5</sup> "Boundiali PFS and Maiden Ore Reserve delivered" released to the Australian Securities Exchange on 11 June 2026 and available to view on [www.asx.com.au](http://www.asx.com.au)

<sup>6</sup> "AUE adds key personnel to strengthen Boundiali development" released to the Australian Securities Exchange on 17 June 2026 and available to view on [www.asx.com.au](http://www.asx.com.au)

## New Drilling – Boundiali Gold Project<sup>7</sup>

Aurum has received assay results<sup>8</sup> from 26 diamond drill (DD) holes totalling 8,720.23m, completed as part of an integrated step-out, step-back, and infill program on the BD tenement (80% interest). Drilling on the BDT2 deposits form part of an ongoing 100,000m Boundiali drilling program aimed at increasing resources and improving resource confidence, and Aurum will incorporate results into the next MRE update, expected at the end of Q3 CY2026.

Details of drill collar locations and assay results and intercepts<sup>9</sup> for the new drilling at Boundiali are provided in Table 1 and Table 2. Plans showing location of the Boundiali Gold Project are presented in Figure 1 and Figure 2, and project details in Figure 3. A detailed plan showing the latest assay results is presented in Figure 4. Example cross section of the latest results can be found presented in Figure 5.

## BDT2

The 26 holes referenced in this announcement were designed to convert Inferred Resources to Indicated Resources, and to push the limits of known gold resources at depth and along strike. Drilling returned multiple zones of thick gold intersections downhole; better results include:

- **6.54m @ 13.36 g/t Au** from 272m inc. **3.70m @ 23.32 g/t Au** from 274m inc. **1.7m @ 70.35 g/t Au** (DSDD0445)
- **21m @ 1.12 g/t Au** from 228m inc. **1m @ 14.99 g/t Au** (DSDD0447)
- **9m @ 1.84 g/t Au** from 263m inc. **2m @ 5.04 g/t Au** (DSDD0444)
- **13.18m @ 1.06 g/t Au** from 420.82m inc. **1.69m @ 5.51 g/t Au** (DSDD0445)
- **2.80m @ 4.39 g/t Au** from 220.70m inc. **0.90m @ 12.68 g/t Au** (DSDD0476)
- **9m @ 1.26 g/t Au** from 327m inc. **3m @ 2.61 g/t Au** (DSDD0463)
- **19m @ 0.58 g/t Au** from 224m inc. **1m @ 3.28 g/t Au** (DSDD0458)
- **5m @ 2.19 g/t Au** from 391.50m inc. **3.11m @ 3.27 g/t Au** (DSDD0445)
- **0.80m @ 12.63 g/t Au** from 281.20m (DSDD0458)
- **2m @ 3.62 g/t Au** from 387m inc. **1m @ 7 g/t Au** (DSDD0451)
- **7m @ 0.97 g/t Au** from 205m inc. **2m @ 3.07 g/t Au** (DSDD0447)
- **2.80m @ 2.37 g/t Au** from 127m (DSDD0479)
- **2m @ 3.10 g/t Au** from 273m inc. **1m @ 5.90 g/t Au** (DSDD0453).

The high-grade intercept of **3.70m @ 23.32 g/t Au** from 274m inc. **1.7m @ 70.35 g/t Au** in DSDD0445 is located approximately 40m down dip below drilling that returned 7m @ 0.36 g/t Au from 216m inc. 1m @ 1.08 g/t Au (DSDD0105) that was included in the current MRE. Gold mineralisation at depth has been extended with this latest batch of drilling down to ~410m below surface in DSDD0457A, which returned 6.4m @ 0.54 g/t Au from 457m on this section at this depth.

These new results are in addition to previous exploration drilling at **BDT2** that returned significant results<sup>10</sup> including:

- **74m @ 1.00 g/t Au** from 167m inc. **1m @ 24.73 g/t Au** (DSDD044)
- **18m @ 3.93 g/t Au** from 198m inc. **5m @ 11.07 g/t Au** (DSDD0267)
- **40.60m @ 1.06 g/t Au** from 299.40m inc. **6m @ 2.77 g/t Au** (DSDD0437)
- **4.03m @ 10.22 g/t Au** from 13.5m inc. **1.5m @ 27.13 g/t Au** (DSDD0290)
- **28m @ 1.54 g/t Au** from 82m inc. **4m @ 7.51 g/t Au** (DSDD0265)
- **7.15m @ 4.71 g/t Au** from 121.15m inc. **1m @ 31.24 g/t Au** (DSDD00288)
- **16m @ 1.79 g/t Au** from 347m inc. **4m @ 6.36 g/t Au** (DSDD0235)
- **10.50m @ 2.39 g/t Au** from 43.50m inc. **1m @ 22.81 g/t Au** (DSDD0254)

<sup>7</sup> Refer to About Aurum's Boundiali Gold Project

<sup>8</sup> Refer to Table 1 for collar information and Table 2 for full assay results for the new drilling

<sup>9</sup> All intercepts are reported as downhole lengths using a 0.2 g/t Au cut-off grade with up to 3m consecutive internal dilution and no top cut applied.

<sup>10</sup> ASX release dated 24 May 2024, 23 April 2024, 18 December 2024, 7 November 2025, 15 January 2026, 5 February 2026, 21 April 2026 and 7 May 2026



- **15.78m @ 1.70 g/t Au** from 121.22m inc. **6m @ 2.99 g/t Au** (DSDD0110)
- **33m @ 0.84 g/t Au** from 146m inc. **1m @ 9.95 g/t Au** (DSDD0046)
- **18m @ 2.58 g/t Au** from 110m inc. **2m @ 28.90 g/t Au** (DSDD0038).

The **BDT2** gold deposit lies within an underexplored **13km by 3km mineralised corridor**. Gold mineralisation is hosted in a thick, north-south trending sandstone unit, positioned between hanging wall and footwall volcano-sedimentary rocks. The gold, which is free milling<sup>11</sup>, is associated with fine disseminated pyrite and an alteration assemblage of hematite, silica, chlorite, tourmaline, quartz veinlets, albite, and carbonate. True widths for these gold intercepts are estimated at about 60% - 85% of reported downhole lengths.

Gold mineralisation at the Boundiali deposits is still open along strike and at depth, and Aurum is planning further work with drilling currently ongoing at **BDT2**. So far, drilling at Boundiali has targeted the most obvious outcropping anomalies. Aurum believes there remains a high potential for blind discoveries, providing a clear pathway for continued resource growth in CY2026.

### Next Steps

Aurum will continue to use its strong balance sheet and self-owned drill rig fleet to drive multi-rig drilling activity throughout CY2026 focussed on rapid resource conversion, resource growth and economic de-risking.

#### 1. Boundiali: Moving to Development

- **Drilling (100,000m):** 16 diamond rigs to test strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Update:** Next major MRE update is targeted for end Q3 CY2026.
- **DFS Delivery:** Results from 2026 drilling and the PFS will be incorporated in a **DFS** expected in late 2026.

#### 2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program is underway to grow the 1.16Moz gold resource.
- **Drilling Efficiency:** Aurum is building an exploration camp close to the Napié gold deposits to reduce operating costs and improve access efficiency.

#### 3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new targets identified via soil anomalies and geological mapping.
- **Early-Stage Growth:** Aurum is advancing its **Encore JV<sup>12</sup>** and **Major Star Plus<sup>13</sup>** partnership projects to identify new gold systems in ar.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

<sup>11</sup> ASX release dated 11 June 2026, Boundiali PFS and Maiden Ore Reserve delivered

<sup>12</sup> ASX release dated 27 May 2025, Aurum secures strategic Joint Venture to expand Boundiali Gold Project, summarised in "About" section

<sup>13</sup> ASX release dated 1 September 2025, Aurum expands footprint of Boundiali and Napié Gold Projects, summarised in "About" section



## **FORWARD-LOOKING STATEMENTS**

*This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, Mineral Resource Estimates, Ore Reserves, the Pre-Feasibility Study and potential Definitive Feasibility Study, project development timelines, and the potential for first gold production. Forward-looking statements are identified by words such as "target", "expected", "planned", "potential", "anticipated", "goal" and similar expressions. These statements are based on the Company's current expectations, assumptions, and estimates as at the date of this release, and are subject to risks and uncertainties that could cause actual results to differ materially from those expressed or implied. Key risks include, but are not limited to: exploration and drilling outcomes; resource and reserve estimation uncertainty; commodity price fluctuations, including the gold price; currency exchange rate movements; the ability to obtain and maintain required regulatory, environmental, and mining approvals; operational and project execution risks; capital and financing risks; geopolitical and sovereign risks associated with operations in Côte d'Ivoire; and broader economic and market conditions. The Ore Reserve and PFS outcomes referred to in this release were prepared in accordance with the JORC Code 2012 and the assumptions underlying those studies are summarised in the relevant ASX announcements (ASX:AUE, 11 June 2026). Those assumptions remain subject to change as the project advances toward a Definitive Feasibility Study and as new information becomes available. Investors and potential investors are cautioned not to place undue reliance on forward-looking statements, which reflect the Company's views only as at the date of this release. The Company undertakes no obligation to update forward-looking statements, whether as a result of new information, future events, or otherwise, except to the extent required by applicable law or ASX Listing Rules.*

## **COMPETENT PERSON'S STATEMENT**

*The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a Non-Executive Director of the Company since 1 February 2024 and joined as an Executive Director on 1 June 2024. Mr Strizek holds shares in Aurum Resources Limited and holds options and performance rights that have been approved by shareholders of the Company. Mr Strizek has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the Company is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this release.*

## **COMPLIANCE STATEMENT**

*The information in this release that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this release that relates to Boundiali Ore Reserves is extracted from the announcement "Boundiali PFS and Maiden Ore Reserve delivered" released to the Australian Securities Exchange on 11 June 2026 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in*

the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

## PREVIOUSLY REPORTED INFORMATION

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at [www.asx.com.au](http://www.asx.com.au) and includes results reported previously and published on ASX platform:

17 Jun 2026, AUE adds key personnel to strengthen Boundiali development (ASX:AUE)  
 11 Jun 2026, Boundiali PFS and Maiden Ore Reserve delivered (ASX:AUE)  
 25 May 2026, Aurum Receives Environmental Approvals for Boundiali (ASX:AUE)  
 14 May 2026, Boundiali 3.22 Moz gold - indicated up 24% to 1.70 Moz (ASX:AUE)  
 7 May 2026, Aurum hits thick gold intersections at BDT2 (ASX:AUE)  
 28 Apr 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
 21 Apr 2026, Aurum hits multiple thick gold intersections at BDT2 (ASX:AUE)  
 16 Apr 2026, Boundiali BST1 depth extension 220m below current MRE (ASX:AUE)  
 10 Apr 2026, Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au (ASX:AUE)  
 23 Mar 2026, Aurum raises \$28.8M via Strategic Placement (ASX:AUE)  
 13 Mar 2026, Half Yearly Report and Accounts (ASX:AUE)  
 5 Mar 2026, Aurum Hits High-Grade Gold at Napie, Côte d'Ivoire (ASX:AUE)  
 23 Feb 2026, Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)  
 16 Feb 2026, Boundiali extends strike and depth at BDT3 and BST1 (ASX:AUE)  
 5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE)  
 28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)  
 14 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)  
 7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)  
 19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)  
 11 Dec 2025, Drilling at Napie Extends Gold Mineralisation to 400m Depth (ASX:AUE)  
 28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE)  
 18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)  
 07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)  
 06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)  
 30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
 27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)  
 06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)  
 29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)  
 10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napie (ASX:AUE)  
 01 Sep 2025, Aurum expands footprint of Boundiali and Napie Gold Projects (ASX:AUE)  
 05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)  
 29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)  
 25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)  
 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)  
 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)  
 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)  
 27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)  
 21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)  
 13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)  
 13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)  
 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)  
 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)  
 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)  
 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)  
 27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)  
 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)  
 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)  
 7 Mar 25, Investor Presentation March 2025 (ASX:AUE)  
 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)  
 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)  
 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)  
 4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)  
 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)  
 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)  
 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)  
 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)  
 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)  
 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)  
 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)  
 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)  
 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)  
 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)  
 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)  
 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)  
 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)  
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3  
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)  
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)  
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)  
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)  
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)  
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)  
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)  
 30 Oct 2024, Bidders Statement (ASX:AUE)  
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)  
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)  
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)  
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)  
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)  
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)  
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)  
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)  
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)  
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)  
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)  
 12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)  
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)  
 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)  
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)  
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)  
 21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)  
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)  
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)  
 15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI:ASX)  
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI:ASX)  
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)  
 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Plan view showing new drill results (yellow) for BDT<sup>214</sup>

<sup>14</sup> Only showing intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table




Figure 5: Cross Section looking north (+/-25m) showing new drill results (yellow) for BDT215

<sup>15</sup> Only showing intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table

**Table 1: Drill collar information for holes drilled at Boundiali (BDT2)**

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0443	789,320	1,059,825	356	388.20	270	-50	BDT2	DD
DSDD0444	789,535	1,059,750	352	469.30	270	-50		
DSDD0445	789,450	1,059,825	354	438.30	270	-50		
DSDD0446	788,900	1,060,025	362	203.50	270	-50		
DSDD0447	789,110	1,059,350	360	300.70	270	-57		
DSDD0448	789,000	1,060,025	360	203.45	270	-50		
DSDD0449	788,975	1,060,125	360	250.40	270	-50		
DSDD0450	789,477	1,059,400	353	477.75	270	-50		
DSDD0451	789,051	1,059,300	361	395.40	270	-56		
DSDD0452	789,520	1,059,925	352	409.30	270	-50		
DSDD0453	788,935	1,059,200	361	336.80	270	-50		
DSDD0454	789,336	1,059,299	356	402.90	270	-52		
DSDD0455	789,100	1,060,025	357	203.65	270	-50		
DSDD0456	789,211	1,059,100	355	416.90	270	-56		
DSDD0457A	789,448	1,059,150	352	600.80	270	-50		
DSDD0458	789,175	1,060,125	357	314.70	270	-50		
DSDD0459	788,725	1,060,225	357	202.90	270	-50		
DSDD0460	788,675	1,060,325	354	201.30	270	-50		
DSDD0462	788,725	1,060,425	354	251.20	270	-50		
DSDD0463	789,275	1,060,125	354	383.80	270	-50		
DSDD0464	788,915	1,060,225	359	312.50	270	-55		
DSDD0465	788,825	1,060,425	374	257.65	270	-50		
DSDD0470	789,295	1,059,050	353	484.55	270	-56		
DSDD0474	788,975	1,060,325	356	311.10	270	-50		
DSDD0476	789,125	1,060,425	352	288.60	270	-50		
DSDD0479	789,075	1,060,325	354	214.60	270	-50		
<b>26 holes</b>				<b>8,720.23m</b>				

**Table 2: Significant assay results for holes drilled at Boundiali (BDT2)<sup>16</sup>**

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0443	0.00	1.50	1.50	0.101			
BDT2	DSDD0443	49.00	50.00	1.00	0.131			
BDT2	DSDD0443	50.00	51.00	1.00	0.166			
BDT2	DSDD0443	161.00	162.00	1.00	<b>1.855</b>	1.00 m @ 1.85 g/t Au	1.855	<b>1.00 m @ 1.85 g/t Au</b>
BDT2	DSDD0443	192.00	193.00	1.00	0.214	1.00 m @ 0.21 g/t Au	0.214	
BDT2	DSDD0443	216.00	217.40	1.40	0.223	2.00 m @ 0.22 g/t Au	0.437	
BDT2	DSDD0443	217.40	218.00	0.60	0.208			
BDT2	DSDD0443	229.00	230.00	1.00	0.172			
BDT2	DSDD0443	234.00	235.00	1.00	0.395	4.00 m @ 0.30 g/t Au	1.194	
BDT2	DSDD0443	235.00	236.00	1.00	0.041			
BDT2	DSDD0443	236.00	237.00	1.00	0.040			
BDT2	DSDD0443	237.00	238.00	1.00	0.718			
BDT2	DSDD0443	266.00	267.00	1.00	0.126			
BDT2	DSDD0443	267.00	268.00	1.00	<b>1.204</b>	1.00 m @ 1.20 g/t Au	1.204	<b>1.00 m @ 1.20 g/t Au</b>
BDT2	DSDD0443	269.00	270.00	1.00	0.121			
BDT2	DSDD0443	302.00	303.00	1.00	0.348	1.00 m @ 0.35 g/t Au	0.348	
BDT2	DSDD0443	371.00	372.00	1.00	0.103			
BDT2	DSDD0444	71.00	72.00	1.00	0.197			
BDT2	DSDD0444	73.00	74.00	1.00	0.147			
BDT2	DSDD0444	84.00	85.00	1.00	0.154			
BDT2	DSDD0444	105.00	106.00	1.00	0.148			
BDT2	DSDD0444	119.50	121.00	1.50	0.132			
BDT2	DSDD0444	137.00	138.00	1.00	0.366	1.00 m @ 0.37 g/t Au	0.366	
BDT2	DSDD0444	239.00	240.00	1.00	0.189			
BDT2	DSDD0444	241.00	242.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BDT2	DSDD0444	245.25	246.50	1.25	0.356	1.25 m @ 0.36 g/t Au	0.445	
BDT2	DSDD0444	263.00	264.00	1.00	<b>4.759</b>	9.00 m @ 1.84 g/t Au	16.5726	<b>1.00 m @ 4.76 g/t Au</b>
BDT2	DSDD0444	264.00	265.00	1.00	0.152			
BDT2	DSDD0444	265.00	266.00	1.00	0.171			
BDT2	DSDD0444	266.00	267.00	1.00	0.188			
BDT2	DSDD0444	267.00	268.00	1.00	0.263			
BDT2	DSDD0444	268.00	269.00	1.00	<b>3.624</b>			
BDT2	DSDD0444	269.00	270.00	1.00	<b>6.454</b>			<b>2.00 m @ 5.04 g/t Au</b>
BDT2	DSDD0444	270.00	271.00	1.00	0.618			
BDT2	DSDD0444	271.00	272.00	1.00	0.344			
BDT2	DSDD0444	272.00	273.00	1.00	0.190			
BDT2	DSDD0444	277.00	278.00	1.00	0.572	5.00 m @ 0.26 g/t Au	1.282	
BDT2	DSDD0444	278.00	279.00	1.00	0.151			
BDT2	DSDD0444	279.00	280.00	1.00	0.049			
BDT2	DSDD0444	280.00	281.00	1.00	0.296			
BDT2	DSDD0444	281.00	282.00	1.00	0.214			
BDT2	DSDD0444	288.00	289.00	1.00	0.169			
BDT2	DSDD0444	378.00	379.00	1.00	<b>1.654</b>	1.00 m @ 1.65 g/t Au	1.654	<b>1.00 m @ 1.65 g/t Au</b>
BDT2	DSDD0444	379.00	380.00	1.00	0.134			
BDT2	DSDD0444	391.00	392.00	1.00	0.479	2.00 m @ 0.49 g/t Au	0.984	
BDT2	DSDD0444	392.00	393.00	1.00	0.505			
BDT2	DSDD0444	393.00	394.00	1.00	0.120			
BDT2	DSDD0444	396.00	397.00	1.00	0.167			
BDT2	DSDD0444	397.00	398.00	1.00	0.515	4.00 m @ 0.50 g/t Au	1.9932	
BDT2	DSDD0444	398.00	399.00	1.00	0.100			
BDT2	DSDD0444	399.00	400.00	1.00	0.058			
BDT2	DSDD0444	400.00	401.00	1.00	<b>1.320</b>			<b>1.00 m @ 1.32 g/t Au</b>
BDT2	DSDD0444	401.00	402.00	1.00	0.160			

<sup>16</sup> 0.2 g/t Au cut off used with up to 3m consecutive internal dilution and no top cut applied

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0444	411.00	412.00	1.00	0.873	5.00 m @ 0.66 g/t Au	3.324	
BDT2	DSDD0444	412.00	413.00	1.00	0.990			
BDT2	DSDD0444	413.00	414.00	1.00	0.513			
BDT2	DSDD0444	414.00	415.00	1.00	0.748			
BDT2	DSDD0444	415.00	416.00	1.00	0.200			
BDT2	DSDD0444	416.00	417.00	1.00	0.170			
BDT2	DSDD0444	417.00	417.64	0.64	0.173			
BDT2	DSDD0444	420.00	421.00	1.00	0.215	17.00 m @ 0.28 g/t Au	4.7872	
BDT2	DSDD0444	421.00	422.00	1.00	0.137			
BDT2	DSDD0444	422.00	423.00	1.00	0.337			
BDT2	DSDD0444	423.00	424.00	1.00	0.144			
BDT2	DSDD0444	424.00	425.00	1.00	0.247			
BDT2	DSDD0444	425.00	426.00	1.00	0.091			
BDT2	DSDD0444	426.00	427.25	1.25	0.008			
BDT2	DSDD0444	427.25	428.50	1.25	0.640			
BDT2	DSDD0444	428.50	430.00	1.50	0.339			
BDT2	DSDD0444	430.00	431.00	1.00	0.139			
BDT2	DSDD0444	431.00	432.00	1.00	0.108			
BDT2	DSDD0444	432.00	433.00	1.00	0.382			
BDT2	DSDD0444	433.00	433.70	0.70	0.292			
BDT2	DSDD0444	433.70	435.00	1.30	0.616			
BDT2	DSDD0444	435.00	436.10	1.10	0.153			
BDT2	DSDD0444	436.10	437.00	0.90	0.551			
BDT2	DSDD0444	439.00	440.00	1.00	0.135			
BDT2	DSDD0444	442.00	443.00	1.00	1.222	2.00 m @ 0.80 g/t Au	1.593	1.00 m @ 1.22 g/t Au
BDT2	DSDD0444	443.00	444.00	1.00	0.371			
BDT2	DSDD0444	444.00	445.00	1.00	0.179			
BDT2	DSDD0444	448.00	449.00	1.00	0.134			
BDT2	DSDD0444	449.00	450.00	1.00	0.883	12.00 m @ 0.52 g/t Au	6.2004	
BDT2	DSDD0444	450.00	450.94	0.94	0.401			
BDT2	DSDD0444	450.94	452.00	1.06	0.173			
BDT2	DSDD0444	452.00	453.00	1.00	0.624			
BDT2	DSDD0444	453.00	454.00	1.00	0.256			
BDT2	DSDD0444	454.00	455.05	1.05	0.294			
BDT2	DSDD0444	455.05	456.00	0.95	0.109			
BDT2	DSDD0444	456.00	457.00	1.00	0.764			
BDT2	DSDD0444	457.00	458.00	1.00	0.023			
BDT2	DSDD0444	458.00	459.00	1.00	0.021			
BDT2	DSDD0444	459.00	460.00	1.00	0.319			
BDT2	DSDD0444	460.00	461.00	1.00	2.338			
BDT2	DSDD0445	0.00	0.76	0.76	0.140			
BDT2	DSDD0445	3.50	4.50	1.00	1.479	1.00 m @ 1.48 g/t Au	1.479	1.00 m @ 1.48 g/t Au
BDT2	DSDD0445	76.00	77.00	1.00	0.175			
BDT2	DSDD0445	141.00	142.00	1.00	0.107			
BDT2	DSDD0445	142.00	143.00	1.00	0.173			
BDT2	DSDD0445	143.00	144.00	1.00	0.111			
BDT2	DSDD0445	147.90	149.00	1.10	0.123			
BDT2	DSDD0445	157.80	159.00	1.20	0.100			
BDT2	DSDD0445	163.54	165.00	1.46	0.159			
BDT2	DSDD0445	165.00	166.00	1.00	0.170			
BDT2	DSDD0445	174.00	175.00	1.00	0.149			
BDT2	DSDD0445	202.00	203.00	1.00	0.837	6.00 m @ 0.33 g/t Au	1.9908	
BDT2	DSDD0445	203.00	204.00	1.00	0.318			
BDT2	DSDD0445	204.00	205.00	1.00	0.419			
BDT2	DSDD0445	205.00	206.00	1.00	0.024			
BDT2	DSDD0445	206.00	207.00	1.00	0.158			
BDT2	DSDD0445	207.00	208.00	1.00	0.235			
BDT2	DSDD0445	208.00	209.00	1.00	0.114			
BDT2	DSDD0445	209.00	210.00	1.00	0.167			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0445	210.00	211.00	1.00	0.150			
BDT2	DSDD0445	212.00	213.00	1.00	0.142			
BDT2	DSDD0445	217.00	218.00	1.00	0.138			
BDT2	DSDD0445	218.00	219.40	1.40	0.105			
BDT2	DSDD0445	224.00	225.00	1.00	0.188			
BDT2	DSDD0445	226.00	227.00	1.00	0.134			
BDT2	DSDD0445	227.00	228.00	1.00	0.444	1.00 m @ 0.44 g/t Au	0.444	
BDT2	DSDD0445	228.00	229.00	1.00	0.194			
BDT2	DSDD0445	229.00	230.00	1.00	0.165			
BDT2	DSDD0445	230.00	231.00	1.00	0.129			
BDT2	DSDD0445	231.00	232.00	1.00	0.100			
BDT2	DSDD0445	232.00	233.00	1.00	0.171			
BDT2	DSDD0445	233.00	234.00	1.00	0.142			
BDT2	DSDD0445	234.00	235.00	1.00	0.104			
BDT2	DSDD0445	238.00	239.00	1.00	0.135			
BDT2	DSDD0445	239.00	240.00	1.00	0.202	1.00 m @ 0.20 g/t Au	0.202	
BDT2	DSDD0445	241.00	242.00	1.00	0.197			
BDT2	DSDD0445	244.00	245.00	1.00	0.283	8.00 m @ 0.23 g/t Au	1.8592	
BDT2	DSDD0445	245.00	246.00	1.00	0.056			
BDT2	DSDD0445	246.00	247.00	1.00	0.161			
BDT2	DSDD0445	247.00	248.00	1.00	0.201			
BDT2	DSDD0445	248.00	249.00	1.00	0.160			
BDT2	DSDD0445	249.00	250.00	1.00	0.295			
BDT2	DSDD0445	250.00	251.00	1.00	0.477			
BDT2	DSDD0445	251.00	252.00	1.00	0.226			
BDT2	DSDD0445	252.00	253.00	1.00	0.158			
BDT2	DSDD0445	253.00	254.00	1.00	0.139			
BDT2	DSDD0445	254.00	255.00	1.00	0.139			
BDT2	DSDD0445	255.00	256.00	1.00	0.153			
BDT2	DSDD0445	259.00	260.00	1.00	0.276	9.00 m @ 0.32 g/t Au	2.8719	
BDT2	DSDD0445	260.00	261.00	1.00	0.089			
BDT2	DSDD0445	261.00	262.00	1.00	0.196			
BDT2	DSDD0445	262.00	263.00	1.00	0.204			
BDT2	DSDD0445	263.00	264.00	1.00	0.126			
BDT2	DSDD0445	264.00	265.00	1.00	0.938			
BDT2	DSDD0445	265.00	266.00	1.00	0.117			
BDT2	DSDD0445	266.00	267.00	1.00	0.648			
BDT2	DSDD0445	267.00	268.00	1.00	0.278			
BDT2	DSDD0445	272.00	273.00	1.00	0.419	6.54 m @ 13.36 g/t Au	87.406446	
BDT2	DSDD0445	273.00	274.00	1.00	0.019			
BDT2	DSDD0445	274.00	275.00	1.00	<b>1.433</b>			
BDT2	DSDD0445	275.00	276.50	1.50	0.278			3.70 m @ 23.32 g/t Au
BDT2	DSDD0445	276.50	277.20	0.70	<b>95.811</b>			
BDT2	DSDD0445	277.20	277.70	0.50	<b>34.712</b>			
BDT2	DSDD0445	277.70	278.54	0.84	0.827			
BDT2	DSDD0445	282.00	283.00	1.00	0.162			
BDT2	DSDD0445	284.00	284.81	0.81	0.101			
BDT2	DSDD0445	311.00	312.00	1.00	0.104			
BDT2	DSDD0445	313.00	314.00	1.00	0.109			
BDT2	DSDD0445	314.00	315.15	1.15	<b>1.500</b>	4.54 m @ 0.69 g/t Au	3.132146	1.15 m @ 1.50 g/t Au
BDT2	DSDD0445	315.15	316.00	0.85	0.170			
BDT2	DSDD0445	316.00	317.00	1.00	0.369			
BDT2	DSDD0445	317.00	318.00	1.00	0.095			
BDT2	DSDD0445	318.00	318.54	0.54	<b>1.479</b>			0.54 m @ 1.48 g/t Au
BDT2	DSDD0445	318.54	320.00	1.46	0.153			
BDT2	DSDD0445	372.00	372.50	0.50	0.109			
BDT2	DSDD0445	376.00	377.00	1.00	0.423	1.00 m @ 0.42 g/t Au	0.423	
BDT2	DSDD0445	391.50	392.50	1.00	0.454	5.00 m @ 2.19 g/t Au	10.9365	
BDT2	DSDD0445	392.50	393.00	0.50	<b>14.307</b>			3.11 m @ 3.27 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0445	393.00	394.50	1.50	1.155			
BDT2	DSDD0445	394.50	395.61	1.11	1.164			
BDT2	DSDD0445	395.61	396.50	0.89	0.342			
BDT2	DSDD0445	405.00	405.65	0.65	0.519			
BDT2	DSDD0445	405.65	406.50	0.85	0.291	1.50 m @ 0.39 g/t Au	0.5847	
BDT2	DSDD0445	406.50	407.00	0.50	0.134			
BDT2	DSDD0445	420.82	421.50	0.68	0.358			
BDT2	DSDD0445	421.50	422.00	0.50	1.966			1.50 m @ 1.34 g/t Au
BDT2	DSDD0445	422.00	423.00	1.00	1.026			
BDT2	DSDD0445	423.00	424.00	1.00	0.146			
BDT2	DSDD0445	424.00	425.00	1.00	0.724			
BDT2	DSDD0445	425.00	426.00	1.00	0.220			
BDT2	DSDD0445	426.00	427.00	1.00	0.312			
BDT2	DSDD0445	427.00	428.00	1.00	0.033	13.18 m @ 1.06 g/t Au	14.002432	
BDT2	DSDD0445	428.00	429.00	1.00	0.048			
BDT2	DSDD0445	429.00	430.00	1.00	0.051			
BDT2	DSDD0445	430.00	431.00	1.00	0.504			
BDT2	DSDD0445	431.00	432.31	1.31	0.305			
BDT2	DSDD0445	432.31	433.34	1.03	7.893			
BDT2	DSDD0445	433.34	434.00	0.66	1.791			1.69 m @ 5.51 g/t Au
BDT2	DSDD0446	79.00	80.00	1.00	0.238	1.00 m @ 0.24 g/t Au	0.238	
BDT2	DSDD0446	130.00	131.00	1.00	0.172			
BDT2	DSDD0446	138.00	139.00	1.00	0.210			
BDT2	DSDD0446	139.00	140.00	1.00	0.559	2.00 m @ 0.38 g/t Au	0.769	
BDT2	DSDD0446	159.00	160.00	1.00	0.515			
BDT2	DSDD0446	160.00	161.00	1.00	0.203	2.00 m @ 0.36 g/t Au	0.718	
BDT2	DSDD0447	0.00	1.00	1.00	0.155			
BDT2	DSDD0447	1.00	1.93	0.93	0.229	0.93 m @ 0.23 g/t Au	0.21297	
BDT2	DSDD0447	6.00	7.00	1.00	0.101			
BDT2	DSDD0447	7.00	8.15	1.15	0.543	1.15 m @ 0.54 g/t Au	0.62445	
BDT2	DSDD0447	9.00	10.00	1.00	1.287			1.00 m @ 1.29 g/t Au
BDT2	DSDD0447	10.00	10.82	0.82	0.685	1.82 m @ 1.02 g/t Au	1.848756	
BDT2	DSDD0447	14.82	15.73	0.91	0.283	0.91 m @ 0.28 g/t Au	0.25753	
BDT2	DSDD0447	17.78	18.62	0.84	0.299	0.84 m @ 0.30 g/t Au	0.25116	
BDT2	DSDD0447	22.00	23.05	1.05	0.171			
BDT2	DSDD0447	24.00	24.59	0.59	0.279			
BDT2	DSDD0447	24.59	25.50	0.91	0.263			
BDT2	DSDD0447	25.50	27.00	1.50	0.297	5.36 m @ 0.33 g/t Au	1.749504	
BDT2	DSDD0447	27.00	28.00	1.00	0.503			
BDT2	DSDD0447	28.00	29.36	1.36	0.292			
BDT2	DSDD0447	30.70	31.50	0.80	0.271	0.80 m @ 0.27 g/t Au	0.2168	
BDT2	DSDD0447	35.48	36.50	1.02	0.361	1.02 m @ 0.36 g/t Au	0.36822	
BDT2	DSDD0447	36.50	37.50	1.00	0.126			
BDT2	DSDD0447	37.50	39.00	1.50	0.178			
BDT2	DSDD0447	40.00	40.64	0.64	0.408	0.64 m @ 0.41 g/t Au	0.26112	
BDT2	DSDD0447	43.00	44.00	1.00	0.247	1.00 m @ 0.25 g/t Au	0.247	
BDT2	DSDD0447	46.50	48.00	1.50	0.912	1.50 m @ 0.91 g/t Au	1.368	
BDT2	DSDD0447	51.00	52.00	1.00	0.433			
BDT2	DSDD0447	52.00	53.00	1.00	0.198			
BDT2	DSDD0447	53.00	54.00	1.00	0.904			
BDT2	DSDD0447	54.00	55.00	1.00	0.008			
BDT2	DSDD0447	55.00	56.00	1.00	1.182	8.00 m @ 0.53 g/t Au	4.2384	1.00 m @ 1.18 g/t Au
BDT2	DSDD0447	56.00	57.00	1.00	0.259			
BDT2	DSDD0447	57.00	58.00	1.00	0.733			
BDT2	DSDD0447	58.00	59.00	1.00	0.522			
BDT2	DSDD0447	71.00	72.00	1.00	0.259	1.00 m @ 0.26 g/t Au	0.259	
BDT2	DSDD0447	74.00	75.00	1.00	0.378	1.00 m @ 0.38 g/t Au	0.378	
BDT2	DSDD0447	79.00	80.00	1.00	0.245	1.00 m @ 0.24 g/t Au	0.245	
BDT2	DSDD0447	204.00	205.00	1.00	0.122			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0447	205.00	206.00	1.00	4.862	7.00 m @ 0.97 g/t Au	6.7557	2.00 m @ 3.07 g/t Au
BDT2	DSDD0447	206.00	207.00	1.00	1.285			
BDT2	DSDD0447	207.00	208.00	1.00	0.338			
BDT2	DSDD0447	208.00	209.00	1.00	0.008			
BDT2	DSDD0447	209.00	210.00	1.00	0.016			
BDT2	DSDD0447	210.00	211.00	1.00	0.017			
BDT2	DSDD0447	211.00	212.00	1.00	0.230			
BDT2	DSDD0447	214.00	215.00	1.00	0.112			
BDT2	DSDD0447	218.00	219.00	1.00	0.117	5.00 m @ 0.31 g/t Au	1.5465	
BDT2	DSDD0447	219.00	220.00	1.00	0.889			
BDT2	DSDD0447	220.00	221.00	1.00	0.008			
BDT2	DSDD0447	221.00	222.00	1.00	0.024			
BDT2	DSDD0447	222.00	223.00	1.00	0.015			
BDT2	DSDD0447	223.00	224.00	1.00	0.611			
BDT2	DSDD0447	224.00	225.00	1.00	0.112			
BDT2	DSDD0447	227.00	228.00	1.00	0.133			
BDT2	DSDD0447	228.00	229.00	1.00	14.991	21.00 m @ 1.12 g/t Au	23.5977	1.00 m @ 14.99 g/t Au
BDT2	DSDD0447	229.00	230.00	1.00	0.008			
BDT2	DSDD0447	230.00	231.00	1.00	0.722			
BDT2	DSDD0447	231.00	232.00	1.00	0.404			
BDT2	DSDD0447	232.00	233.00	1.00	0.059			
BDT2	DSDD0447	233.00	234.00	1.00	0.365			
BDT2	DSDD0447	234.00	235.00	1.00	0.039			
BDT2	DSDD0447	235.00	236.00	1.00	0.260			
BDT2	DSDD0447	236.00	237.26	1.26	0.126			
BDT2	DSDD0447	237.26	237.79	0.53	0.470			
BDT2	DSDD0447	237.79	239.00	1.21	0.216			
BDT2	DSDD0447	239.00	240.00	1.00	0.060			
BDT2	DSDD0447	240.00	241.00	1.00	0.339			
BDT2	DSDD0447	241.00	242.00	1.00	0.046			
BDT2	DSDD0447	242.00	243.00	1.00	0.049			
BDT2	DSDD0447	243.00	243.60	0.60	0.067			
BDT2	DSDD0447	243.60	245.00	1.40	3.152			
BDT2	DSDD0447	245.00	246.00	1.00	0.149			
BDT2	DSDD0447	246.00	247.00	1.00	0.130			
BDT2	DSDD0447	247.00	248.00	1.00	0.046			
BDT2	DSDD0447	248.00	249.00	1.00	0.809			
BDT2	DSDD0447	254.00	255.00	1.00	1.228	2.00 m @ 0.78 g/t Au	1.562	1.00 m @ 1.23 g/t Au
BDT2	DSDD0447	255.00	256.00	1.00	0.334			
BDT2	DSDD0448	113.00	114.00	1.00	0.116	0.50 m @ 0.93 g/t Au	0.4625	
BDT2	DSDD0448	122.00	123.00	1.00	0.120			
BDT2	DSDD0448	125.00	125.50	0.50	0.925	1.00 m @ 0.22 g/t Au	0.224	
BDT2	DSDD0448	138.00	139.00	1.00	0.118			
BDT2	DSDD0448	139.00	140.00	1.00	0.224	7.00 m @ 0.21 g/t Au	1.4728	
BDT2	DSDD0448	142.00	143.00	1.00	0.431			
BDT2	DSDD0448	143.00	144.00	1.00	0.030			
BDT2	DSDD0448	144.00	145.00	1.00	0.031			
BDT2	DSDD0448	145.00	146.00	1.00	0.372			
BDT2	DSDD0448	146.00	147.00	1.00	0.305			
BDT2	DSDD0448	147.00	148.00	1.00	0.093			
BDT2	DSDD0448	148.00	149.00	1.00	0.211			
BDT2	DSDD0448	150.00	151.00	1.00	0.102	2.00 m @ 0.22 g/t Au	0.448	
BDT2	DSDD0448	152.00	153.00	1.00	0.207			
BDT2	DSDD0448	153.00	154.00	1.00	0.241			
BDT2	DSDD0448	154.00	155.00	1.00	0.156			
BDT2	DSDD0448	155.00	156.00	1.00	0.159			
BDT2	DSDD0448	156.00	157.00	1.00	0.101			
BDT2	DSDD0448	158.00	159.00	1.00	0.169			
BDT2	DSDD0449	29.00	30.00	1.00	0.155			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0449	89.00	90.00	1.00	0.244	2.00 m @ 0.24 g/t Au	0.48	
BDT2	DSDD0449	90.00	91.00	1.00	0.236			
BDT2	DSDD0449	91.00	92.00	1.00	0.105			
BDT2	DSDD0449	112.00	113.00	1.00	0.101			
BDT2	DSDD0449	160.00	161.00	1.00	0.116			
BDT2	DSDD0449	178.00	179.00	1.00	<b>1.543</b>	1.00 m @ 1.54 g/t Au	1.543	<b>1.00 m @ 1.54 g/t Au</b>
BDT2	DSDD0449	179.00	180.00	1.00	0.163			
BDT2	DSDD0449	185.00	186.00	1.00	0.256	6.00 m @ 0.38 g/t Au	2.3088	
BDT2	DSDD0449	186.00	187.00	1.00	0.008			
BDT2	DSDD0449	187.00	188.00	1.00	0.209			
BDT2	DSDD0449	188.00	189.00	1.00	0.079			
BDT2	DSDD0449	189.00	190.00	1.00	0.025			
BDT2	DSDD0449	190.00	191.00	1.00	<b>1.732</b>			
BDT2	DSDD0449	195.00	196.00	1.00	0.131			
BDT2	DSDD0449	205.07	206.30	1.23	0.235	1.23 m @ 0.23 g/t Au	0.28905	
BDT2	DSDD0450	0.00	1.00	1.00	0.131			
BDT2	DSDD0450	1.00	1.70	0.70	0.206	0.70 m @ 0.21 g/t Au	0.1442	
BDT2	DSDD0450	6.00	7.50	1.50	0.148			
BDT2	DSDD0450	7.50	9.00	1.50	0.173			
BDT2	DSDD0450	15.00	16.50	1.50	0.112			
BDT2	DSDD0450	16.50	18.00	1.50	<b>1.176</b>	1.50 m @ 1.18 g/t Au	1.764	<b>1.50 m @ 1.18 g/t Au</b>
BDT2	DSDD0450	19.50	20.50	1.00	0.182			
BDT2	DSDD0450	23.00	24.00	1.00	0.234	1.00 m @ 0.23 g/t Au	0.234	
BDT2	DSDD0450	24.00	24.90	0.90	0.140			
BDT2	DSDD0450	36.00	37.00	1.00	0.259	1.00 m @ 0.26 g/t Au	0.259	
BDT2	DSDD0450	43.00	44.00	1.00	0.230	16.00 m @ 0.24 g/t Au	3.8352	
BDT2	DSDD0450	44.00	45.00	1.00	0.686			
BDT2	DSDD0450	45.00	46.00	1.00	0.132			
BDT2	DSDD0450	46.00	47.00	1.00	0.122			
BDT2	DSDD0450	47.00	47.75	0.75	0.197			
BDT2	DSDD0450	47.75	48.50	0.75	0.330			
BDT2	DSDD0450	48.50	49.00	0.50	0.152			
BDT2	DSDD0450	49.00	50.00	1.00	0.778			
BDT2	DSDD0450	50.00	51.00	1.00	0.133			
BDT2	DSDD0450	51.00	52.00	1.00	0.153			
BDT2	DSDD0450	52.00	53.00	1.00	0.217			
BDT2	DSDD0450	53.00	54.00	1.00	0.020			
BDT2	DSDD0450	54.00	55.00	1.00	0.302			
BDT2	DSDD0450	55.00	56.00	1.00	0.008			
BDT2	DSDD0450	56.00	57.00	1.00	0.228			
BDT2	DSDD0450	57.00	58.00	1.00	0.079			
BDT2	DSDD0450	58.00	59.00	1.00	0.276			
BDT2	DSDD0450	61.00	62.00	1.00	0.120			
BDT2	DSDD0450	62.00	63.00	1.00	0.105			
BDT2	DSDD0450	83.00	84.00	1.00	0.120			
BDT2	DSDD0450	85.00	86.00	1.00	0.753	5.00 m @ 1.00 g/t Au	4.977	
BDT2	DSDD0450	86.00	87.00	1.00	0.067			
BDT2	DSDD0450	87.00	88.00	1.00	0.017			
BDT2	DSDD0450	88.00	89.00	1.00	0.094			
BDT2	DSDD0450	89.00	90.00	1.00	<b>4.046</b>			
BDT2	DSDD0450	93.00	94.00	1.00	0.194			
BDT2	DSDD0450	94.00	95.00	1.00	0.106			
BDT2	DSDD0450	103.00	104.00	1.00	<b>1.323</b>	1.00 m @ 1.32 g/t Au	1.323	<b>1.00 m @ 1.32 g/t Au</b>
BDT2	DSDD0450	112.00	113.00	1.00	0.603	4.00 m @ 0.35 g/t Au	1.3976	
BDT2	DSDD0450	113.00	114.00	1.00	0.030			
BDT2	DSDD0450	114.00	115.00	1.00	0.008			
BDT2	DSDD0450	115.00	116.00	1.00	0.757			
BDT2	DSDD0450	121.00	122.10	1.10	0.126			
BDT2	DSDD0450	124.00	125.00	1.00	0.215	5.00 m @ 0.29 g/t Au	1.462	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0450	125.00	126.00	1.00	0.325			
BDT2	DSDD0450	126.00	127.00	1.00	0.470			
BDT2	DSDD0450	127.00	128.00	1.00	0.250			
BDT2	DSDD0450	128.00	129.00	1.00	0.202			
BDT2	DSDD0450	152.00	153.00	1.00	0.168			
BDT2	DSDD0450	153.00	153.90	0.90	0.389	0.90 m @ 0.39 g/t Au	0.3501	
BDT2	DSDD0450	191.04	192.00	0.96	0.190			
BDT2	DSDD0450	198.00	199.00	1.00	0.363			
BDT2	DSDD0450	199.00	200.00	1.00	0.202			
BDT2	DSDD0450	200.00	201.00	1.00	0.008			
BDT2	DSDD0450	201.00	202.00	1.00	0.033			
BDT2	DSDD0450	202.00	203.00	1.00	0.125			
BDT2	DSDD0450	203.00	204.00	1.00	<b>1.094</b>			<b>1.00 m @ 1.09 g/t Au</b>
BDT2	DSDD0450	204.00	205.00	1.00	0.126			
BDT2	DSDD0450	213.00	214.00	1.00	0.356			
BDT2	DSDD0450	214.00	215.00	1.00	0.508			
BDT2	DSDD0450	215.00	215.75	0.75	0.107			
BDT2	DSDD0450	215.75	216.50	0.75	0.121			
BDT2	DSDD0450	216.50	217.00	0.50	0.157			
BDT2	DSDD0450	217.00	218.00	1.00	0.152			
BDT2	DSDD0450	218.00	219.00	1.00	0.515			
BDT2	DSDD0450	219.00	220.00	1.00	0.371			
BDT2	DSDD0450	220.00	221.00	1.00	0.194			
BDT2	DSDD0450	221.00	222.19	1.19	0.220			
BDT2	DSDD0450	222.19	223.00	0.81	0.071			
BDT2	DSDD0450	223.00	224.00	1.00	0.298			
BDT2	DSDD0450	224.00	225.00	1.00	0.181			
BDT2	DSDD0450	225.00	226.00	1.00	0.108			
BDT2	DSDD0450	229.00	230.00	1.00	0.124			
BDT2	DSDD0450	235.00	236.00	1.00	0.122			
BDT2	DSDD0450	236.00	237.00	1.00	0.165			
BDT2	DSDD0450	237.00	238.00	1.00	0.114			
BDT2	DSDD0450	238.00	239.00	1.00	0.100			
BDT2	DSDD0450	239.00	240.00	1.00	0.115			
BDT2	DSDD0450	262.00	263.00	1.00	0.208			
BDT2	DSDD0450	263.00	264.00	1.00	0.166			
BDT2	DSDD0450	264.00	265.00	1.00	0.815			
BDT2	DSDD0450	268.00	269.00	1.00	0.184			
BDT2	DSDD0450	269.00	270.00	1.00	0.124			
BDT2	DSDD0450	270.00	271.00	1.00	0.158			
BDT2	DSDD0450	271.00	272.00	1.00	0.226	1.00 m @ 0.23 g/t Au	0.226	
BDT2	DSDD0450	272.57	273.50	0.93	0.126			
BDT2	DSDD0450	274.87	275.50	0.63	0.127			
BDT2	DSDD0450	275.50	276.00	0.50	0.138			
BDT2	DSDD0450	276.00	277.00	1.00	0.276	1.00 m @ 0.28 g/t Au	0.276	
BDT2	DSDD0450	278.00	279.00	1.00	0.123			
BDT2	DSDD0450	280.00	281.00	1.00	0.356	1.00 m @ 0.36 g/t Au	0.356	
BDT2	DSDD0450	281.00	282.00	1.00	0.105			
BDT2	DSDD0450	290.00	291.00	1.00	0.123			
BDT2	DSDD0450	291.00	292.00	1.00	0.104			
BDT2	DSDD0450	299.00	299.90	0.90	0.125			
BDT2	DSDD0450	301.00	302.00	1.00	0.135			
BDT2	DSDD0450	303.00	304.00	1.00	0.130			
BDT2	DSDD0450	308.00	309.00	1.00	0.203	1.00 m @ 0.20 g/t Au	0.203	
BDT2	DSDD0450	310.00	311.00	1.00	0.107			
BDT2	DSDD0450	315.00	316.00	1.00	0.147			
BDT2	DSDD0450	349.50	350.00	0.50	0.238			
BDT2	DSDD0450	350.00	351.00	1.00	0.228			
BDT2	DSDD0450	351.00	352.00	1.00	0.059	4.50 m @ 0.24 g/t Au	1.08495	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0450	352.00	353.00	1.00	0.455			
BDT2	DSDD0450	353.00	354.00	1.00	0.224			
BDT2	DSDD0450	354.00	355.00	1.00	0.157			
BDT2	DSDD0450	356.00	357.00	1.00	0.119			
BDT2	DSDD0450	357.00	358.00	1.00	0.113			
BDT2	DSDD0450	358.00	359.00	1.00	0.146			
BDT2	DSDD0450	359.00	360.30	1.30	0.353			
BDT2	DSDD0450	360.30	361.68	1.38	0.454			
BDT2	DSDD0450	361.68	362.50	0.82	0.350			
BDT2	DSDD0450	362.50	364.00	1.50	0.158			
BDT2	DSDD0450	364.00	365.00	1.00	0.141			
BDT2	DSDD0450	365.00	366.00	1.00	0.329			
BDT2	DSDD0450	366.00	367.00	1.00	0.494			
BDT2	DSDD0450	367.00	368.00	1.00	0.932			
BDT2	DSDD0450	368.00	368.70	0.70	0.109			
BDT2	DSDD0450	372.83	374.00	1.17	0.123			
BDT2	DSDD0450	374.00	375.00	1.00	0.224			
BDT2	DSDD0450	375.00	376.00	1.00	0.383			
BDT2	DSDD0450	376.00	377.00	1.00	0.099			
BDT2	DSDD0450	377.00	378.00	1.00	0.100			
BDT2	DSDD0450	378.00	379.00	1.00	0.807			
BDT2	DSDD0450	379.00	380.00	1.00	0.224			
BDT2	DSDD0450	382.00	383.00	1.00	0.162			
BDT2	DSDD0450	383.75	385.00	1.25	0.391	1.25 m @ 0.39 g/t Au	0.48875	
BDT2	DSDD0450	413.00	414.00	1.00	0.371	1.00 m @ 0.37 g/t Au	0.371	
BDT2	DSDD0450	439.00	440.00	1.00	0.137			
BDT2	DSDD0450	440.93	442.00	1.07	0.246			
BDT2	DSDD0450	442.00	443.00	1.00	0.380			
BDT2	DSDD0450	443.00	444.00	1.00	0.316			
BDT2	DSDD0450	444.00	445.00	1.00	0.430			
BDT2	DSDD0450	445.00	446.00	1.00	0.374			
BDT2	DSDD0450	446.00	447.00	1.00	0.819			
BDT2	DSDD0450	447.00	448.00	1.00	0.142			
BDT2	DSDD0450	448.00	449.00	1.00	0.050			
BDT2	DSDD0450	449.00	450.00	1.00	0.076			
BDT2	DSDD0450	450.00	451.00	1.00	0.225			
BDT2	DSDD0450	451.00	452.00	1.00	0.210			
BDT2	DSDD0450	452.00	453.00	1.00	0.116			
BDT2	DSDD0450	453.00	454.00	1.00	0.276			
BDT2	DSDD0450	454.00	455.00	1.00	0.251			
BDT2	DSDD0450	455.00	456.48	1.48	0.324			
BDT2	DSDD0450	469.00	470.33	1.33	0.108			
BDT2	DSDD0451	1.00	1.80	0.80	0.152			
BDT2	DSDD0451	6.00	7.50	1.50	0.233	1.50 m @ 0.23 g/t Au	0.3495	
BDT2	DSDD0451	7.50	9.00	1.50	0.111			
BDT2	DSDD0451	59.50	61.00	1.50	<b>1.848</b>			<b>1.50 m @ 1.85 g/t Au</b>
BDT2	DSDD0451	61.00	62.00	1.00	0.107			
BDT2	DSDD0451	62.00	62.78	0.78	0.108			
BDT2	DSDD0451	62.78	64.00	1.22	0.282			
BDT2	DSDD0451	65.30	66.36	1.06	0.173			
BDT2	DSDD0451	82.00	83.00	1.00	0.104			
BDT2	DSDD0451	188.29	189.00	0.71	0.124			
BDT2	DSDD0451	190.00	191.00	1.00	0.127			
BDT2	DSDD0451	191.00	192.00	1.00	0.127			
BDT2	DSDD0451	192.00	193.00	1.00	0.123			
BDT2	DSDD0451	193.00	194.00	1.00	0.121			
BDT2	DSDD0451	194.00	195.00	1.00	0.125			
BDT2	DSDD0451	195.00	196.00	1.00	0.114			
BDT2	DSDD0451	207.00	208.00	1.00	0.115			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0451	208.00	209.00	1.00	0.168			
BDT2	DSDD0451	209.00	210.00	1.00	0.117			
BDT2	DSDD0451	230.00	231.00	1.00	0.128			
BDT2	DSDD0451	231.00	232.00	1.00	0.180			
BDT2	DSDD0451	232.00	233.00	1.00	0.142			
BDT2	DSDD0451	233.00	234.00	1.00	0.159			
BDT2	DSDD0451	234.00	235.00	1.00	0.204	1.00 m @ 0.20 g/t Au	0.204	
BDT2	DSDD0451	235.00	236.00	1.00	0.177			
BDT2	DSDD0451	236.00	237.00	1.00	0.199			
BDT2	DSDD0451	237.00	238.00	1.00	0.121			
BDT2	DSDD0451	238.00	239.00	1.00	0.168			
BDT2	DSDD0451	239.00	240.00	1.00	0.205			
BDT2	DSDD0451	240.00	241.00	1.00	0.247			
BDT2	DSDD0451	241.00	242.00	1.00	0.249			
BDT2	DSDD0451	242.00	243.00	1.00	0.217			
BDT2	DSDD0451	243.00	244.00	1.00	0.214			
BDT2	DSDD0451	244.00	245.00	1.00	0.115			
BDT2	DSDD0451	245.00	246.00	1.00	0.138			
BDT2	DSDD0451	246.00	247.00	1.00	0.315			
BDT2	DSDD0451	247.00	248.00	1.00	0.394			
BDT2	DSDD0451	248.00	249.40	1.40	0.386			
BDT2	DSDD0451	249.40	250.00	0.60	0.323			
BDT2	DSDD0451	250.00	251.10	1.10	0.336			
BDT2	DSDD0451	251.10	252.00	0.90	0.365			
BDT2	DSDD0451	252.00	253.00	1.00	0.201			
BDT2	DSDD0451	253.00	254.00	1.00	0.207			
BDT2	DSDD0451	254.00	255.00	1.00	0.224			
BDT2	DSDD0451	255.00	256.00	1.00	0.037			
BDT2	DSDD0451	256.00	257.00	1.00	0.253			
BDT2	DSDD0451	257.00	258.00	1.00	0.280			
BDT2	DSDD0451	258.00	259.00	1.00	0.212			
BDT2	DSDD0451	259.00	260.00	1.00	0.185			
BDT2	DSDD0451	260.00	261.00	1.00	0.252			
BDT2	DSDD0451	261.00	262.00	1.00	0.229			
BDT2	DSDD0451	262.00	263.00	1.00	0.300			
BDT2	DSDD0451	263.00	264.00	1.00	0.195			
BDT2	DSDD0451	264.00	265.00	1.00	0.225			
BDT2	DSDD0451	265.00	266.40	1.40	0.206			
BDT2	DSDD0451	266.40	267.00	0.60	<b>3.614</b>			<b>0.60 m @ 3.61 g/t Au</b>
BDT2	DSDD0451	267.00	268.00	1.00	0.210			
BDT2	DSDD0451	268.00	269.00	1.00	0.221			
BDT2	DSDD0451	288.00	289.00	1.00	0.226	1.00 m @ 0.23 g/t Au	0.226	
BDT2	DSDD0451	292.00	293.00	1.00	0.128			
BDT2	DSDD0451	296.00	297.35	1.35	0.219	1.35 m @ 0.22 g/t Au	0.29565	
BDT2	DSDD0451	299.00	300.00	1.00	0.551			
BDT2	DSDD0451	300.00	301.00	1.00	0.232			
BDT2	DSDD0451	301.00	302.00	1.00	0.115			
BDT2	DSDD0451	302.00	302.88	0.88	0.036	7.12 m @ 0.22 g/t Au	1.562128	
BDT2	DSDD0451	302.88	304.00	1.12	0.070			
BDT2	DSDD0451	304.00	305.00	1.00	0.225			
BDT2	DSDD0451	305.00	306.12	1.12	0.294			
BDT2	DSDD0451	306.12	307.00	0.88	0.139			
BDT2	DSDD0451	309.00	310.00	1.00	0.111			
BDT2	DSDD0451	314.00	315.00	1.00	0.580			
BDT2	DSDD0451	315.00	316.00	1.00	0.726			
BDT2	DSDD0451	316.00	317.00	1.00	0.084	5.20 m @ 0.73 g/t Au	3.80016	
BDT2	DSDD0451	317.00	318.10	1.10	0.204			
BDT2	DSDD0451	318.10	319.20	1.10	<b>1.987</b>			<b>1.10 m @ 1.99 g/t Au</b>
BDT2	DSDD0451	335.00	336.00	1.00	0.224	22.67 m @ 0.43 g/t Au	9.797974	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0451	336.00	337.00	1.00	0.774			
BDT2	DSDD0451	337.00	338.00	1.00	0.127			
BDT2	DSDD0451	338.00	339.00	1.00	0.201			
BDT2	DSDD0451	339.00	340.00	1.00	0.352			
BDT2	DSDD0451	340.00	340.80	0.80	0.008			
BDT2	DSDD0451	340.80	342.00	1.20	0.891			
BDT2	DSDD0451	342.00	343.00	1.00	0.857			
BDT2	DSDD0451	343.00	344.00	1.00	0.267			
BDT2	DSDD0451	344.00	345.00	1.00	0.251			
BDT2	DSDD0451	345.00	346.00	1.00	0.069			
BDT2	DSDD0451	346.00	347.00	1.00	0.076			
BDT2	DSDD0451	347.00	348.00	1.00	<b>1.096</b>			<b>1.00 m @ 1.10 g/t Au</b>
BDT2	DSDD0451	348.00	349.00	1.00	0.266			
BDT2	DSDD0451	349.00	350.00	1.00	0.509			
BDT2	DSDD0451	350.00	351.00	1.00	0.314			
BDT2	DSDD0451	351.00	352.00	1.00	<b>1.810</b>			<b>1.00 m @ 1.81 g/t Au</b>
BDT2	DSDD0451	352.00	353.00	1.00	0.166			
BDT2	DSDD0451	353.00	354.00	1.00	0.184			
BDT2	DSDD0451	354.00	355.00	1.00	0.353			
BDT2	DSDD0451	355.00	355.80	0.80	0.108			
BDT2	DSDD0451	355.80	356.69	0.89	0.315			
BDT2	DSDD0451	356.69	357.67	0.98	0.470			
BDT2	DSDD0451	360.96	362.18	1.22	0.651			
BDT2	DSDD0451	362.18	363.10	0.92	<b>1.236</b>	2.14 m @ 0.90 g/t Au	1.93135	<b>0.92 m @ 1.24 g/t Au</b>
BDT2	DSDD0451	363.10	364.07	0.97	0.133			
BDT2	DSDD0451	367.04	368.14	1.10	0.170			
BDT2	DSDD0451	370.08	371.04	0.96	0.187			
BDT2	DSDD0451	371.04	372.30	1.26	<b>1.785</b>			<b>1.26 m @ 1.78 g/t Au</b>
BDT2	DSDD0451	372.30	373.59	1.29	0.293	<b>2.55 m @ 1.03 g/t Au</b>	<b>2.62701</b>	
BDT2	DSDD0451	373.59	374.82	1.23	0.108			
BDT2	DSDD0451	381.00	382.00	1.00	0.205	1.00 m @ 0.20 g/t Au	0.205	
BDT2	DSDD0451	383.00	384.00	1.00	0.112			
BDT2	DSDD0451	384.00	384.66	0.66	0.110			
BDT2	DSDD0451	384.66	386.00	1.34	0.124			
BDT2	DSDD0451	386.00	387.00	1.00	0.107			
BDT2	DSDD0451	387.00	388.00	1.00	0.241			
BDT2	DSDD0451	388.00	389.00	1.00	<b>7.005</b>	<b>2.00 m @ 3.62 g/t Au</b>	<b>7.246</b>	<b>1.00 m @ 7.00 g/t Au</b>
BDT2	DSDD0452	0.00	1.50	1.50	0.133			
BDT2	DSDD0452	263.00	264.00	1.00	0.131			
BDT2	DSDD0452	264.00	265.00	1.00	0.273			
BDT2	DSDD0452	265.00	266.00	1.00	0.565	3.00 m @ 0.38 g/t Au	1.1409	
BDT2	DSDD0452	266.00	267.00	1.00	0.303			
BDT2	DSDD0452	267.00	268.00	1.00	0.131			
BDT2	DSDD0452	277.00	278.00	1.00	0.111			
BDT2	DSDD0452	280.00	281.00	1.00	<b>1.094</b>			
BDT2	DSDD0452	281.00	282.00	1.00	<b>1.252</b>			<b>2.00 m @ 1.17 g/t Au</b>
BDT2	DSDD0452	282.00	283.00	1.00	0.246	<b>5.00 m @ 0.65 g/t Au</b>	<b>3.234</b>	
BDT2	DSDD0452	283.00	284.00	1.00	0.057			
BDT2	DSDD0452	284.00	285.00	1.00	0.585			
BDT2	DSDD0452	301.00	302.00	1.00	0.301	1.00 m @ 0.30 g/t Au	0.301	
BDT2	DSDD0452	314.00	315.00	1.00	0.559			
BDT2	DSDD0452	315.00	316.00	1.00	0.008	3.00 m @ 0.33 g/t Au	1.0026	
BDT2	DSDD0452	316.00	317.00	1.00	0.436			
BDT2	DSDD0452	321.00	322.00	1.00	0.269			
BDT2	DSDD0452	322.00	323.00	1.00	0.033	4.00 m @ 0.29 g/t Au	1.142	
BDT2	DSDD0452	323.00	324.00	1.00	0.037			
BDT2	DSDD0452	324.00	325.00	1.00	0.803			
BDT2	DSDD0452	325.00	326.00	1.00	0.129			
BDT2	DSDD0452	334.00	335.00	1.00	0.151			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0452	335.00	336.00	1.00	0.155			
BDT2	DSDD0452	336.00	337.00	1.00	0.197			
BDT2	DSDD0452	339.00	340.00	1.00	0.797	1.00 m @ 0.80 g/t Au	0.797	
BDT2	DSDD0452	340.00	341.00	1.00	0.116			
BDT2	DSDD0452	341.00	342.00	1.00	0.141			
BDT2	DSDD0452	342.00	343.00	1.00	0.108			
BDT2	DSDD0452	346.30	347.00	0.70	0.146			
BDT2	DSDD0452	348.00	349.00	1.00	0.237			
BDT2	DSDD0452	349.00	350.00	1.00	0.274	3.00 m @ 0.24 g/t Au	0.7191	
BDT2	DSDD0452	350.00	351.00	1.00	0.208			
BDT2	DSDD0452	351.00	352.00	1.00	0.101			
BDT2	DSDD0452	352.00	353.00	1.00	0.129			
BDT2	DSDD0452	356.00	357.00	1.00	0.285			
BDT2	DSDD0452	357.00	358.00	1.00	0.094			
BDT2	DSDD0452	358.00	359.00	1.00	0.067			
BDT2	DSDD0452	359.00	360.00	1.00	0.234			
BDT2	DSDD0452	360.00	361.00	1.00	0.277			
BDT2	DSDD0452	361.00	362.00	1.00	0.288			
BDT2	DSDD0452	362.00	363.00	1.00	0.110			
BDT2	DSDD0452	363.00	364.00	1.00	0.146			
BDT2	DSDD0452	364.00	365.00	1.00	0.257			
BDT2	DSDD0452	365.00	366.00	1.00	0.348			
BDT2	DSDD0452	366.00	367.00	1.00	0.235			
BDT2	DSDD0452	367.00	368.00	1.00	0.220			
BDT2	DSDD0453	16.50	18.00	1.50	0.291			
BDT2	DSDD0453	18.00	19.00	1.00	0.074			
BDT2	DSDD0453	19.00	20.00	1.00	0.258			
BDT2	DSDD0453	20.00	21.32	1.32	1.369	4.82 m @ 0.53 g/t Au	2.575808	1.32 m @ 1.37 g/t Au
BDT2	DSDD0453	27.00	27.64	0.64	0.387	0.64 m @ 0.39 g/t Au	0.24768	
BDT2	DSDD0453	71.00	72.00	1.00	0.156			
BDT2	DSDD0453	91.00	92.00	1.00	0.238	1.00 m @ 0.24 g/t Au	0.238	
BDT2	DSDD0453	101.00	102.00	1.00	0.528			
BDT2	DSDD0453	102.00	103.00	1.00	0.035	3.00 m @ 0.32 g/t Au	0.9591	
BDT2	DSDD0453	103.00	104.00	1.00	0.396			
BDT2	DSDD0453	140.00	141.00	1.00	0.562	1.00 m @ 0.56 g/t Au	0.562	
BDT2	DSDD0453	167.00	168.00	1.00	0.930	1.00 m @ 0.93 g/t Au	0.93	
BDT2	DSDD0453	177.29	178.30	1.01	0.241	1.01 m @ 0.24 g/t Au	0.24341	
BDT2	DSDD0453	225.12	226.45	1.33	0.135			
BDT2	DSDD0453	227.00	228.00	1.00	0.463	1.00 m @ 0.46 g/t Au	0.463	
BDT2	DSDD0453	240.00	241.00	1.00	0.102			
BDT2	DSDD0453	241.00	242.00	1.00	0.108			
BDT2	DSDD0453	273.00	274.00	1.00	5.902	2.00 m @ 3.10 g/t Au	6.192	1.00 m @ 5.90 g/t Au
BDT2	DSDD0453	274.00	275.00	1.00	0.290			
BDT2	DSDD0454	0.00	1.00	1.00	0.185			
BDT2	DSDD0454	1.00	1.92	0.92	0.138			
BDT2	DSDD0454	3.86	4.50	0.64	0.386	0.64 m @ 0.39 g/t Au	0.24704	
BDT2	DSDD0454	25.00	26.12	1.12	0.284	1.12 m @ 0.28 g/t Au	0.31808	
BDT2	DSDD0454	31.10	32.31	1.21	0.124			
BDT2	DSDD0454	36.86	38.36	1.50	0.211	1.50 m @ 0.21 g/t Au	0.3165	
BDT2	DSDD0454	39.00	40.50	1.50	0.132			
BDT2	DSDD0454	40.50	42.00	1.50	0.294			
BDT2	DSDD0454	42.00	43.02	1.02	0.285	2.52 m @ 0.29 g/t Au	0.731808	
BDT2	DSDD0454	43.50	44.50	1.00	0.308			
BDT2	DSDD0454	44.50	45.00	0.50	0.298			
BDT2	DSDD0454	45.00	46.00	1.00	0.393			
BDT2	DSDD0454	46.00	47.00	1.00	0.212	5.51 m @ 0.27 g/t Au	1.511944	
BDT2	DSDD0454	47.00	48.00	1.00	0.153			
BDT2	DSDD0454	48.00	49.01	1.01	0.294			
BDT2	DSDD0454	49.50	50.00	0.50	0.175			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0454	50.00	51.00	1.00	0.176			
BDT2	DSDD0454	53.00	54.00	1.00	0.168			
BDT2	DSDD0454	54.00	55.00	1.00	0.136			
BDT2	DSDD0454	55.00	56.14	1.14	0.168			
BDT2	DSDD0454	57.00	58.00	1.00	0.125			
BDT2	DSDD0454	58.00	59.00	1.00	0.223	15.00 m @ 0.33 g/t Au	4.881	
BDT2	DSDD0454	59.00	60.00	1.00	0.381			
BDT2	DSDD0454	60.00	61.00	1.00	0.492			
BDT2	DSDD0454	61.00	62.00	1.00	0.289			
BDT2	DSDD0454	62.00	63.00	1.00	0.579			
BDT2	DSDD0454	63.00	64.00	1.00	0.125			
BDT2	DSDD0454	64.00	65.00	1.00	0.183			
BDT2	DSDD0454	65.00	66.00	1.00	0.280			
BDT2	DSDD0454	66.00	67.00	1.00	0.518			
BDT2	DSDD0454	67.00	68.00	1.00	0.251			
BDT2	DSDD0454	68.00	69.00	1.00	0.335			
BDT2	DSDD0454	69.00	70.00	1.00	0.385			
BDT2	DSDD0454	70.00	71.00	1.00	0.178			
BDT2	DSDD0454	71.00	72.00	1.00	0.396			
BDT2	DSDD0454	72.00	73.00	1.00	0.266			
BDT2	DSDD0454	74.00	75.00	1.00	0.148			
BDT2	DSDD0454	75.00	76.00	1.00	0.184			
BDT2	DSDD0454	76.00	77.00	1.00	0.129			
BDT2	DSDD0454	77.00	78.00	1.00	0.169			
BDT2	DSDD0454	78.00	79.00	1.00	0.180			
BDT2	DSDD0454	79.00	80.00	1.00	0.158			
BDT2	DSDD0454	80.00	81.00	1.00	0.222	16.00 m @ 0.24 g/t Au	3.8224	
BDT2	DSDD0454	81.00	82.00	1.00	0.841			
BDT2	DSDD0454	82.00	83.00	1.00	0.059			
BDT2	DSDD0454	83.00	84.00	1.00	0.236			
BDT2	DSDD0454	84.00	85.00	1.00	0.551			
BDT2	DSDD0454	85.00	86.00	1.00	0.157			
BDT2	DSDD0454	86.00	87.00	1.00	0.147			
BDT2	DSDD0454	87.00	88.00	1.00	0.389			
BDT2	DSDD0454	88.00	89.00	1.00	0.227			
BDT2	DSDD0454	89.00	90.00	1.00	0.033			
BDT2	DSDD0454	90.00	91.00	1.00	0.056			
BDT2	DSDD0454	91.00	92.00	1.00	0.066			
BDT2	DSDD0454	92.00	93.00	1.00	0.256			
BDT2	DSDD0454	93.00	94.00	1.00	0.208			
BDT2	DSDD0454	94.00	95.00	1.00	0.173			
BDT2	DSDD0454	95.00	96.00	1.00	0.202			
BDT2	DSDD0454	96.00	97.00	1.00	0.151			
BDT2	DSDD0454	97.00	98.00	1.00	0.135			
BDT2	DSDD0454	102.00	103.00	1.00	0.542	2.00 m @ 0.48 g/t Au	0.962	
BDT2	DSDD0454	103.00	104.00	1.00	0.420			
BDT2	DSDD0454	104.00	105.00	1.00	0.142			
BDT2	DSDD0454	109.00	110.00	1.00	0.571	48.00 m @ 0.24 g/t Au	11.7504	
BDT2	DSDD0454	110.00	111.00	1.00	0.109			
BDT2	DSDD0454	111.00	112.00	1.00	0.182			
BDT2	DSDD0454	112.00	113.00	1.00	0.245			
BDT2	DSDD0454	113.00	114.00	1.00	0.233			
BDT2	DSDD0454	114.00	115.00	1.00	0.110			
BDT2	DSDD0454	115.00	116.00	1.00	0.121			
BDT2	DSDD0454	116.00	117.00	1.00	0.294			
BDT2	DSDD0454	117.00	118.00	1.00	0.374			
BDT2	DSDD0454	118.00	119.00	1.00	0.115			
BDT2	DSDD0454	119.00	120.00	1.00	0.342			
BDT2	DSDD0454	120.00	121.00	1.00	0.149			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0454	121.00	122.00	1.00	0.184			
BDT2	DSDD0454	122.00	123.00	1.00	0.243			
BDT2	DSDD0454	123.00	124.00	1.00	0.213			
BDT2	DSDD0454	124.00	125.00	1.00	0.033			
BDT2	DSDD0454	125.00	126.00	1.00	0.018			
BDT2	DSDD0454	126.00	127.00	1.00	0.454			
BDT2	DSDD0454	127.00	128.00	1.00	0.854			
BDT2	DSDD0454	128.00	129.00	1.00	0.244			
BDT2	DSDD0454	129.00	130.00	1.00	0.205			
BDT2	DSDD0454	130.00	131.00	1.00	0.113			
BDT2	DSDD0454	131.00	132.00	1.00	0.032			
BDT2	DSDD0454	132.00	133.00	1.00	0.374			
BDT2	DSDD0454	133.00	134.00	1.00	0.171			
BDT2	DSDD0454	134.00	135.00	1.00	0.312			
BDT2	DSDD0454	135.00	136.00	1.00	0.172			
BDT2	DSDD0454	136.00	137.00	1.00	0.160			
BDT2	DSDD0454	137.00	138.00	1.00	0.172			
BDT2	DSDD0454	138.00	139.00	1.00	0.239			
BDT2	DSDD0454	139.00	140.00	1.00	0.332			
BDT2	DSDD0454	140.00	141.00	1.00	0.191			
BDT2	DSDD0454	141.00	142.00	1.00	0.624			
BDT2	DSDD0454	142.00	143.00	1.00	0.073			
BDT2	DSDD0454	143.00	144.00	1.00	0.346			
BDT2	DSDD0454	144.00	145.00	1.00	0.363			
BDT2	DSDD0454	145.00	146.00	1.00	0.173			
BDT2	DSDD0454	146.00	147.00	1.00	0.148			
BDT2	DSDD0454	147.00	148.00	1.00	0.338			
BDT2	DSDD0454	148.00	149.00	1.00	0.141			
BDT2	DSDD0454	149.00	150.00	1.00	0.154			
BDT2	DSDD0454	150.00	151.40	1.40	0.484			
BDT2	DSDD0454	151.40	152.00	0.60	0.258			
BDT2	DSDD0454	152.00	153.00	1.00	0.323			
BDT2	DSDD0454	153.00	154.00	1.00	0.024			
BDT2	DSDD0454	154.00	155.00	1.00	0.168			
BDT2	DSDD0454	155.00	156.00	1.00	0.278			
BDT2	DSDD0454	156.00	157.00	1.00	0.202			
BDT2	DSDD0454	157.00	158.00	1.00	0.123			
BDT2	DSDD0454	159.00	160.00	1.00	0.101			
BDT2	DSDD0454	160.00	161.00	1.00	0.134			
BDT2	DSDD0454	161.00	162.00	1.00	0.546			
BDT2	DSDD0454	162.00	163.00	1.00	0.620			
BDT2	DSDD0454	163.00	164.00	1.00	0.364			
BDT2	DSDD0454	164.00	165.00	1.00	0.049			
BDT2	DSDD0454	165.00	166.00	1.00	0.137			
BDT2	DSDD0454	166.00	167.00	1.00	0.099			
BDT2	DSDD0454	167.00	168.00	1.00	0.855			
BDT2	DSDD0454	168.00	169.00	1.00	0.442			
BDT2	DSDD0454	169.00	170.00	1.00	0.199			
BDT2	DSDD0454	170.00	171.00	1.00	0.181			
BDT2	DSDD0454	172.00	173.00	1.00	0.166			
BDT2	DSDD0454	173.00	174.00	1.00	0.133			
BDT2	DSDD0454	174.00	175.00	1.00	0.254	1.00 m @ 0.25 g/t Au	0.254	
BDT2	DSDD0454	176.00	177.00	1.00	0.113			
BDT2	DSDD0454	186.00	187.00	1.00	0.105			
BDT2	DSDD0454	187.00	188.00	1.00	0.143			
BDT2	DSDD0454	188.00	189.00	1.00	0.122			
BDT2	DSDD0454	189.00	190.00	1.00	0.102			
BDT2	DSDD0454	191.00	192.00	1.00	0.145			
BDT2	DSDD0454	192.00	193.00	1.00	0.672	1.00 m @ 0.67 g/t Au	0.672	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0454	195.00	196.00	1.00	0.133			
BDT2	DSDD0454	198.00	199.00	1.00	0.143			
BDT2	DSDD0454	200.00	201.00	1.00	0.146			
BDT2	DSDD0454	207.00	208.00	1.00	0.140			
BDT2	DSDD0454	208.00	209.00	1.00	0.199			
BDT2	DSDD0454	209.00	209.66	0.66	0.149			
BDT2	DSDD0454	209.66	211.00	1.34	0.182			
BDT2	DSDD0454	217.00	218.00	1.00	0.239			
BDT2	DSDD0454	218.00	219.00	1.00	0.149			
BDT2	DSDD0454	219.00	220.10	1.10	0.152	5.00 m @ 0.22 g/t Au	1.087	
BDT2	DSDD0454	220.10	221.00	0.90	0.310			
BDT2	DSDD0454	221.00	222.00	1.00	0.253			
BDT2	DSDD0454	225.00	226.00	1.00	0.183			
BDT2	DSDD0454	226.00	227.00	1.00	0.271	1.00 m @ 0.27 g/t Au	0.271	
BDT2	DSDD0454	227.00	228.00	1.00	0.125			
BDT2	DSDD0454	238.00	239.00	1.00	0.298			
BDT2	DSDD0454	239.00	240.00	1.00	0.071			
BDT2	DSDD0454	240.00	241.14	1.14	0.137			
BDT2	DSDD0454	241.14	242.00	0.86	0.638			
BDT2	DSDD0454	242.00	243.00	1.00	0.307			
BDT2	DSDD0454	243.00	244.00	1.00	0.124			
BDT2	DSDD0454	244.00	245.00	1.00	0.190			
BDT2	DSDD0454	245.00	246.00	1.00	0.229	14.10 m @ 0.40 g/t Au	5.64987	
BDT2	DSDD0454	246.00	247.00	1.00	0.117			
BDT2	DSDD0454	247.00	248.00	1.00	0.038			
BDT2	DSDD0454	248.00	249.00	1.00	0.144			
BDT2	DSDD0454	249.00	250.14	1.14	0.312			
BDT2	DSDD0454	250.14	251.00	0.86	0.273			
BDT2	DSDD0454	251.00	252.10	1.10	2.579			1.10 m @ 2.58 g/t Au
BDT2	DSDD0454	252.10	253.00	0.90	0.113			
BDT2	DSDD0454	264.00	265.00	1.00	0.347	1.00 m @ 0.35 g/t Au	0.347	
BDT2	DSDD0454	269.00	270.00	1.00	0.880	1.00 m @ 0.88 g/t Au	0.88	
BDT2	DSDD0454	270.00	271.00	1.00	0.168			
BDT2	DSDD0454	272.00	273.00	1.00	0.176			
BDT2	DSDD0454	273.80	275.00	1.20	0.380			
BDT2	DSDD0454	275.00	276.00	1.00	0.183			
BDT2	DSDD0454	276.00	277.00	1.00	3.716			1.00 m @ 3.72 g/t Au
BDT2	DSDD0454	277.00	278.00	1.00	0.019			
BDT2	DSDD0454	278.00	279.00	1.00	0.351			
BDT2	DSDD0454	279.00	280.00	1.00	0.340	11.20 m @ 0.63 g/t Au	7.09072	
BDT2	DSDD0454	280.00	281.00	1.00	0.321			
BDT2	DSDD0454	281.00	282.00	1.00	0.316			
BDT2	DSDD0454	282.00	283.00	1.00	1.114			1.00 m @ 1.11 g/t Au
BDT2	DSDD0454	283.00	284.00	1.00	0.037			
BDT2	DSDD0454	284.00	285.00	1.00	0.238			
BDT2	DSDD0454	289.00	290.00	1.00	0.464			
BDT2	DSDD0454	290.00	291.00	1.00	0.149			
BDT2	DSDD0454	291.00	292.00	1.00	0.548			
BDT2	DSDD0454	292.00	293.00	1.00	0.086			
BDT2	DSDD0454	293.00	294.00	1.00	0.399			
BDT2	DSDD0454	294.00	295.00	1.00	0.037			
BDT2	DSDD0454	295.00	296.00	1.00	0.040			
BDT2	DSDD0454	296.00	297.30	1.30	0.277	15.00 m @ 0.59 g/t Au	8.841	
BDT2	DSDD0454	297.30	298.00	0.70	0.208			
BDT2	DSDD0454	298.00	299.00	1.00	0.849			
BDT2	DSDD0454	299.00	300.00	1.00	1.857			
BDT2	DSDD0454	300.00	300.70	0.70	0.882			3.00 m @ 1.52 g/t Au
BDT2	DSDD0454	300.70	302.00	1.30	1.594			
BDT2	DSDD0454	302.00	303.00	1.00	0.959			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0454	303.00	304.00	1.00	0.258			
BDT2	DSDD0454	313.00	314.00	1.00	<b>1.717</b>	1.00 m @ 1.72 g/t Au	1.717	<b>1.00 m @ 1.72 g/t Au</b>
BDT2	DSDD0454	332.00	332.74	0.74	0.170			
BDT2	DSDD0454	332.74	334.00	1.26	0.741			
BDT2	DSDD0454	334.00	335.00	1.00	<b>1.105</b>			
BDT2	DSDD0454	335.00	336.00	1.00	0.821			
BDT2	DSDD0454	336.00	337.00	1.00	<b>1.344</b>			
BDT2	DSDD0454	337.00	338.00	1.00	0.862			
BDT2	DSDD0454	338.00	339.00	1.00	0.346			
BDT2	DSDD0454	339.00	340.00	1.00	0.624			
BDT2	DSDD0454	340.00	341.00	1.00	0.575			
BDT2	DSDD0454	341.00	342.00	1.00	<b>1.685</b>			
BDT2	DSDD0454	342.00	343.00	1.00	0.618			
BDT2	DSDD0454	343.00	344.00	1.00	0.546			
BDT2	DSDD0454	344.00	344.75	0.75	<b>1.065</b>			
BDT2	DSDD0454	344.75	346.00	1.25	0.092			
BDT2	DSDD0454	346.00	347.00	1.00	0.724			
BDT2	DSDD0454	356.00	357.00	1.00	0.214	1.00 m @ 0.21 g/t Au	0.214	
BDT2	DSDD0454	368.00	369.00	1.00	0.133			
BDT2	DSDD0454	369.00	370.00	1.00	0.170			
BDT2	DSDD0454	376.00	377.00	1.00	0.115			
BDT2	DSDD0454	377.00	378.00	1.00	0.118			
BDT2	DSDD0454	380.00	381.00	1.00	0.287			
BDT2	DSDD0454	381.00	382.00	1.00	0.256			
BDT2	DSDD0454	382.00	383.00	1.00	0.071	5.00 m @ 0.31 g/t Au	1.546	
BDT2	DSDD0454	383.00	384.00	1.00	0.450			
BDT2	DSDD0454	384.00	385.00	1.00	0.482			
BDT2	DSDD0455	55.00	56.00	1.00	0.418			
BDT2	DSDD0455	56.00	57.00	1.00	0.196			
BDT2	DSDD0455	57.00	58.00	1.00	0.084			
BDT2	DSDD0455	58.00	58.80	0.80	0.535			
BDT2	DSDD0455	58.80	60.00	1.20	0.234			
BDT2	DSDD0455	60.00	61.00	1.00	0.411			
BDT2	DSDD0455	61.00	62.00	1.00	0.492			
BDT2	DSDD0455	79.00	80.00	1.00	0.281	1.00 m @ 0.28 g/t Au	0.281	
BDT2	DSDD0455	88.00	89.00	1.00	0.191			
BDT2	DSDD0455	89.00	90.00	1.00	0.174			
BDT2	DSDD0456	1.90	3.00	1.10	0.119			
BDT2	DSDD0456	10.98	12.00	1.02	0.130			
BDT2	DSDD0456	12.00	13.05	1.05	0.155			
BDT2	DSDD0456	18.00	19.50	1.50	0.111			
BDT2	DSDD0456	21.00	22.50	1.50	0.113			
BDT2	DSDD0456	31.50	33.00	1.50	0.109			
BDT2	DSDD0456	34.00	35.00	1.00	0.102			
BDT2	DSDD0456	37.00	38.00	1.00	0.290			
BDT2	DSDD0456	38.00	39.00	1.00	0.074			
BDT2	DSDD0456	39.00	40.00	1.00	0.062			
BDT2	DSDD0456	40.00	41.00	1.00	0.356			
BDT2	DSDD0456	41.00	42.00	1.00	0.289			
BDT2	DSDD0456	42.00	43.00	1.00	0.127			
BDT2	DSDD0456	49.00	50.00	1.00	0.230			
BDT2	DSDD0456	50.00	51.00	1.00	0.316	2.00 m @ 0.27 g/t Au	0.546	
BDT2	DSDD0456	53.00	54.00	1.00	0.153			
BDT2	DSDD0456	54.00	55.00	1.00	0.217	1.00 m @ 0.22 g/t Au	0.217	
BDT2	DSDD0456	55.00	55.90	0.90	0.192			
BDT2	DSDD0456	76.00	77.00	1.00	0.135			
BDT2	DSDD0456	252.00	253.00	1.00	0.150			
BDT2	DSDD0456	254.00	255.00	1.00	0.116			
BDT2	DSDD0456	264.00	265.00	1.00	0.273	9.35 m @ 0.26 g/t Au	2.398275	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0456	265.00	266.00	1.00	0.397			
BDT2	DSDD0456	266.00	267.00	1.00	0.043			
BDT2	DSDD0456	267.00	268.00	1.00	0.042			
BDT2	DSDD0456	268.00	269.00	1.00	0.165			
BDT2	DSDD0456	269.00	270.00	1.00	0.396			
BDT2	DSDD0456	270.00	271.50	1.50	0.316			
BDT2	DSDD0456	271.50	272.30	0.80	0.469			
BDT2	DSDD0456	272.30	273.35	1.05	0.222			
BDT2	DSDD0456	273.35	274.50	1.15	0.154			
BDT2	DSDD0456	274.50	275.34	0.84	0.110			
BDT2	DSDD0456	276.58	277.50	0.92	0.190			
BDT2	DSDD0456	277.50	279.00	1.50	0.326	2.50 m @ 0.30 g/t Au	0.75	
BDT2	DSDD0456	279.00	280.00	1.00	0.261			
BDT2	DSDD0456	282.00	283.00	1.00	0.142			
BDT2	DSDD0456	285.00	286.00	1.00	0.346	1.00 m @ 0.35 g/t Au	0.346	
BDT2	DSDD0456	286.00	287.50	1.50	0.167			
BDT2	DSDD0456	287.50	288.86	1.36	0.163			
BDT2	DSDD0456	296.00	297.00	1.00	0.372	1.00 m @ 0.37 g/t Au	0.372	
BDT2	DSDD0456	305.90	307.00	1.10	0.241			
BDT2	DSDD0456	307.00	308.00	1.00	0.035			
BDT2	DSDD0456	308.00	309.00	1.00	0.028			
BDT2	DSDD0456	309.00	310.00	1.00	0.064			
BDT2	DSDD0456	310.00	311.00	1.00	0.216			
BDT2	DSDD0456	311.00	312.00	1.00	0.178			
BDT2	DSDD0456	312.00	313.00	1.00	0.219			
BDT2	DSDD0456	313.00	314.20	1.20	0.352			
BDT2	DSDD0456	314.20	315.00	0.80	0.049			
BDT2	DSDD0456	315.00	316.00	1.00	0.455	17.10 m @ 0.23 g/t Au	3.84921	
BDT2	DSDD0456	316.00	317.00	1.00	0.311			
BDT2	DSDD0456	317.00	318.00	1.00	0.008			
BDT2	DSDD0456	318.00	319.10	1.10	0.494			
BDT2	DSDD0456	319.10	320.00	0.90	0.189			
BDT2	DSDD0456	320.00	321.00	1.00	0.409			
BDT2	DSDD0456	321.00	322.00	1.00	0.020			
BDT2	DSDD0456	322.00	323.00	1.00	0.467			
BDT2	DSDD0456	334.00	335.00	1.00	0.161			
BDT2	DSDD0456	340.00	341.00	1.00	0.143			
BDT2	DSDD0456	341.00	342.00	1.00	0.168			
BDT2	DSDD0456	343.00	344.00	1.00	0.173			
BDT2	DSDD0456	377.00	378.00	1.00	0.261	1.00 m @ 0.26 g/t Au	0.261	
BDT2	DSDD0456	383.00	384.50	1.50	0.139			
BDT2	DSDD0456	388.00	389.00	1.00	0.102			
BDT2	DSDD0457A	0.00	1.50	1.50	0.110			
BDT2	DSDD0457A	6.42	7.50	1.08	0.100			
BDT2	DSDD0457A	41.00	42.00	1.00	0.100			
BDT2	DSDD0457A	100.50	101.60	1.10	0.390	1.10 m @ 0.39 g/t Au	0.429	
BDT2	DSDD0457A	103.00	104.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BDT2	DSDD0457A	232.00	233.00	1.00	0.130			
BDT2	DSDD0457A	246.00	246.84	0.84	0.160			
BDT2	DSDD0457A	246.84	248.00	1.16	0.130			
BDT2	DSDD0457A	248.00	249.00	1.00	0.130			
BDT2	DSDD0457A	249.00	250.00	1.00	0.100			
BDT2	DSDD0457A	251.30	252.00	0.70	0.120			
BDT2	DSDD0457A	252.00	253.00	1.00	0.100			
BDT2	DSDD0457A	253.00	254.00	1.00	0.180			
BDT2	DSDD0457A	254.00	255.00	1.00	0.160			
BDT2	DSDD0457A	255.00	256.00	1.00	0.150			
BDT2	DSDD0457A	263.00	264.00	1.00	0.120			
BDT2	DSDD0457A	265.00	266.00	1.00	0.170			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0457A	266.00	267.00	1.00	0.150			
BDT2	DSDD0457A	268.00	269.00	1.00	0.110			
BDT2	DSDD0457A	272.00	273.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.27	
BDT2	DSDD0457A	275.00	276.00	1.00	0.260	3.00 m @ 0.24 g/t Au	0.7299	
BDT2	DSDD0457A	276.00	277.00	1.00	0.270			
BDT2	DSDD0457A	277.00	278.00	1.00	0.200			
BDT2	DSDD0457A	281.00	282.00	1.00	0.180			
BDT2	DSDD0457A	282.00	283.00	1.00	0.120			
BDT2	DSDD0457A	284.00	285.00	1.00	0.110			
BDT2	DSDD0457A	287.00	288.00	1.00	0.170			
BDT2	DSDD0457A	294.00	295.00	1.00	0.100			
BDT2	DSDD0457A	307.00	308.15	1.15	0.140			
BDT2	DSDD0457A	313.00	314.20	1.20	0.140			
BDT2	DSDD0457A	314.20	315.00	0.80	0.260	0.80 m @ 0.26 g/t Au	0.208	
BDT2	DSDD0457A	319.00	320.00	1.00	0.210	2.00 m @ 0.20 g/t Au	0.41	
BDT2	DSDD0457A	320.00	321.00	1.00	0.200			
BDT2	DSDD0457A	322.00	323.00	1.00	0.150			
BDT2	DSDD0457A	323.00	324.00	1.00	0.100			
BDT2	DSDD0457A	324.00	325.00	1.00	0.130			
BDT2	DSDD0457A	325.00	326.00	1.00	0.170			
BDT2	DSDD0457A	326.00	327.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3	
BDT2	DSDD0457A	331.00	332.00	1.00	0.180			
BDT2	DSDD0457A	332.00	333.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BDT2	DSDD0457A	435.00	436.00	1.00	0.900	1.00 m @ 0.90 g/t Au	0.9	
BDT2	DSDD0457A	449.00	450.00	1.00	0.170			
BDT2	DSDD0457A	450.00	451.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.25	
BDT2	DSDD0457A	457.00	458.00	1.00	<b>1.210</b>	<b>6.40 m @ 0.54 g/t Au</b>	<b>3.48032</b>	<b>1.00 m @ 1.21 g/t Au</b>
BDT2	DSDD0457A	458.00	459.00	1.00	0.490			
BDT2	DSDD0457A	459.00	460.00	1.00	0.400			
BDT2	DSDD0457A	460.00	461.00	1.00	0.320			
BDT2	DSDD0457A	461.00	462.00	1.00	0.710			
BDT2	DSDD0457A	462.00	463.40	1.40	0.250			
BDT2	DSDD0457A	463.40	464.00	0.60	0.160			
BDT2	DSDD0457A	473.00	474.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.24	
BDT2	DSDD0457A	474.00	475.00	1.00	0.110			
BDT2	DSDD0457A	488.00	489.40	1.40	0.100			
BDT2	DSDD0457A	489.40	490.00	0.60	0.260	0.60 m @ 0.26 g/t Au	0.156	
BDT2	DSDD0457A	499.00	500.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.22	
BDT2	DSDD0457A	511.00	511.77	0.77	0.200	2.46 m @ 0.24 g/t Au	0.589416	
BDT2	DSDD0457A	511.77	512.50	0.73	0.110			
BDT2	DSDD0457A	512.50	513.46	0.96	0.370			
BDT2	DSDD0457A	515.00	516.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.26	
BDT2	DSDD0457A	517.37	518.00	0.63	0.330	0.63 m @ 0.33 g/t Au	0.2079	
BDT2	DSDD0457A	519.80	521.00	1.20	0.170			
BDT2	DSDD0457A	523.00	524.00	1.00	0.400	4.00 m @ 0.24 g/t Au	0.9452	
BDT2	DSDD0457A	524.00	525.00	1.00	0.280			
BDT2	DSDD0457A	525.00	526.24	1.24	0.030			
BDT2	DSDD0457A	526.24	527.00	0.76	0.300			
BDT2	DSDD0457A	527.00	528.00	1.00	0.170			
BDT2	DSDD0457A	532.00	533.00	1.00	0.150			
BDT2	DSDD0457A	533.00	533.90	0.90	0.120			
BDT2	DSDD0457A	533.90	534.80	0.90	0.160			
BDT2	DSDD0457A	536.00	537.00	1.00	0.430	7.80 m @ 0.26 g/t Au	1.989	
BDT2	DSDD0457A	537.00	538.00	1.00	0.250			
BDT2	DSDD0457A	538.00	539.00	1.00	0.390			
BDT2	DSDD0457A	539.00	540.00	1.00	0.040			
BDT2	DSDD0457A	540.00	541.00	1.00	0.170			
BDT2	DSDD0457A	541.00	542.00	1.00	0.360			
BDT2	DSDD0457A	542.00	543.24	1.24	0.110			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0457A	543.24	543.80	0.56	0.380			
BDT2	DSDD0457A	543.80	545.00	1.20	0.170			
BDT2	DSDD0457A	549.00	550.00	1.00	0.140			
BDT2	DSDD0457A	555.00	556.00	1.00	0.410	4.00 m @ 0.21 g/t Au	0.84	
BDT2	DSDD0457A	556.00	557.00	1.00	0.010			
BDT2	DSDD0457A	557.00	558.00	1.00	0.010			
BDT2	DSDD0457A	558.00	559.00	1.00	0.410			
BDT2	DSDD0457A	566.00	567.00	1.00	0.320			1.00 m @ 0.32 g/t Au
BDT2	DSDD0458	7.00	8.00	1.00	0.358	2.40 m @ 0.86 g/t Au	2.05896	
BDT2	DSDD0458	8.00	9.40	1.40	<b>1.215</b>			<b>1.40 m @ 1.22 g/t Au</b>
BDT2	DSDD0458	11.34	12.71	1.37	0.141			
BDT2	DSDD0458	125.00	126.00	1.00	<b>1.808</b>	1.00 m @ 1.81 g/t Au	1.808	<b>1.00 m @ 1.81 g/t Au</b>
BDT2	DSDD0458	143.90	145.00	1.10	0.729	1.10 m @ 0.73 g/t Au	0.8019	
BDT2	DSDD0458	148.00	149.30	1.30	0.102			
BDT2	DSDD0458	152.15	153.00	0.85	0.128			
BDT2	DSDD0458	153.00	154.00	1.00	0.128			
BDT2	DSDD0458	156.50	158.00	1.50	0.130			
BDT2	DSDD0458	158.00	159.00	1.00	0.217	2.00 m @ 0.23 g/t Au	0.45	
BDT2	DSDD0458	159.00	160.00	1.00	0.233			
BDT2	DSDD0458	160.00	161.00	1.00	0.132			
BDT2	DSDD0458	203.00	204.00	1.00	<b>1.013</b>	11.71 m @ 0.39 g/t Au	4.619595	<b>1.00 m @ 1.01 g/t Au</b>
BDT2	DSDD0458	204.00	205.00	1.00	0.049			
BDT2	DSDD0458	205.00	206.00	1.00	0.052			
BDT2	DSDD0458	206.00	207.00	1.00	0.055			
BDT2	DSDD0458	207.00	208.00	1.00	0.480			
BDT2	DSDD0458	208.00	209.00	1.00	0.124			
BDT2	DSDD0458	209.00	209.70	0.70	0.226			
BDT2	DSDD0458	209.70	210.40	0.70	<b>1.610</b>			<b>0.70 m @ 1.61 g/t Au</b>
BDT2	DSDD0458	210.40	211.50	1.10	0.392			
BDT2	DSDD0458	211.50	213.00	1.50	0.343			
BDT2	DSDD0458	213.00	214.00	1.00	0.383			
BDT2	DSDD0458	214.00	214.71	0.71	0.328			
BDT2	DSDD0458	221.90	223.00	1.10	0.189			
BDT2	DSDD0458	224.00	225.00	1.00	<b>3.282</b>	19.00 m @ 0.58 g/t Au	10.9402	<b>1.00 m @ 3.28 g/t Au</b>
BDT2	DSDD0458	225.00	226.00	1.00	0.720			
BDT2	DSDD0458	226.00	227.00	1.00	0.195			
BDT2	DSDD0458	227.00	228.00	1.00	0.099			
BDT2	DSDD0458	228.00	229.00	1.00	0.743			
BDT2	DSDD0458	229.00	230.00	1.00	0.148			
BDT2	DSDD0458	230.00	231.00	1.00	0.056			
BDT2	DSDD0458	231.00	232.00	1.00	<b>2.213</b>			<b>1.00 m @ 2.21 g/t Au</b>
BDT2	DSDD0458	232.00	233.00	1.00	0.027			
BDT2	DSDD0458	233.00	234.00	1.00	0.138			
BDT2	DSDD0458	234.00	235.00	1.00	0.322			
BDT2	DSDD0458	235.00	236.00	1.00	0.032			
BDT2	DSDD0458	236.00	237.00	1.00	0.008			
BDT2	DSDD0458	237.00	238.00	1.00	0.008			
BDT2	DSDD0458	238.00	239.00	1.00	<b>2.217</b>			<b>1.00 m @ 2.22 g/t Au</b>
BDT2	DSDD0458	239.00	240.00	1.00	0.064			
BDT2	DSDD0458	240.00	241.00	1.00	0.019			
BDT2	DSDD0458	241.00	242.00	1.00	0.020			
BDT2	DSDD0458	242.00	243.00	1.00	0.631			
BDT2	DSDD0458	268.50	269.90	1.40	0.116			
BDT2	DSDD0458	269.90	271.00	1.10	0.819	1.10 m @ 0.82 g/t Au	0.9009	
BDT2	DSDD0458	271.00	272.00	1.00	0.135			
BDT2	DSDD0458	281.20	282.00	0.80	<b>12.628</b>	<b>0.80 m @ 12.63 g/t Au</b>	<b>10.1024</b>	<b>0.80 m @ 12.63 g/t Au</b>
BDT2	DSDD0458	282.00	283.00	1.00	0.196			
BDT2	DSDD0458	285.00	286.25	1.25	0.108			
BDT2	DSDD0458	286.25	287.60	1.35	0.122			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0458	314.00	314.70	0.70	0.201	0.70 m @ 0.20 g/t Au	0.1407	
BDT2	DSDD0459	43.05	44.00	0.95	0.344	1.95 m @ 0.53 g/t Au	1.024725	
BDT2	DSDD0459	44.00	45.00	1.00	0.698			
BDT2	DSDD0459	68.00	69.00	1.00	0.460	1.00 m @ 0.46 g/t Au	0.46	
BDT2	DSDD0459	72.00	73.00	1.00	0.102			
BDT2	DSDD0463	76.00	77.00	1.00	0.143			
BDT2	DSDD0463	77.00	78.00	1.00	<b>1.237</b>	1.00 m @ 1.24 g/t Au	1.237	<b>1.00 m @ 1.24 g/t Au</b>
BDT2	DSDD0463	117.00	118.00	1.00	0.144			
BDT2	DSDD0463	118.00	119.00	1.00	0.451	<b>11.00 m @ 0.33 g/t Au</b>	<b>3.6773</b>	
BDT2	DSDD0463	119.00	120.00	1.00	0.306			
BDT2	DSDD0463	120.00	121.00	1.00	0.106			
BDT2	DSDD0463	121.00	122.00	1.00	0.250			
BDT2	DSDD0463	122.00	123.00	1.00	0.075			
BDT2	DSDD0463	123.00	124.00	1.00	0.244			
BDT2	DSDD0463	124.00	125.00	1.00	0.212			
BDT2	DSDD0463	125.00	126.00	1.00	0.290			
BDT2	DSDD0463	126.00	127.00	1.00	0.116			
BDT2	DSDD0463	127.00	128.00	1.00	0.245			
BDT2	DSDD0463	128.00	129.00	1.00	<b>1.382</b>			
BDT2	DSDD0463	144.00	145.00	1.00	0.193			<b>1.00 m @ 1.38 g/t Au</b>
BDT2	DSDD0463	145.00	146.44	1.44	0.261	<b>6.00 m @ 0.63 g/t Au</b>	<b>3.7674</b>	
BDT2	DSDD0463	146.44	147.00	0.56	0.419			
BDT2	DSDD0463	147.00	148.00	1.00	0.177			
BDT2	DSDD0463	148.00	149.00	1.00	0.058			
BDT2	DSDD0463	149.00	150.00	1.00	<b>2.068</b>			
BDT2	DSDD0463	150.00	151.00	1.00	0.854			
BDT2	DSDD0463	157.00	158.00	1.00	0.493			
BDT2	DSDD0463	158.00	159.00	1.00	0.144			
BDT2	DSDD0463	161.00	161.51	0.51	0.150			
BDT2	DSDD0463	161.51	162.10	0.59	0.157			
BDT2	DSDD0463	162.10	163.00	0.90	0.571	<b>2.90 m @ 1.07 g/t Au</b>	<b>3.09285</b>	
BDT2	DSDD0463	163.00	164.00	1.00	0.580			
BDT2	DSDD0463	164.00	165.00	1.00	<b>1.999</b>			
BDT2	DSDD0463	167.00	168.00	1.00	0.111			
BDT2	DSDD0463	188.00	189.00	1.00	0.298	<b>6.00 m @ 0.57 g/t Au</b>	<b>3.4302</b>	
BDT2	DSDD0463	189.00	190.00	1.00	0.071			
BDT2	DSDD0463	190.00	190.75	0.75	0.037			
BDT2	DSDD0463	190.75	192.00	1.25	<b>1.613</b>			
BDT2	DSDD0463	192.00	193.00	1.00	0.390			
BDT2	DSDD0463	193.00	194.00	1.00	0.627			
BDT2	DSDD0463	194.00	195.00	1.00	0.147			
BDT2	DSDD0463	196.87	198.00	1.13	0.126	<b>8.04 m @ 0.24 g/t Au</b>	<b>1.967388</b>	
BDT2	DSDD0463	198.00	199.04	1.04	0.356			
BDT2	DSDD0463	199.04	200.00	0.96	0.107			
BDT2	DSDD0463	200.00	201.00	1.00	0.268			
BDT2	DSDD0463	201.00	202.00	1.00	0.339			
BDT2	DSDD0463	202.00	203.00	1.00	0.182			
BDT2	DSDD0463	203.00	204.00	1.00	0.241			
BDT2	DSDD0463	204.00	205.10	1.10	0.076			
BDT2	DSDD0463	205.10	206.04	0.94	0.405			
BDT2	DSDD0463	206.04	207.00	0.96	0.165			
BDT2	DSDD0463	214.00	215.05	1.05	<b>1.635</b>	<b>3.00 m @ 0.88 g/t Au</b>	<b>2.6397</b>	<b>1.05 m @ 1.64 g/t Au</b>
BDT2	DSDD0463	215.05	216.00	0.95	0.344			
BDT2	DSDD0463	216.00	217.00	1.00	0.596			
BDT2	DSDD0463	217.81	219.00	1.19	0.102			
BDT2	DSDD0463	221.00	222.00	1.00	0.118			
BDT2	DSDD0463	222.00	223.00	1.00	0.650	<b>5.07 m @ 1.01 g/t Au</b>	<b>5.104983</b>	
BDT2	DSDD0463	223.00	224.00	1.00	<b>3.078</b>			
BDT2	DSDD0463	224.00	225.00	1.00	0.600			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0463	225.00	226.00	1.00	0.534			
BDT2	DSDD0463	226.00	227.07	1.07	0.227			
BDT2	DSDD0463	254.00	255.00	1.00	<b>1.606</b>	4.00 m @ 1.05 g/t Au	4.204	4.00 m @ 1.05 g/t Au
BDT2	DSDD0463	255.00	256.00	1.00	0.093			
BDT2	DSDD0463	256.00	257.00	1.00	0.086			
BDT2	DSDD0463	257.00	258.00	1.00	<b>2.419</b>			
BDT2	DSDD0463	269.00	270.00	1.00	0.265			
BDT2	DSDD0463	275.00	276.00	1.00	0.191	1.00 m @ 0.27 g/t Au	0.265	
BDT2	DSDD0463	276.00	277.00	1.00	<b>2.026</b>	2.00 m @ 1.16 g/t Au	2.326	1.00 m @ 2.03 g/t Au
BDT2	DSDD0463	277.00	278.00	1.00	0.300			
BDT2	DSDD0463	290.13	291.00	0.87	0.173			
BDT2	DSDD0463	291.00	292.00	1.00	0.510	1.00 m @ 0.51 g/t Au	0.51	
BDT2	DSDD0463	308.00	309.00	1.00	0.815	4.00 m @ 1.27 g/t Au	5.0772	
BDT2	DSDD0463	309.00	310.00	1.00	0.028			
BDT2	DSDD0463	310.00	311.00	1.00	0.080			
BDT2	DSDD0463	311.00	312.00	1.00	<b>4.154</b>			1.00 m @ 4.15 g/t Au
BDT2	DSDD0463	324.00	325.00	1.00	0.108			
BDT2	DSDD0463	327.00	328.00	1.00	0.257	9.00 m @ 1.26 g/t Au	11.3328	
BDT2	DSDD0463	328.00	329.00	1.00	<b>2.469</b>			1.00 m @ 2.47 g/t Au
BDT2	DSDD0463	329.00	330.00	1.00	0.135			
BDT2	DSDD0463	330.00	331.00	1.00	0.047			
BDT2	DSDD0463	331.00	332.00	1.00	0.023			
BDT2	DSDD0463	332.00	333.00	1.00	<b>3.114</b>			
BDT2	DSDD0463	333.00	334.26	1.26	0.017			3.00 m @ 2.61 g/t Au
BDT2	DSDD0463	334.26	335.00	0.74	<b>6.340</b>			
BDT2	DSDD0463	335.00	336.00	1.00	0.575			
BDT2	DSDD0463	336.00	337.00	1.00	0.106			
BDT2	DSDD0463	353.00	354.00	1.00	0.295	1.00 m @ 0.29 g/t Au	0.295	
BDT2	DSDD0463	354.69	356.00	1.31	0.212	1.31 m @ 0.21 g/t Au	0.27772	
BDT2	DSDD0463	358.00	359.00	1.00	0.170			
BDT2	DSDD0463	359.00	359.77	0.77	0.292	0.77 m @ 0.29 g/t Au	0.22484	
BDT2	DSDD0464	0.00	0.86	0.86	0.131			
BDT2	DSDD0464	3.00	3.94	0.94	0.942	0.94 m @ 0.94 g/t Au	0.88548	
BDT2	DSDD0464	4.50	6.00	1.50	0.144			
BDT2	DSDD0464	6.00	7.50	1.50	0.155			
BDT2	DSDD0464	27.00	28.00	1.00	0.199			
BDT2	DSDD0464	28.00	29.44	1.44	0.338	1.44 m @ 0.34 g/t Au	0.48672	
BDT2	DSDD0464	30.57	32.00	1.43	0.422	1.93 m @ 0.66 g/t Au	1.282871	
BDT2	DSDD0464	32.00	32.50	0.50	<b>1.359</b>			0.50 m @ 1.36 g/t Au
BDT2	DSDD0464	40.00	40.70	0.70	<b>1.619</b>	0.70 m @ 1.62 g/t Au	1.1333	0.70 m @ 1.62 g/t Au
BDT2	DSDD0464	48.00	49.00	1.00	0.196			
BDT2	DSDD0464	49.00	50.50	1.50	0.108			
BDT2	DSDD0464	56.12	57.00	0.88	0.141			
BDT2	DSDD0464	95.00	96.00	1.00	0.166			
BDT2	DSDD0464	116.00	117.00	1.00	0.253	1.00 m @ 0.25 g/t Au	0.253	
BDT2	DSDD0464	134.40	135.00	0.60	0.221	0.60 m @ 0.22 g/t Au	0.1326	
BDT2	DSDD0464	136.00	137.00	1.00	0.358	1.00 m @ 0.36 g/t Au	0.358	
BDT2	DSDD0464	139.00	140.00	1.00	0.103			
BDT2	DSDD0464	140.00	141.00	1.00	0.141			
BDT2	DSDD0464	148.50	150.00	1.50	0.711	3.50 m @ 0.78 g/t Au	2.7146	
BDT2	DSDD0464	150.00	151.00	1.00	0.431			
BDT2	DSDD0464	151.00	152.00	1.00	<b>1.217</b>			1.00 m @ 1.22 g/t Au
BDT2	DSDD0464	153.00	154.02	1.02	0.114			
BDT2	DSDD0464	181.00	181.81	0.81	0.480	1.50 m @ 0.37 g/t Au	0.56055	
BDT2	DSDD0464	181.81	182.50	0.69	0.249			
BDT2	DSDD0464	210.00	211.00	1.00	0.196			
BDT2	DSDD0465	19.50	20.00	0.50	0.174			
BDT2	DSDD0465	52.00	53.00	1.00	0.401	3.00 m @ 0.23 g/t Au	0.6849	
BDT2	DSDD0465	53.00	54.00	1.00	0.058			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0465	54.00	55.00	1.00	0.226			
BDT2	DSDD0465	56.00	57.00	1.00	0.183			
BDT2	DSDD0465	57.00	58.00	1.00	0.221	1.00 m @ 0.22 g/t Au	0.221	
BDT2	DSDD0465	58.00	59.00	1.00	0.147			
BDT2	DSDD0465	60.00	61.00	1.00	0.110			
BDT2	DSDD0465	61.00	62.00	1.00	0.129			
BDT2	DSDD0465	62.00	63.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3	
BDT2	DSDD0465	63.00	64.00	1.00	0.126			
BDT2	DSDD0465	65.00	66.00	1.00	0.159			
BDT2	DSDD0465	66.00	67.00	1.00	0.202	1.00 m @ 0.20 g/t Au	0.202	
BDT2	DSDD0465	68.00	69.00	1.00	0.106			
BDT2	DSDD0465	69.00	70.00	1.00	0.186			
BDT2	DSDD0465	71.00	72.00	1.00	0.106			
BDT2	DSDD0465	102.00	103.00	1.00	0.143			
BDT2	DSDD0465	116.00	117.06	1.06	0.114			
BDT2	DSDD0465	117.06	118.30	1.24	0.267	1.24 m @ 0.27 g/t Au	0.33108	
BDT2	DSDD0465	126.00	127.00	1.00	0.100			
BDT2	DSDD0470	42.00	43.00	1.00	0.310	1.00 m @ 0.31 g/t Au	0.31	
BDT2	DSDD0470	49.00	50.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.26	
BDT2	DSDD0470	52.00	53.00	1.00	0.110			
BDT2	DSDD0470	57.00	58.00	1.00	0.130			
BDT2	DSDD0470	59.00	60.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.23	
BDT2	DSDD0470	60.00	61.00	1.00	0.100			
BDT2	DSDD0470	63.00	64.00	1.00	0.260			
BDT2	DSDD0470	64.00	65.00	1.00	0.090			
BDT2	DSDD0470	65.00	66.00	1.00	0.010			
BDT2	DSDD0470	66.00	67.00	1.00	0.200			
BDT2	DSDD0470	67.00	68.00	1.00	0.120			
BDT2	DSDD0470	68.00	69.00	1.00	0.120			
BDT2	DSDD0470	69.00	70.00	1.00	0.680			
BDT2	DSDD0470	70.00	71.00	1.00	0.190			
BDT2	DSDD0470	89.00	90.00	1.00	0.190			
BDT2	DSDD0470	90.00	91.00	1.00	0.150			
BDT2	DSDD0470	91.00	92.00	1.00	0.150			
BDT2	DSDD0470	92.00	93.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.24	
BDT2	DSDD0470	93.00	94.00	1.00	0.170			
BDT2	DSDD0470	95.00	96.30	1.30	0.110			
BDT2	DSDD0470	98.00	99.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.22	
BDT2	DSDD0470	99.00	100.00	1.00	0.120			
BDT2	DSDD0470	100.00	101.00	1.00	0.110			
BDT2	DSDD0470	109.00	110.00	1.00	0.160			
BDT2	DSDD0470	110.00	111.00	1.00	0.120			
BDT2	DSDD0470	112.00	113.00	1.00	0.100			
BDT2	DSDD0470	117.00	118.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.34	
BDT2	DSDD0470	120.00	121.00	1.00	0.130			
BDT2	DSDD0470	121.00	122.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.24	
BDT2	DSDD0470	122.00	123.00	1.00	0.100			
BDT2	DSDD0470	124.00	125.00	1.00	0.100			
BDT2	DSDD0470	125.00	126.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.26	
BDT2	DSDD0470	126.00	127.00	1.00	0.150			
BDT2	DSDD0470	131.00	132.00	1.00	0.130			
BDT2	DSDD0470	133.00	134.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.29	
BDT2	DSDD0470	134.00	135.00	1.00	0.170			
BDT2	DSDD0470	135.00	136.00	1.00	0.100			
BDT2	DSDD0470	151.00	152.00	1.00	0.110			
BDT2	DSDD0470	164.00	165.00	1.00	0.100			
BDT2	DSDD0470	165.00	166.00	1.00	0.100			
BDT2	DSDD0470	254.00	255.00	1.00	0.140			
BDT2	DSDD0470	255.00	255.91	0.91	0.210	0.91 m @ 0.21 g/t Au	0.1911	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0470	261.00	262.00	1.00	0.130			
BDT2	DSDD0470	263.00	264.00	1.00	0.100			
BDT2	DSDD0470	264.00	265.00	1.00	0.120			
BDT2	DSDD0470	268.00	269.00	1.00	0.180			
BDT2	DSDD0470	271.00	271.65	0.65	0.190			
BDT2	DSDD0470	271.65	273.00	1.35	0.290	1.35 m @ 0.29 g/t Au	0.3915	
BDT2	DSDD0470	372.00	373.00	1.00	0.100			
BDT2	DSDD0470	373.00	374.00	1.00	0.290			
BDT2	DSDD0470	374.00	375.00	1.00	0.220			
BDT2	DSDD0470	375.00	376.00	1.00	0.220			
BDT2	DSDD0470	376.00	377.00	1.00	0.290			
BDT2	DSDD0470	377.00	378.00	1.00	0.170			
BDT2	DSDD0470	378.00	379.00	1.00	0.550			
BDT2	DSDD0470	379.00	380.00	1.00	0.320			
BDT2	DSDD0470	384.00	385.00	1.00	0.430	1.00 m @ 0.43 g/t Au	0.43	
BDT2	DSDD0470	387.18	388.00	0.82	0.100			
BDT2	DSDD0470	409.00	410.00	1.00	0.110			
BDT2	DSDD0470	410.00	411.25	1.25	0.420			
BDT2	DSDD0470	411.25	412.75	1.50	0.600			
BDT2	DSDD0470	412.75	414.00	1.25	<b>1.130</b>			
BDT2	DSDD0470	414.00	415.00	1.00	<b>1.770</b>			2.25 m @ 1.41 g/t Au
BDT2	DSDD0470	415.00	416.00	1.00	0.410			
BDT2	DSDD0470	416.00	417.00	1.00	0.210			
BDT2	DSDD0470	417.00	417.74	0.74	0.490			
BDT2	DSDD0470	417.74	419.00	1.26	0.300	14.00 m @ 0.56 g/t Au	7.7728	
BDT2	DSDD0470	419.00	420.00	1.00	0.550			
BDT2	DSDD0470	420.00	421.00	1.00	0.300			
BDT2	DSDD0470	421.00	421.95	0.95	0.540			
BDT2	DSDD0470	421.95	423.00	1.05	0.230			
BDT2	DSDD0470	423.00	424.00	1.00	0.200			
BDT2	DSDD0470	433.00	434.35	1.35	0.140			
BDT2	DSDD0470	437.21	438.00	0.79	0.180			
BDT2	DSDD0470	438.00	439.50	1.50	0.370			
BDT2	DSDD0470	439.50	440.00	0.50	0.230			
BDT2	DSDD0470	440.00	441.04	1.04	0.250	3.04 m @ 0.31 g/t Au	0.929936	
BDT2	DSDD0470	447.00	448.00	1.00	0.100			
BDT2	DSDD0470	448.00	449.40	1.40	0.690			
BDT2	DSDD0470	449.40	450.00	0.60	0.740	2.00 m @ 0.70 g/t Au	1.41	
BDT2	DSDD0470	454.00	455.00	1.00	0.100			
BDT2	DSDD0470	465.00	466.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.25	
BDT2	DSDD0474	0.00	1.50	1.50	0.140			
BDT2	DSDD0474	10.50	12.00	1.50	0.100			
BDT2	DSDD0474	27.00	28.09	1.09	0.110			
BDT2	DSDD0474	50.50	51.40	0.90	<b>1.630</b>	0.90 m @ 1.63 g/t Au	1.467	0.90 m @ 1.63 g/t Au
BDT2	DSDD0474	60.00	61.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.24	
BDT2	DSDD0474	63.00	64.00	1.00	0.180			
BDT2	DSDD0474	64.00	65.00	1.00	0.250	1.00 m @ 0.25 g/t Au	0.25	
BDT2	DSDD0474	85.00	86.00	1.00	0.550			
BDT2	DSDD0474	86.00	87.00	1.00	0.350	2.00 m @ 0.45 g/t Au	0.9	
BDT2	DSDD0474	92.00	93.00	1.00	<b>1.650</b>			
BDT2	DSDD0474	93.00	94.00	1.00	0.130			1.00 m @ 1.65 g/t Au
BDT2	DSDD0474	94.00	95.00	1.00	0.040			
BDT2	DSDD0474	95.00	96.00	1.00	0.210	5.00 m @ 0.64 g/t Au	3.21	
BDT2	DSDD0474	96.00	97.00	1.00	<b>1.180</b>			1.00 m @ 1.18 g/t Au
BDT2	DSDD0474	105.00	106.00	1.00	0.150			
BDT2	DSDD0474	163.00	164.00	1.00	0.180			
BDT2	DSDD0474	164.00	165.00	1.00	0.140			
BDT2	DSDD0474	165.00	166.00	1.00	0.100			
BDT2	DSDD0474	166.00	167.00	1.00	0.110			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0474	167.00	168.00	1.00	0.310	1.00 m @ 0.31 g/t Au	0.31	
BDT2	DSDD0474	175.00	176.00	1.00	0.120			
BDT2	DSDD0474	176.00	177.00	1.00	<b>1.630</b>	1.00 m @ 1.63 g/t Au	1.63	<b>1.00 m @ 1.63 g/t Au</b>
BDT2	DSDD0474	180.00	181.00	1.00	0.100			
BDT2	DSDD0474	181.00	182.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.22	
BDT2	DSDD0474	184.00	185.00	1.00	0.130			
BDT2	DSDD0474	214.00	215.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.26	
BDT2	DSDD0474	283.00	284.00	1.00	0.940	1.00 m @ 0.94 g/t Au	0.94	
BDT2	DSDD0474	291.00	292.00	1.00	0.120			
BDT2	DSDD0474	294.00	295.37	1.37	0.130			
BDT2	DSDD0474	299.00	300.00	1.00	0.120			
BDT2	DSDD0476	12.00	12.63	0.63	0.100			
BDT2	DSDD0476	82.00	83.00	1.00	0.150			
BDT2	DSDD0476	83.00	84.00	1.00	0.150			
BDT2	DSDD0476	149.00	150.00	1.00	0.140			
BDT2	DSDD0476	150.00	151.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3	
BDT2	DSDD0476	154.00	155.00	1.00	0.150			
BDT2	DSDD0476	168.00	169.00	1.00	0.330	4.00 m @ 0.41 g/t Au	1.64	
BDT2	DSDD0476	169.00	170.00	1.00	0.240			
BDT2	DSDD0476	170.00	171.00	1.00	0.090			
BDT2	DSDD0476	171.00	172.00	1.00	0.980			
BDT2	DSDD0476	172.00	173.00	1.00	0.140	11.00 m @ 0.50 g/t Au	5.4681	
BDT2	DSDD0476	176.00	177.00	1.00	0.200			
BDT2	DSDD0476	177.00	178.00	1.00	0.280			
BDT2	DSDD0476	178.00	179.00	1.00	0.950			
BDT2	DSDD0476	179.00	179.80	0.80	0.340			
BDT2	DSDD0476	179.80	181.00	1.20	0.080			
BDT2	DSDD0476	181.00	182.00	1.00	0.060			
BDT2	DSDD0476	182.00	183.00	1.00	0.430			
BDT2	DSDD0476	183.00	184.00	1.00	<b>1.810</b>			<b>1.00 m @ 1.81 g/t Au</b>
BDT2	DSDD0476	184.00	185.00	1.00	0.090			
BDT2	DSDD0476	185.00	186.00	1.00	0.120			
BDT2	DSDD0476	186.00	187.00	1.00	<b>1.160</b>			<b>1.00 m @ 1.16 g/t Au</b>
BDT2	DSDD0476	187.00	188.00	1.00	0.130			
BDT2	DSDD0476	191.00	192.00	1.00	0.100			
BDT2	DSDD0476	195.70	197.10	1.40	0.850	1.40 m @ 0.85 g/t Au	1.19	
BDT2	DSDD0476	210.00	211.00	1.00	0.100			
BDT2	DSDD0476	218.00	219.00	1.00	0.120			
BDT2	DSDD0476	220.00	220.70	0.70	0.180			
BDT2	DSDD0476	220.70	221.50	0.80	0.430	2.80 m @ 4.39 g/t Au	12.28388	
BDT2	DSDD0476	221.50	222.40	0.90	<b>12.680</b>			<b>0.90 m @ 12.68 g/t Au</b>
BDT2	DSDD0476	222.40	223.50	1.10	0.480			
BDT2	DSDD0476	248.00	249.00	1.00	0.110			
BDT2	DSDD0476	249.00	250.00	1.00	0.110			
BDT2	DSDD0476	250.00	251.00	1.00	0.130			
BDT2	DSDD0476	261.00	262.00	1.00	0.330	9.00 m @ 0.47 g/t Au	4.2696	
BDT2	DSDD0476	262.00	263.00	1.00	<b>1.510</b>			<b>1.00 m @ 1.51 g/t Au</b>
BDT2	DSDD0476	263.00	264.00	1.00	0.010			
BDT2	DSDD0476	264.00	265.00	1.00	0.010			
BDT2	DSDD0476	265.00	266.00	1.00	0.010			
BDT2	DSDD0476	266.00	267.00	1.00	0.450			
BDT2	DSDD0476	267.00	268.00	1.00	0.310			
BDT2	DSDD0476	268.00	269.00	1.00	<b>1.200</b>			<b>1.00 m @ 1.20 g/t Au</b>
BDT2	DSDD0476	269.00	270.00	1.00	0.440			
BDT2	DSDD0476	277.00	278.00	1.00	0.190			
BDT2	DSDD0476	286.00	287.00	1.00	0.760	2.60 m @ 0.38 g/t Au	0.99008	
BDT2	DSDD0476	287.00	288.00	1.00	0.080			
BDT2	DSDD0476	288.00	288.60	0.60	0.250			
BDT2	DSDD0479	0.00	1.05	1.05	<b>1.380</b>	1.05 m @ 1.38 g/t Au	1.449	<b>1.05 m @ 1.38 g/t Au</b>

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0479	2.93	3.80	0.87	0.130			
BDT2	DSDD0479	3.80	4.50	0.70	0.160			
BDT2	DSDD0479	22.00	23.05	1.05	0.690	1.05 m @ 0.69 g/t Au	0.7245	
BDT2	DSDD0479	54.00	55.00	1.00	0.300	2.00 m @ 0.56 g/t Au	1.12	
BDT2	DSDD0479	55.00	56.00	1.00	0.820			
BDT2	DSDD0479	63.00	64.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.27	
BDT2	DSDD0479	67.00	68.00	1.00	0.110			
BDT2	DSDD0479	68.00	69.00	1.00	0.390	3.10 m @ 0.43 g/t Au	1.34385	
BDT2	DSDD0479	69.00	69.90	0.90	0.380			
BDT2	DSDD0479	69.90	71.10	1.20	0.510			
BDT2	DSDD0479	90.00	91.46	1.46	0.190			
BDT2	DSDD0479	91.46	92.50	1.04	0.230	1.84 m @ 0.28 g/t Au	0.511152	
BDT2	DSDD0479	92.50	93.30	0.80	0.340			
BDT2	DSDD0479	103.00	104.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.32	
BDT2	DSDD0479	106.60	108.00	1.40	0.200	1.40 m @ 0.20 g/t Au	0.28	
BDT2	DSDD0479	108.00	109.20	1.20	0.100			
BDT2	DSDD0479	126.00	127.00	1.00	0.180			
BDT2	DSDD0479	127.00	128.00	1.00	<b>1.170</b>	2.80 m @ 2.37 g/t Au	6.64888	2.80 m @ 2.37 g/t Au
BDT2	DSDD0479	128.00	129.30	1.30	0.180			
BDT2	DSDD0479	129.30	129.80	0.50	<b>10.490</b>			
BDT2	DSDD0479	137.35	138.30	0.95	<b>2.010</b>	0.95 m @ 2.01 g/t Au	1.9095	<b>0.95 m @ 2.01 g/t Au</b>
BDT2	DSDD0479	138.30	139.00	0.70	0.160			
BDT2	DSDD0479	153.00	154.00	1.00	0.120			
BDT2	DSDD0479	171.00	172.00	1.00	0.310	1.00 m @ 0.31 g/t Au	0.31	
BDT2	DSDD0479	179.00	180.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.23	
BDT2	DSDD0479	190.00	191.50	1.50	0.110			

## About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 4.38 Moz gold resources coming from two gold projects, the 3.22 Moz Boundiali Gold Project and the 1.16 Moz Napié Gold Project. Aurum has 16 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

## Group Mineral Resources and Reserves

The Mineral Resources and Ore Reserves are reported in accordance with the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). The Mineral Resources are inclusive of the Ore Reserves. All figures are reported on a dry mass basis at 100% equity interest. Rounding may cause minor computational discrepancies. Ore Reserves are not precise calculations.

**Table 3: Group Mineral Resources Statement for contained gold based on drilling as at 30 April 2026 (figures may not add up due to appropriate rounding)**

Mineral Resources			Indicated			Inferred			Total Resources		
Project	Type	Cut-off	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)
Boundiali	Oxide	0.4 g/t Au above 300m depth and 1.5 g/t below 300m depth	3.1	0.9	0.09	2.3	0.8	0.06	5.4	0.9	0.15
	Transition		3.3	0.9	0.10	2.0	0.8	0.05	5.1	0.9	0.15
	Fresh		48.2	1.0	1.51	48.7	0.9	1.41	96.9	0.9	2.91
	<b>Total</b>		<b>54.5</b>	<b>1.0</b>	<b>1.70</b>	<b>52.9</b>	<b>0.9</b>	<b>1.52</b>	<b>107.5</b>	<b>1.0</b>	<b>3.22</b>
Napié	Oxide	0.3 g/t Au above 300m depth and 1.0 g/t below 300m depth	1.0	1.4	0.04	0.9	1.0	0.03	1.9	1.2	0.07
	Transition		0.8	1.2	0.03	1.3	0.9	0.04	2.1	1.0	0.07
	Fresh		7.1	1.2	0.27	19.0	1.2	0.74	26.1	1.2	1.01
	<b>Total</b>		<b>8.9</b>	<b>1.2</b>	<b>0.35</b>	<b>21.2</b>	<b>1.2</b>	<b>0.82</b>	<b>30.0</b>	<b>1.2</b>	<b>1.16</b>
<b>Total</b>			<b>63.4</b>	<b>1.0</b>	<b>2.05</b>	<b>74.1</b>	<b>1.0</b>	<b>2.34</b>	<b>137.5</b>	<b>1.0</b>	<b>4.38</b>

**Table 4: Group Ore Reserve Statement as at 30 April 2026 (figures may not add up due to appropriate rounding)**

Mining Area	Proved			Probable			Total		
	Quantity Mt	Au g/t	Au koz	Quantity Mt	Au g/t	Au koz	Quantity Mt	Au g/t	Au koz
BDT1	—	—	—	10.3	1.0	323	10.3	1.0	323
BDT2	—	—	—	17.5	0.6	354	17.5	0.6	354
BMT3	—	—	—	8.8	1.4	383	8.8	1.4	383
BST	—	—	—	5.5	0.8	145	5.5	0.8	145
<b>TOTAL</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>42.1</b>	<b>0.9</b>	<b>1,210</b>	<b>42.1</b>	<b>0.9</b>	<b>1,210</b>



### **Boundiali Gold Project (3.22 Moz)**

The flagship Boundiali Gold Project is comprised of seven neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 6Moz Koné project located to the south. Atlantic Group's Tongon mine (5.0Moz) is located to the northeast:

#### **BM gold project JV 80% interest - PR0893 ("BM"), 400km<sup>2</sup>**

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry

#### **BD gold project JV 80% interest - PR808 ("BD"), 260km<sup>2</sup>**

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry

#### **BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km<sup>2</sup>**

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government receives 10% free carry from Aurum interest)

#### **BN gold project JV - PR283 ("BN"), 208.87km<sup>2</sup>**

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of licence grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of licence grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation licence, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

#### **Encore JV Project**

- Applications (No. 1740 and No. 1745) totalling nearly 320km<sup>2</sup> are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its Boundiali Gold Project.



- Staged earn-in agreement aligns expenditure with milestones for each permit area:
  - Path to 51% interest: 4,000m diamond drilling.
  - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

### **Major Star Plus Partnership Projects**

- Application (No. 0791), 114.53km<sup>2</sup>, is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its Boundiali Gold Project.
- Application (No. 0793), 99.12km<sup>2</sup>, are structurally located on the immediate west of the Napié gold project, offering growth potential for its Napié Gold Project.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
  - Path to 51% interest in an exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.
  - Path to 80% interest in an exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling
  - Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
  - 85.5~87% interest in a future production mine

### **Mako Gold Pty Ltd (1.16Moz)**

Wholly owned subsidiary of Aurum and holds the following projects:

- 1.16Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <li>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<ul style="list-style-type: none"> <li>Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones.</li> <li>Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically, the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site.</li> <li>Sampling and QAQC procedures were carried out to industry standards.</li> <li>Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamousoukro for analysis via 500g Photon Assay.</li> </ul>
Drilling techniques	<ul style="list-style-type: none"> <li>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<ul style="list-style-type: none"> <li>Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.</li> </ul>
Drill sample recovery	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	<ul style="list-style-type: none"> <li>Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.</li> </ul>
Logging	<ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining</li> </ul>	<ul style="list-style-type: none"> <li>All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.</li> </ul>

Criteria	JORC Code explanation	Commentary
	<p>studies and metallurgical studies.</p> <ul style="list-style-type: none"> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>The total length and percentage of the relevant intersections logged.</li> </ul>	<p>Metallurgical, Geotechnical and structural data has been recorded</p> <ul style="list-style-type: none"> <li>Photography and recovery measurements were carried out by assistants under a geologist's supervision.</li> <li>All drill holes were logged in full.</li> <li>Logging was qualitative and quantitative in nature.</li> </ul>
<ul style="list-style-type: none"> <li><b>Sub-sampling techniques and sample preparation</b></li> </ul>	<ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<ul style="list-style-type: none"> <li>NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core.</li> <li>Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au.</li> <li>The entire sample was crushed to 70% passing 2mm.</li> <li>Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks.</li> <li>Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd,</li> <li>Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled.</li> <li>Coarse blank samples: Inserted 1 in every 20 samples</li> <li>Laboratory Internal Duplicates and Standards</li> <li>Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold</li> </ul>
<ul style="list-style-type: none"> <li><b>Quality of assay data and laboratory tests</b></li> </ul>	<ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and</li> </ul>	<ul style="list-style-type: none"> <li>The analytical technique used is Chryso<sup>TM</sup> PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to</li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>model, reading times, calibrations factors applied and their derivation, etc.</i></p> <ul style="list-style-type: none"> <li>• <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i></li> </ul>	<p><i>their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting.</i></p> <ul style="list-style-type: none"> <li>• <i>No geophysical tools were used to determine any element concentrations used for this report.</i></li> <li>• <i>Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client.</i></li> <li>• <i>The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).</i></li> </ul>
<ul style="list-style-type: none"> <li>• <b>Verification of sampling and assaying</b></li> </ul>	<ul style="list-style-type: none"> <li>• <i>The verification of significant intersections by either independent or alternative company personnel.</i></li> <li>• <i>The use of twinned holes.</i></li> <li>• <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> <li>• <i>Discuss any adjustment to assay data.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>NA</i></li> <li>• <i>No holes have been twinned</i></li> <li>• <i>No adjustment to assay data</i></li> <li>• <i>Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format.</i></li> <li>• <i>Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.</i></li> </ul>
<ul style="list-style-type: none"> <li>• <b>Location of data points</b></li> </ul>	<ul style="list-style-type: none"> <li>• <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li>• <i>Specification of the grid system used.</i></li> <li>• <i>Quality and adequacy of topographic control.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>DD collar positions were initially located using a handheld GPS with a location error of +/-3m.</i></li> <li>• <i>The datum employed is WGS84, Zone 29</i></li> <li>• <i>All drill hole locations are then surveyed utilising the differential GPS methods by both company and third-party surveyors.</i></li> <li>• <i>DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.</i></li> </ul>

Criteria	JORC Code explanation	Commentary
<ul style="list-style-type: none"> <li><b>Data spacing and distribution</b></li> </ul>	<ul style="list-style-type: none"> <li>Data spacing for reporting of Exploration Results.</li> <li>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>Whether sample compositing has been applied.</li> </ul>	<ul style="list-style-type: none"> <li>Drillholes were completed on variable line spacings (from 100m to 50m) and orientations.</li> <li>The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures.</li> <li>The samples were not composited prior to assay.</li> </ul>
<ul style="list-style-type: none"> <li><b>Orientation of data in relation to geological structure</b></li> </ul>	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	<ul style="list-style-type: none"> <li>Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.</li> </ul>
<ul style="list-style-type: none"> <li><b>Sample security</b></li> </ul>	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>	<ul style="list-style-type: none"> <li>Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.</li> </ul>
<ul style="list-style-type: none"> <li><b>Audits or reviews</b></li> </ul>	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.</li> </ul>

•

• Section 2 of the JORC Code, 2012 Edition – Table 1

• Criteria	• JORC Code explanation	• Commentary
<ul style="list-style-type: none"> <li>• <b>Mineral tenement and land tenure status</b></li> </ul>	<ul style="list-style-type: none"> <li>• Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>• The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>• Exploration results are from the Boundiali project area</li> <li>• PR893 (BM), 400km<sup>2</sup>, holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd (“Plusor”). Boundiali DS tenement PR808 (“BD”), 260km<sup>2</sup>, holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner.</li> <li>• There are no impediments to working in the area.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Exploration done by other parties</b></li> </ul>	<ul style="list-style-type: none"> <li>• Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>• The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited</li> <li>• The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Geology</b></li> </ul>	<ul style="list-style-type: none"> <li>• Deposit type, geological setting and style of mineralisation.</li> </ul>	<ul style="list-style-type: none"> <li>• The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué-Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N.</li> <li>• The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts showing evidence of shearing. Free gold is</li> </ul>

• Criteria	• JORC Code explanation	• Commentary
		<p>frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite.</p> <ul style="list-style-type: none"> <li>Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.</li> </ul>
<ul style="list-style-type: none"> <li><b>Drill hole information</b></li> </ul>	<ul style="list-style-type: none"> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> <li>hole length</li> </ul> </li> <li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	<ul style="list-style-type: none"> <li>Complete drill hole data has been provided.</li> <li>Drill hole collar locations are shown in figures in main body of announcement.</li> </ul>
<ul style="list-style-type: none"> <li><b>Data aggregation methods</b></li> </ul>	<ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	<ul style="list-style-type: none"> <li>Assay Intervals are shown in detail. Drilling intervals are predominantly 1m.</li> <li>Metal equivalent values are not being reported.</li> </ul>
<ul style="list-style-type: none"> <li><b>Relationship between mineralisation</b></li> </ul>	<ul style="list-style-type: none"> <li>These relationships are particularly important in the reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>True widths are estimated at approximately 60–85% of reported downhole, based on the interpreted</li> </ul>

• <i>Criteria</i>	• <i>JORC Code explanation</i>	• <i>Commentary</i>
<p><b>widths and intercept lengths</b></p>	<ul style="list-style-type: none"> <li>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</li> </ul>	<p>geometry of the mineralised zones.</p> <ul style="list-style-type: none"> <li>The holes were drilled to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.</li> </ul>
<p><b>Diagrams</b></p>	<ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>	<ul style="list-style-type: none"> <li>Appropriate diagrams relevant to material results are shown in the body of this announcement.</li> </ul>
<p><b>Balanced Reporting</b></p>	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported.</li> <li>Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole being reported.</li> </ul>
<p><b>Other substantive exploration data</b></p>	<ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>	<ul style="list-style-type: none"> <li>All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.</li> </ul>
<p><b>Further work</b></p>	<ul style="list-style-type: none"> <li>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>	<ul style="list-style-type: none"> <li>The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs.</li> <li>Diagrams included in body of report as deemed appropriate by competent person</li> </ul>