

20 October 2026

Aurum extends gold at Boundiali's BST1, BMT2 and BMT3

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce the latest gold intercepts from its ongoing and expanded 150,000m diamond drilling program at the 3.22Moz Boundiali Gold Project¹ in Côte d'Ivoire. Aurum has received assay results from 25 diamond drill (DD) holes totalling 5,651.35m, completed as a mix of infill, step-out and extensional drilling at the **BST1** deposit (eight holes for 2,636.55m) on the **BST** tenement (100% interest), and at the **BMT2** prospect (five holes for 1,182.85m) and **BMT3** deposit (12 holes for 1,858.50m) on the **BM** tenement (80% interest).

Key drill intercepts from the latest drilling include²:

BST1 (22Mt @ 0.8 g/t Au for 570koz)¹

- **57m @ 2.34 g/t Au** from 290m inc. **2m @ 37.95 g/t Au** (BSDD0180)
- **38m @ 0.89 g/t Au** from 215m inc. **6m @ 1.89 g/t Au** (BSDD0180)
- **13.07m @ 1.15 g/t Au** from 257m inc. **4m @ 2.80 g/t Au** (BSDD0180).

BMT2 (no resources currently defined)

- **28.35m @ 2.02 g/t Au** from 116.45m inc. **7m @ 4.80 g/t Au** (MBDD515)
- **1.50m @ 31.29 g/t Au** from 39m (MBDD506)
- **15m @ 2.31 g/t Au** from 186m inc. **5m @ 4.53 g/t Au** (MBDD515).

BMT3 (18.6Mt @ 1.3 g/t Au for 750koz)

- **10m @ 2.65 g/t Au** from 45m inc. **7.30m @ 3.52 g/t Au** (MBDD509)
- **25.50m @ 0.80 g/t Au** from 74m inc. **1.50m @ 5.65 g/t Au** (MBDD518)
- **14.50m @ 1.10 g/t Au** from 140m inc. **9m @ 1.50 g/t Au** (MBDD526).

Highlights:

- **Last results before Boundiali MRE update:** Final assays reported ahead of the updated Boundiali Mineral Resource Estimate, targeted for release end October 2026 (drill collar cut-off 30 September 2026).
- **Resource growth potential:** Drilling confirms the gold mineralisation system at Boundiali remains open along strike and at depth, including at **BMT2** where no Mineral Resource is currently defined.
- **180,000m of drilling on track in CY2026:** 16 Aurum-owned diamond rigs, comprising 150,000m at **Boundiali** and 30,000m at **Napié** (commencing this quarter).
- **Boundiali Definitive Feasibility Study (DFS)** expected late 2026.
- Group Mineral Resources total **4.38Moz gold**, comprising the flagship **3.22Moz Boundiali Gold Project** and **1.16Moz Napié Gold Project**³.
- **Well funded:** Cash balance of more than A\$95 million (unaudited) following recent placement⁴.

Aurum's Managing Director Dr Caigen Wang said: "We have received assays for a further 25 diamond holes totalling 5,651m across **BST1**, **BMT2** and **BMT3**, all drilled before the 30 September 2026 cut-off date for our next Boundiali Mineral Resource Estimate. Standouts include **57m at 2.34 g/t gold** from 290m at **BST1**, and **28.35m at 2.02 g/t gold** from 116.45m at **BMT2**, both intercepts are outside of the current Mineral Resource. These results will be assessed for

¹ "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on www.asx.com.au

² Refer to tables accompanying this report for collar location information and assay results for the new drilling

³ "Napié Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au

⁴ "A\$52.5m firm commitments to accelerate Boundiali development" released to the Australian Securities Exchange on 23 September 2026 and available to view on www.asx.com.au

inclusion in the updated MRE, expected by the end of October, which in turn feeds the Boundiali DFS targeted for late CY2026.

With more than A\$95 million in cash⁴ and 16 company-owned diamond rigs, we are running drilling, studies and permitting for Boundiali concurrently. Environmental approval was granted in May 2026, and we delivered the Pre-Feasibility Study and Maiden Ore Reserve in June 2026. Our focus now is securing grant of the Mining Licences and completion of the DFS, ahead of a final investment decision and the start of construction, targeting first gold in H1 CY2028.

These are the last drill results before the Mineral Resource update, when we expect to demonstrate how our drilling at Boundiali has further grown the scale of this major gold discovery.”

New drilling at BM – Boundiali Gold Project⁵

Aurum has received assay results⁶ for 17 diamond drill (DD) holes totalling 3,041.35m at the **BMT2** prospect (five holes for 1,182.85m) and the **BMT3** deposit (12 holes for 1,858.50m), located on the **BM** tenement (80% interest). The holes were a mix of infill, step-out and extensional drilling designed to:

- Test the limits of known mineralisation along strike and at depth;
- Drill previously unclassified mineralisation to a spacing sufficient for Inferred classification; and
- Upgrade Inferred Mineral Resources to Indicated.

Drilling at **BMT2**, where no Mineral Resource is currently defined, returned a broad mineralised zone of **28.35m @ 2.02 g/t Au** from 116.45m in hole MBDD515, which intersected three separate mineralised zones over more than 125m of downhole length. The holes form part of the ongoing and expanded 150,000m Boundiali drilling program for CY2026, which aims to grow the Mineral Resource and increase its confidence.

These results will be assessed for inclusion in the next Boundiali Mineral Resource Estimate (MRE), with the updated MRE targeted for release at the end of October 2026.

Drill collar locations for the new **BM** holes are provided in Table 1 and significant assay results⁷ in Table 3. Project location and details are shown in Figure 4 to Figure 6. Figure 1 and Figure 2 are detailed plans showing the latest assay results for **BMT2** and **BMT3** respectively. Figure 7 and Figure 8 present representative oblique cross sections of **BMT2** and **BMT3** respectively.

Significant intercepts include (full results in Table 3):

BMT2 (no resources currently defined)

- **28.35m @ 2.02 g/t Au** from 116.45m inc. **7m @ 4.80 g/t Au** (MBDD515)
- **1.50m @ 31.29 g/t Au** from 39m (MBDD506)
- **15m @ 2.31 g/t Au** from 186m inc. **5m @ 4.53 g/t Au** (MBDD515)
- **8m @ 2.73 g/t Au** from 173m inc. **4.64m @ 4.47 g/t Au** (MBDD515)
- **1.85m @ 8.95 g/t Au** from 25.50m (MBDD504)
- **1m @ 12.73 g/t Au** from 243m (MBDD515).

BMT3 (18.6Mt @ 1.3 g/t Au for 750koz)

- **10m @ 2.65 g/t Au** from 45m inc. **7.30m @ 3.52 g/t Au** (MBDD509)
- **25.50m @ 0.80 g/t Au** from 74m inc. **1.50m @ 5.65 g/t Au** (MBDD518)
- **14.50m @ 1.10 g/t Au** from 140m inc. **9m @ 1.50 g/t Au** (MBDD526)
- **2.24m @ 5.30 g/t Au** from 51.76m (MBDD524)

⁵ Refer to About Aurum

⁶ Refer to accompanying tables for collar information and assay results for the new drilling

⁷ All intercepts are reported as downhole lengths using a 0.2 g/t Au cut-off grade with up to 3m consecutive internal dilution and no top cut applied

- **3.90m @ 2.24 g/t Au** from 3m inc. **2.90m @ 2.69 g/t Au** (MBDD524)
- **0.50m @ 16.78 g/t Au** from 146m (MBDD521).

These new results are in addition to diamond holes drilled at **BM** and reported⁸ by Aurum, which included:

- **4.20m @ 80.64 g/t Au** from 107m inc. **1.43m @ 234.35 g/t Au** & **5.66m @ 6.99 g/t Au** from 121m (MBDD214B)
- **1.19m @ 277.54 g/t Au** from 31m (MBDD118)
- **3.80m @ 73.82 g/t Au** from 274m inc. **0.80m @ 350 g/t Au** (MBDD277)
- **1m @ 274.89 g/t Au** from 380m (MBDD274)
- **9m @ 24.61 g/t Au** from 221m inc. **4m @ 54.64 g/t Au** from 222m (MBDD174)
- **5.10m @ 43.13 g/t Au** from 112.90m inc. **3.10m @ 70.78 g/t Au** (MBDD291).




Figure 1: Plan view showing new drill results (yellow) for the BMT2 prospect⁹

⁸ Refer to previously reported information provided in this report

⁹ Only showing selected new intercepts, full list of new intercepts included in assay results table




Figure 2: Plan view showing new drill results (yellow) for the BMT3 deposit¹⁰

Gold mineralisation at **BMT3** is hosted in a diorite emplaced between volcanic and sedimentary rocks and is characterised by disseminated pyrite with quartz veinlets and quartz veins, occasional visible gold and associated with silica, carbonate and chlorite alteration. Gold mineralisation at **BMT2** is hosted within sandstone rich in quartz veining associated with pyrite. True widths for these gold intercepts are estimated at about 60% - 85% of reported downhole lengths.

Gold mineralisation at **BM** remains open along strike and at depth. Results from these holes will be assessed for inclusion in the next major Boundiali Mineral Resource update, and follow-up drilling to test the gold mineralisation identified outside the current resource is being planned.

¹⁰ Only showing selected new intercepts, full list of new intercepts included in assay results table

New drilling at BST1 – Boundiali Gold Project¹¹

Aurum has received assay results¹² for eight diamond drill (DD) holes totalling 2,636.55m at the **BST1** deposit, located on the **BST** tenement (100% interest). The holes were a mix of infill, step-out and extensional drilling designed to:

- Test the limits of known mineralisation along strike and at depth;
- Drill previously unclassified mineralisation to a spacing sufficient for Inferred classification; and
- Upgrade Inferred Mineral Resources to Indicated.

Hole BSDD0180 returned a broad, high-grade zone of **57m @ 2.34 g/t Au** from 290m, together with two further mineralised zones higher in the same hole (all intercepts outside of current MRE). Hole BSDD0183 ended in mineralisation at 333.50m (outside of current MRE), and most holes returned multiple mineralised zones downhole. The holes form part of the ongoing and expanded 150,000m Boundiali drilling program for CY2026 (increased by 50%), which aims to grow the Mineral Resource and increase its confidence.

These results will be assessed for inclusion in the next Boundiali Mineral Resource Estimate (MRE), with the updated MRE targeted for release at the end of October 2026.

Drill collar locations for the new **BST1** holes are provided in Table 2 and significant assay results¹³ in Table 4. Project location and details are shown in Figure 4 to Figure 6. Figure 3 is a detailed plan showing the latest assay results. Figure 9 is a representative cross section, and Figure 10 is a long section showing all assay data and the projected MRE outline.

Significant intercepts include (full results in Table 4):

BST1 (22Mt @ 0.8 g/t Au for 570koz)

- **57m @ 2.34 g/t Au** from 290m inc. **2m @ 37.95 g/t Au** (BSDD0180)
- **38m @ 0.89 g/t Au** from 215m inc. **6m @ 1.89 g/t Au** (BSDD0180)
- **13.07m @ 1.15 g/t Au** from 257m inc. **4m @ 2.80 g/t Au** (BSDD0180)
- **15.70m @ 0.91 g/t Au** from 305.30m inc. **3m @ 1.67 g/t Au** (BSDD0183)
- **5.50m @ 2.32 g/t Au** from 124m inc. **3m @ 4.02 g/t Au** (BSDD0148A)
- **1m @ 12.63 g/t Au** from 281m (BSDD0148A).

These new results are in addition to previous exploration drilling at **BST1** that returned¹⁴:

- **28.80m @ 22.92 g/t Au** from 204m inc. **17.95m @ 36.57 g/t Au** (BSDD0152)
- **30m @ 8.30 g/t Au** from 39m (NDC007)
- **3m @ 80.09 g/t Au** from 66m inc. **2m @ 117.73 g/t Au** (BSDD0091)
- **20m @ 10.45 g/t Au** from 38m (BRC0004S BIS)
- **2.63m @ 76.74 g/t Au** from 195.20m inc. **1.30m @ 155.00 g/t Au** (BSDD0137)
- **5.63m @ 31.79 g/t Au** from 32m inc. **2.63m @ 67.60 g/t Au** (BSDD0097)
- **38m @ 4.20 g/t Au** from 65m inc. **3m @ 30.52 g/t Au** (BSDD0096)
- **24m @ 6.31 g/t Au** from 108m inc. **7m @ 19.25 g/t Au** (BSDD0143)
- **28m @ 4.04 g/t Au** from 3m (BRC003)
- **1.43m @ 53.54 g/t Au** from 74m (BSDD0134)
- **9.50m @ 7.59 g/t Au** from 168.50m inc. **2.85m @ 21.12 g/t Au** (BSDD0135).

¹¹ Refer to About Aurum's Boundiali Gold Project

¹² Refer to accompanying tables for collar information and assay results for the new drilling

¹³ All intercepts are reported as downhole lengths using a 0.2 g/t Au cut-off grade with up to 3m consecutive internal dilution and no top cut applied

¹⁴ Refer to previously released information, holes that are not prefix BSDD were drilled by Predictive Discovery Limited or Turaco Gold Limited




Figure 3: Plan view showing new drill results (yellow) for the BST1 deposit¹⁵

The **BST1** gold deposit, located 19km south of **BDT1** on the Nyangboue shear zone (Figure 6), is hosted in a sedimentary package comprising alternating sandstones and shales with minor intraformational conglomerates. Broad zones of lower-grade disseminated mineralisation envelop higher grade zones, which are in some instances associated with quartz veining with visible gold. Extensive sulphide and carbonate alteration occurs with higher grade zones, being associated with structurally controlled zones of quartz veining. Oxidation extends to approximately 50m vertical depth; the sedimentary protolith is soft and friable. True widths for these gold intercepts are estimated at about 60% - 85% of reported downhole lengths.

Gold mineralisation at **BST1** remains open along strike and at depth. Results from these holes will be assessed for inclusion in the next Boundiali Mineral Resource update, and Aurum is planning follow-up drilling to test the gold mineralisation identified outside the current resource. Aurum's drill rigs continue to work on the **BM** and **BST** tenements.

¹⁵ Only showing selected new intercepts, full list of new intercepts included in assay results table



To date, Aurum's drilling at Boundiali has only targeted the most obvious outcropping anomalies. Aurum believes there remains a high potential for further discoveries, providing a clear pathway for continued resource growth in CY2026 and beyond.

Next Steps

Aurum will continue to use its strong balance sheet and company-owned drill fleet of 16 diamond rigs to drive multi-rig drilling activity throughout 2026 focussed on rapid resource conversion, resource growth and economic de-risking.

1. Boundiali: Moving to Development

- **Drilling (150,000m):** 16 diamond rigs to test strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Update:** Next major MRE update is targeted for release at the end of October (drilling cut-off 30 September 2026).
- **DFS Delivery:** Results from 2026 drilling will be incorporated in a **DFS** expected in late 2026.

2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program planned to grow the 1.16Moz gold resource will commence this quarter.
- **Drilling Efficiency:** Aurum is building an exploration camp close to the Napié gold deposits to reduce operating costs and improve access efficiency.

3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new prospective targets identified via soil anomalies and geological mapping across the 75km of N-S mineralised corridor.
- **Early-Stage Growth:** Aurum is advancing its **Encore JV¹⁶** and **Major Star Plus¹⁷** partnership projects to identify new gold systems in the region.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

¹⁶ ASX release dated 27 May 2025, Aurum secures strategic Joint Venture to expand Boundiali Gold Project, summarised in "About" section

¹⁷ ASX release dated 1 September 2025, Aurum expands footprint of Boundiali and Napié Gold Projects, summarised in "About" section

FORWARD-LOOKING STATEMENTS

This release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, Mineral Resource Estimates, Ore Reserves, the Pre-Feasibility Study (PFS), the Definitive Feasibility Study (DFS), permitting, project funding, development timelines and the timing of first gold production. Forward-looking statements are identified by words such as "target", "expect", "plan", "potential", "anticipate", "goal" and similar expressions. These statements reflect the Company's current expectations, estimates and assumptions as at the date of this release. They are subject to risks and uncertainties that could cause actual results to differ materially. Those risks include, exploration and drilling outcomes, uncertainty in resource and reserve estimation, gold price and currency movements, obtaining and maintaining regulatory, environmental and mining approvals, including grant of the Mining Licences, securing development funding, project execution and operational risks, sovereign and geopolitical risks associated with Côte d'Ivoire, broader economic and market conditions. The production target and Ore Reserve referred to in this release are based on the PFS (ASX:AUE, 11 June 2026). As set out in the Compliance Statement, the Company confirms that the material assumptions underpinning them continue to apply and have not materially changed. Those assumptions will be reviewed as part of the DFS, and outcomes may differ. Investors should not place undue reliance on forward-looking statements. Except as required by law or the ASX Listing Rules, the Company undertakes no obligation to update them.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Results is based on, and fairly represents, information and supporting documentation prepared by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek is an Executive Director of the Company. Mr Strizek was a Non-Executive Director from 1 February 2024 and was appointed Executive Director on 1 June 2024. Mr Strizek holds shares in Aurum Resources Limited and holds options and performance rights that have been approved by shareholders of the Company. Mr Strizek has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears. Additionally, the Company confirms that it is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this release.

COMPLIANCE STATEMENT

The information in this release that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this release that relates to Boundiali Ore Reserves is extracted from the announcement "Boundiali PFS and Maiden Ore Reserve delivered" released to the Australian Securities Exchange on 11 June 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Ore Reserves, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this release that relates to Napié Mineral Resources is extracted from the announcement "Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

PREVIOUSLY REPORTED INFORMATION

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

16 Oct 2026, Aurum hits gold outside BST1 resource ahead of MRE update (ASX:AUE)
 9 Oct 2026, Aurum extends BM gold across BMT1, BMT2 and BMT3 (ASX:AUE)
 1 Oct 2026, Aurum hits project best gold intercept at Boundiali BST1 (ASX:AUE)
 30 Sep 2026, Annual Report to shareholders (ASX:AUE)
 25 Sep 2026, Aurum extends BST1 gold ahead of Boundiali MRE update (ASX:AUE)
 23 Sep 2026, A\$52.5m firm commitments to accelerate Boundiali development (ASX:AUE)
 18 Sep 2026, Boundiali BM drilling hits high-grade gold outside Resource (ASX:AUE)
 4 Sep 2026, Aurum adds more high grade gold at Boundiali BST1 deposit (ASX:AUE)
 17 Aug 2026, Gold extended at Boundiali BST1 deposit and BST2 prospect (ASX:AUE)
 7 Aug 2026, Aurum hits 0.72m @ 367g/t gold at Boundiali BMT3 (ASX:AUE)
 28 Jul 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 24 Jul 2026, Aurum extends BDT2 gold beyond current resource (ASX:AUE)
 29 Jun 2026, Aurum hits 1.7m @ 70.35 g/t gold from 276.5m at BDT2 (ASX:AUE)
 17 Jun 2026, AUE adds key personnel to strengthen Boundiali development (ASX:AUE)
 11 Jun 2026, Boundiali PFS and Maiden Ore Reserve delivered (ASX:AUE)
 25 May 2026, Aurum Receives Environmental Approvals for Boundiali (ASX:AUE)
 14 May 2026, Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz (ASX:AUE)
 7 May 2026, Aurum hits thick gold intersections at BDT2 (ASX:AUE)
 28 Apr 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 21 Apr 2026, Aurum hits multiple thick gold intersections at BDT2 (ASX:AUE)
 16 Apr 2026, Boundiali BST1 depth extension 220m below current MRE (ASX:AUE)
 10 Apr 2026, Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au (ASX:AUE)
 23 Mar 2026, Aurum raises \$28.8M via Strategic Placement (ASX:AUE)
 13 Mar 2026, Half Yearly Report and Accounts (ASX:AUE)
 5 Mar 2026, Aurum Hits High-Grade Gold at Napie, Côte d'Ivoire (ASX:AUE)
 23 Feb 2026, Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)
 16 Feb 2026, Boundiali extends strike and depth at BDT3 and BST1 (ASX:AUE)
 5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE)
 28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)
 14 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)
 7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)
 19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)
 11 Dec 2025, Drilling at Napie Extends Gold Mineralisation to 400m Depth (ASX:AUE)
 28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE)
 18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)
 07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)
 06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)
 30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)
 06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)
 29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)
 10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napie (ASX:AUE)
 01 Sep 2025, Aurum expands footprint of Boundiali and Napie Gold Projects (ASX:AUE)
 05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)
 29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)
 25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napie (ASX:AUE)
 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
 27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
 21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
 13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
 13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)
 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
 27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
 7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 4 Feb 2025, Napie Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)
 30 Oct 2024, Bidders Statement (ASX:AUE)
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
 12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
 22 Jan 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)
 21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)
 15 July 2019, RC, Trench Results Grow Boundiali Potential in Côte D'Ivoire (PDI:ASX)
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI:ASX)
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)
 26 Nov 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 4: Location of Aurum's projects in Côte d'Ivoire




Figure 5: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 6: Aurum's Boundiali Gold Project




Figure 7: Oblique Cross Section looking northeast (±25m) showing new drill results (yellow) for BMT2 prospect¹⁸

¹⁸ Only showing selected new intercepts, full list of new intercepts included in assay results table




Figure 8: Oblique Cross Section looking northeast ($\pm 25\text{m}$) showing new drill results (yellow) for BMT3 deposit¹⁹

¹⁹ Only showing selected new intercepts, full list of new intercepts included in assay results table




Figure 9: Cross Section looking north (±25m) showing new drill results (yellow) for BST1 deposit²⁰

²⁰ Only showing selected new intercepts, full list of new intercepts included in assay results table




Figure 10: Long Section looking west (+/-300m) showing all assays and projected MRE outline for BST1 deposit²¹

²¹ Gold assays are plotted using Maximum Intensity Projection (MIP)

Table 1: Drill collar information for new holes drilled at Boundiali (BMT2 & BMT3)

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
MBDD504	794,010	1,091,770	382	246.55	115	-55	BMT2	DD
MBDD506	794,142	1,091,858	384	168.30	115	-55		
MBDD515	793,962	1,091,789	383	279.70	115	-55		
MBDD519	794,107	1,091,928	384	226.60	115	-55		
MBDD523	794,041	1,091,899	383	261.70	115	-55		
5 holes				1,182.85m				
MBDD509	795,231	1,078,658	391	163.65	105	-50	BMT3	
MBDD510	795,268	1,078,513	394	132.15	105	-50		
MBDD511A	794,987	1,078,800	393	350.30	105	-57		
MBDD516	795,269	1,078,412	380	106.00	105	-50		
MBDD517	795,269	1,078,152	382	94.00	105	-50		
MBDD518	795,223	1,078,355	394	110.80	105	-50		
MBDD520	795,245	1,078,470	394	146.80	105	-50		
MBDD521	795,049	1,078,316	388	303.10	105	-50		
MBDD522A	795,235	1,078,163	390	101.30	105	-50		
MBDD524	795,243	1,078,103	381	71.90	105	-50		
MBDD525	795,201	1,078,065	378	101.80	105	-50		
MBDD526	795,213	1,078,478	400	176.70	105	-50		
12 holes				1,858.50m				
17 holes				3,041.35m				

Table 2: Drill collar information for new holes drilled at Boundiali (BST1)

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
BSDD0148A	784,487	1,035,243	412	530.80	75	-58	BST1	DD
BSDD0171	784,527	1,034,400	401	233.10	84	-60		
BSDD0174	784,728	1,035,399	412	322.30	81	-55		
BSDD0179	784,850	1,035,498	409	201.00	84	-55		
BSDD0180	784,628	1,035,447	409	401.85	78	-55		
BSDD0183	784,688	1,035,496	409	333.50	81	-55		
BSDD0184	784,581	1,035,398	410	462.30	78	-56		
BSDD0185	784,636	1,034,649	409	151.70	87	-58		
8 holes				2,636.550m			Total	

Table 3: Significant assay results for new holes drilled at Boundiali (BMT2 & BMT3)²²

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT2	MBDD504	0.00	0.96	0.96	0.200	0.96 m @ 0.20 g/t Au	0.2	
BMT2	MBDD504	7.50	8.50	1.00	0.110			
BMT2	MBDD504	19.90	21.00	1.10	0.170			
BMT2	MBDD504	21.00	22.50	1.50	0.400	4.04 m @ 1.66 g/t Au	6.7	2.54 m @ 2.41 g/t Au
BMT2	MBDD504	22.50	24.00	1.50	3.220			
BMT2	MBDD504	24.00	25.04	1.04	1.230	1.85 m @ 8.95 g/t Au	16.5	1.85 m @ 8.95 g/t Au
BMT2	MBDD504	25.50	26.50	1.00	4.650			
BMT2	MBDD504	26.50	27.35	0.85	14.000			
BMT2	MBDD504	29.45	30.59	1.14	0.120			
BMT2	MBDD504	31.50	32.50	1.00	0.110			
BMT2	MBDD504	35.50	36.68	1.18	0.100			
BMT2	MBDD504	51.50	52.50	1.00	0.100			
BMT2	MBDD504	99.00	100.50	1.50	0.770	1.50 m @ 0.77 g/t Au	1.2	
BMT2	MBDD504	100.50	102.00	1.50	0.180			
BMT2	MBDD504	235.00	236.00	1.00	0.780	5.10 m @ 0.48 g/t Au	2.5	1.00 m @ 1.13 g/t Au
BMT2	MBDD504	236.00	237.00	1.00	1.130			
BMT2	MBDD504	237.00	238.00	1.00	0.250			
BMT2	MBDD504	238.00	239.00	1.00	0.030			
BMT2	MBDD504	239.00	240.10	1.10	0.240			
BMT2	MBDD506	0.00	0.91	0.91	0.100			
BMT2	MBDD506	2.10	3.00	0.90	0.100			
BMT2	MBDD506	19.25	20.00	0.75	0.260	2.75 m @ 0.48 g/t Au	1.3	
BMT2	MBDD506	20.00	21.00	1.00	0.370			
BMT2	MBDD506	21.00	22.00	1.00	0.760			
BMT2	MBDD506	22.00	23.50	1.50	0.130			
BMT2	MBDD506	28.00	29.45	1.45	0.210	1.45 m @ 0.21 g/t Au	0.3	
BMT2	MBDD506	32.00	33.00	1.00	0.120			
BMT2	MBDD506	39.00	40.50	1.50	31.290	1.50 m @ 31.29 g/t Au	46.9	1.50 m @ 31.29 g/t Au
BMT2	MBDD506	63.00	64.50	1.50	0.760	1.50 m @ 0.76 g/t Au	1.1	
BMT2	MBDD506	92.00	93.00	1.00	0.200	2.00 m @ 0.32 g/t Au	0.6	
BMT2	MBDD506	93.00	94.00	1.00	0.430			
BMT2	MBDD506	115.00	116.00	1.00	1.110	1.00 m @ 1.11 g/t Au	1.1	1.00 m @ 1.11 g/t Au
BMT2	MBDD506	127.00	128.00	1.00	0.110			
BMT2	MBDD506	129.00	130.00	1.00	0.460	1.00 m @ 0.46 g/t Au	0.5	
BMT2	MBDD506	147.00	148.00	1.00	0.140			
BMT2	MBDD506	150.77	152.00	1.23	0.170			
BMT3	MBDD509	45.00	46.30	1.30	0.350	10.00 m @ 2.65 g/t Au	26.5	7.30 m @ 3.52 g/t Au
BMT3	MBDD509	46.30	47.00	0.70	0.050			
BMT3	MBDD509	47.00	48.00	1.00	2.980			
BMT3	MBDD509	48.00	49.00	1.00	3.230			
BMT3	MBDD509	49.00	50.00	1.00	3.060			
BMT3	MBDD509	50.00	51.00	1.00	4.410			
BMT3	MBDD509	51.00	52.00	1.00	6.570			
BMT3	MBDD509	52.00	53.00	1.00	3.840			
BMT3	MBDD509	53.00	54.30	1.30	1.240			
BMT3	MBDD509	54.30	55.00	0.70	0.400			
BMT3	MBDD509	68.00	69.32	1.32	0.170			
BMT3	MBDD509	69.32	70.00	0.68	1.570	1.85 m @ 1.00 g/t Au	1.9	0.68 m @ 1.57 g/t Au
BMT3	MBDD509	70.00	71.17	1.17	0.670			
BMT3	MBDD509	71.17	72.00	0.83	0.140			

²² 0.2 g/t Au cut off used with up to 3m consecutive internal dilution and no top cut applied

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT3	MBDD509	91.00	92.00	1.00	1.340	1.00 m @ 1.34 g/t Au	1.3	1.00 m @ 1.34 g/t Au
BMT3	MBDD509	104.50	105.00	0.50	6.870	0.50 m @ 6.87 g/t Au	3.4	0.50 m @ 6.87 g/t Au
BMT3	MBDD509	109.00	110.00	1.00	0.640	2.00 m @ 0.49 g/t Au	1.0	
BMT3	MBDD509	110.00	111.00	1.00	0.340			
BMT3	MBDD509	139.00	140.00	1.00	1.250	1.00 m @ 1.25 g/t Au	1.3	1.00 m @ 1.25 g/t Au
BMT3	MBDD510	1.22	1.90	0.68	0.250	0.68 m @ 0.25 g/t Au	0.2	
BMT3	MBDD510	3.68	4.50	0.82	0.160			
BMT3	MBDD510	4.50	5.53	1.03	0.160			
BMT3	MBDD510	9.96	10.50	0.54	1.030	0.54 m @ 1.03 g/t Au	0.6	0.54 m @ 1.03 g/t Au
BMT3	MBDD510	33.92	34.67	0.75	0.180			
BMT3	MBDD510	36.00	37.50	1.50	0.230	1.50 m @ 0.23 g/t Au	0.3	
BMT3	MBDD510	84.00	85.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BMT3	MBDD511A	0.00	1.00	1.00	0.125			
BMT3	MBDD511A	1.50	3.00	1.50	0.261	1.50 m @ 0.26 g/t Au	0.4	
BMT2	MBDD515	24.50	25.90	1.40	4.247	1.40 m @ 4.25 g/t Au	5.9	1.40 m @ 4.25 g/t Au
BMT2	MBDD515	92.00	93.06	1.06	0.282	1.06 m @ 0.28 g/t Au	0.3	
BMT2	MBDD515	97.00	98.00	1.00	0.117			
BMT2	MBDD515	98.00	99.00	1.00	0.115			
BMT2	MBDD515	99.00	99.70	0.70	0.223	0.70 m @ 0.22 g/t Au	0.2	
BMT2	MBDD515	104.25	105.00	0.75	0.506	0.75 m @ 0.51 g/t Au	0.4	
BMT2	MBDD515	105.00	106.00	1.00	0.109	28.35 m @ 2.02 g/t Au	57.4	0.55 m @ 2.15 g/t Au
BMT2	MBDD515	116.45	117.00	0.55	2.148			
BMT2	MBDD515	117.00	118.00	1.00	0.134			1.00 m @ 1.18 g/t Au
BMT2	MBDD515	118.00	119.00	1.00	1.175			
BMT2	MBDD515	119.00	120.00	1.00	0.254			
BMT2	MBDD515	120.00	121.00	1.00	0.893			
BMT2	MBDD515	121.00	122.00	1.00	1.454			1.00 m @ 1.45 g/t Au
BMT2	MBDD515	122.00	123.00	1.00	0.170			
BMT2	MBDD515	123.00	124.00	1.00	0.477			
BMT2	MBDD515	124.00	125.00	1.00	0.325			
BMT2	MBDD515	125.00	126.00	1.00	11.161			7.00 m @ 4.80 g/t Au
BMT2	MBDD515	126.00	127.00	1.00	1.082			
BMT2	MBDD515	127.00	128.00	1.00	14.910			
BMT2	MBDD515	128.00	129.00	1.00	2.827			
BMT2	MBDD515	129.00	130.00	1.00	0.122			
BMT2	MBDD515	130.00	131.50	1.50	1.817			
BMT2	MBDD515	131.50	132.00	0.50	1.564			
BMT2	MBDD515	132.00	133.00	1.00	0.095			
BMT2	MBDD515	133.00	134.00	1.00	0.232			
BMT2	MBDD515	134.00	135.00	1.00	0.030			
BMT2	MBDD515	135.00	136.00	1.00	0.008			
BMT2	MBDD515	136.00	137.50	1.50	0.795			
BMT2	MBDD515	137.50	138.00	0.50	4.377			4.30 m @ 3.58 g/t Au
BMT2	MBDD515	138.00	139.00	1.00	4.873			
BMT2	MBDD515	139.00	140.00	1.00	0.595			
BMT2	MBDD515	140.00	141.00	1.00	3.227			
BMT2	MBDD515	141.00	141.80	0.80	5.631			
BMT2	MBDD515	141.80	143.00	1.20	0.231			
BMT2	MBDD515	143.00	144.00	1.00	0.134			
BMT2	MBDD515	144.00	144.80	0.80	0.442			
BMT2	MBDD515	173.00	174.00	1.00	0.740	8.00 m @ 2.73 g/t Au	21.8	
BMT2	MBDD515	174.00	174.66	0.66	0.034			
BMT2	MBDD515	174.66	176.00	1.34	2.949			4.64 m @ 4.47 g/t Au
BMT2	MBDD515	176.00	177.00	1.00	5.114			
BMT2	MBDD515	177.00	178.00	1.00	1.032			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT2	MBDD515	178.00	179.30	1.30	8.173			
BMT2	MBDD515	179.30	180.00	0.70	0.079			
BMT2	MBDD515	180.00	181.00	1.00	0.275			
BMT2	MBDD515	186.00	187.00	1.00	2.419	15.00 m @ 2.31 g/t Au	34.6	5.00 m @ 4.53 g/t Au
BMT2	MBDD515	187.00	188.10	1.10	2.087			
BMT2	MBDD515	188.10	188.80	0.70	16.090			
BMT2	MBDD515	188.80	190.00	1.20	0.878			
BMT2	MBDD515	190.00	191.00	1.00	5.632			
BMT2	MBDD515	191.00	192.50	1.50	0.190			
BMT2	MBDD515	192.50	193.00	0.50	4.230			4.65 m @ 2.37 g/t Au
BMT2	MBDD515	193.00	194.00	1.00	3.657			
BMT2	MBDD515	194.00	195.00	1.00	0.632			
BMT2	MBDD515	195.00	196.00	1.00	0.008			
BMT2	MBDD515	196.00	197.15	1.15	4.024			
BMT2	MBDD515	197.15	198.00	0.85	0.190			
BMT2	MBDD515	198.00	199.00	1.00	0.022			
BMT2	MBDD515	199.00	200.00	1.00	0.211			
BMT2	MBDD515	200.00	201.00	1.00	0.265			
BMT2	MBDD515	227.00	228.00	1.00	0.105			
BMT2	MBDD515	233.00	234.00	1.00	0.301	1.00 m @ 0.30 g/t Au	0.3	
BMT2	MBDD515	236.00	237.00	1.00	0.237	2.00 m @ 0.28 g/t Au	0.6	
BMT2	MBDD515	237.00	238.00	1.00	0.327			
BMT2	MBDD515	243.00	244.00	1.00	12.727	1.00 m @ 12.73 g/t Au	12.7	1.00 m @ 12.73 g/t Au
BMT2	MBDD515	244.00	245.40	1.40	0.196			
BMT3	MBDD516	11.82	12.38	0.56	0.203	0.56 m @ 0.20 g/t Au	0.1	
BMT3	MBDD516	58.00	59.00	1.00	0.166			
BMT3	MBDD516	71.00	72.00	1.00	0.216	1.00 m @ 0.22 g/t Au	0.2	
BMT3	MBDD517	0.00	0.78	0.78	0.356	0.78 m @ 0.36 g/t Au	0.3	
BMT3	MBDD517	3.00	3.52	0.52	0.159			
BMT3	MBDD517	35.50	37.00	1.50	0.134			
BMT3	MBDD518	0.00	1.50	1.50	0.655	2.13 m @ 0.54 g/t Au	1.1	
BMT3	MBDD518	1.50	2.13	0.63	0.265			
BMT3	MBDD518	3.00	4.50	1.50	0.151			
BMT3	MBDD518	4.50	5.50	1.00	0.110			
BMT3	MBDD518	25.00	26.50	1.50	0.249	1.50 m @ 0.25 g/t Au	0.4	
BMT3	MBDD518	37.00	38.50	1.50	0.262	2.55 m @ 0.67 g/t Au	1.7	
BMT3	MBDD518	38.50	39.55	1.05	1.258			1.05 m @ 1.26 g/t Au
BMT3	MBDD518	40.80	42.25	1.45	0.174			
BMT3	MBDD518	43.00	43.50	0.50	0.104			
BMT3	MBDD518	46.50	47.00	0.50	0.132			
BMT3	MBDD518	47.00	48.00	1.00	1.148	7.00 m @ 1.04 g/t Au	7.3	1.00 m @ 1.15 g/t Au
BMT3	MBDD518	48.00	49.40	1.40	0.095			
BMT3	MBDD518	49.40	50.00	0.60	0.116			
BMT3	MBDD518	50.00	51.00	1.00	0.509			
BMT3	MBDD518	51.00	52.00	1.00	0.635			
BMT3	MBDD518	52.00	53.00	1.00	4.172			1.00 m @ 4.17 g/t Au
BMT3	MBDD518	53.00	54.00	1.00	0.610			
BMT3	MBDD518	56.00	56.57	0.57	0.156			
BMT3	MBDD518	58.00	59.00	1.00	0.691	5.00 m @ 0.45 g/t Au	2.2	
BMT3	MBDD518	59.00	60.00	1.00	0.347			
BMT3	MBDD518	60.00	61.00	1.00	0.345			
BMT3	MBDD518	61.00	62.00	1.00	0.272			
BMT3	MBDD518	62.00	63.00	1.00	0.586			
BMT3	MBDD518	63.00	64.00	1.00	0.154			
BMT3	MBDD518	66.00	67.00	1.00	0.218	2.50 m @ 0.24 g/t Au	0.6	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT3	MBDD518	67.00	68.50	1.50	0.247			
BMT3	MBDD518	74.00	75.00	1.00	2.289	25.50 m @ 0.80 g/t Au	20.3	1.00 m @ 2.29 g/t Au
BMT3	MBDD518	75.00	76.00	1.00	0.008			
BMT3	MBDD518	76.00	77.00	1.00	0.030			
BMT3	MBDD518	77.00	78.00	1.00	0.597			
BMT3	MBDD518	78.00	79.00	1.00	0.190			
BMT3	MBDD518	79.00	80.00	1.00	0.054			
BMT3	MBDD518	80.00	81.00	1.00	3.528			1.00 m @ 3.53 g/t Au
BMT3	MBDD518	81.00	82.00	1.00	0.195			
BMT3	MBDD518	82.00	83.00	1.00	0.130			
BMT3	MBDD518	83.00	84.00	1.00	0.337			
BMT3	MBDD518	84.00	85.00	1.00	0.008			
BMT3	MBDD518	85.00	86.00	1.00	0.056			
BMT3	MBDD518	86.00	87.00	1.00	1.108			1.00 m @ 1.11 g/t Au
BMT3	MBDD518	87.00	88.00	1.00	0.299			
BMT3	MBDD518	88.00	89.00	1.00	0.792			
BMT3	MBDD518	89.00	90.00	1.00	0.053			
BMT3	MBDD518	90.00	91.00	1.00	0.410			
BMT3	MBDD518	91.00	92.00	1.00	0.143			
BMT3	MBDD518	92.00	93.00	1.00	0.055			
BMT3	MBDD518	93.00	94.00	1.00	0.627			
BMT3	MBDD518	94.00	95.00	1.00	0.290			
BMT3	MBDD518	95.00	96.00	1.00	0.161			
BMT3	MBDD518	96.00	97.00	1.00	0.374			
BMT3	MBDD518	97.00	98.00	1.00	0.125			
BMT3	MBDD518	98.00	99.50	1.50	5.651			1.50 m @ 5.65 g/t Au
BMT2	MBDD519	1.22	2.00	0.78	0.168	3.80 m @ 0.69 g/t Au	2.6	
BMT2	MBDD519	13.50	14.25	0.75	0.867			
BMT2	MBDD519	14.25	15.00	0.75	0.540			
BMT2	MBDD519	15.00	15.80	0.80	1.338			0.80 m @ 1.34 g/t Au
BMT2	MBDD519	15.80	17.30	1.50	0.324			
BMT2	MBDD519	20.61	21.85	1.24	0.155	3.00 m @ 0.29 g/t Au	0.9	
BMT2	MBDD519	30.00	31.00	1.00	0.206			
BMT2	MBDD519	31.00	32.00	1.00	0.114			
BMT2	MBDD519	32.00	33.00	1.00	0.537			
BMT2	MBDD519	80.00	81.00	1.00	0.684			
BMT2	MBDD519	85.00	86.34	1.34	0.445	1.00 m @ 0.68 g/t Au	0.7	
BMT2	MBDD519	104.00	105.00	1.00	0.238	1.34 m @ 0.45 g/t Au	0.6	
BMT2	MBDD519	105.00	106.00	1.00	0.755	2.00 m @ 0.50 g/t Au	1.0	
BMT2	MBDD519	114.00	115.00	1.00	0.815	1.00 m @ 0.81 g/t Au	0.8	
BMT2	MBDD519	161.00	162.00	1.00	10.988	2.00 m @ 5.76 g/t Au	11.5	1.00 m @ 10.99 g/t Au
BMT2	MBDD519	162.00	163.00	1.00	0.533			
BMT2	MBDD519	163.00	164.00	1.00	0.183			
BMT2	MBDD519	164.00	165.00	1.00	0.106	5.00 m @ 0.42 g/t Au	2.1	
BMT2	MBDD519	166.00	167.00	1.00	0.285			
BMT2	MBDD519	167.00	168.00	1.00	0.729			
BMT2	MBDD519	168.00	169.00	1.00	0.065			
BMT2	MBDD519	169.00	170.00	1.00	0.079			
BMT2	MBDD519	170.00	171.00	1.00	0.923			
BMT2	MBDD519	175.00	176.00	1.00	0.225	1.00 m @ 0.23 g/t Au	0.2	
BMT2	MBDD519	201.00	202.00	1.00	0.106	2.00 m @ 0.71 g/t Au	1.4	
BMT2	MBDD519	202.00	202.77	0.77	0.313			
BMT2	MBDD519	202.77	204.00	1.23	0.964			
BMT2	MBDD519	205.40	206.00	0.60	0.170			
BMT2	MBDD519	218.00	219.00	1.00	0.110			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT2	MBDD519	225.00	226.00	1.00	0.267	1.00 m @ 0.27 g/t Au	0.3	
BMT2	MBDD519	226.00	226.60	0.60	0.182			
BMT3	MBDD520	0.00	1.00	1.00	0.462	1.00 m @ 0.46 g/t Au	0.5	
BMT3	MBDD520	2.12	3.52	1.40	0.304	1.40 m @ 0.30 g/t Au	0.4	
BMT3	MBDD520	5.70	6.64	0.94	0.338	0.94 m @ 0.34 g/t Au	0.3	
BMT3	MBDD520	8.30	9.53	1.23	0.162			
BMT3	MBDD520	15.00	16.06	1.06	3.579	1.06 m @ 3.58 g/t Au	3.8	1.06 m @ 3.58 g/t Au
BMT3	MBDD520	17.26	18.74	1.48	0.102			
BMT3	MBDD520	19.50	20.50	1.00	0.171			
BMT3	MBDD520	23.26	24.40	1.14	0.783	1.14 m @ 0.78 g/t Au	0.9	
BMT3	MBDD520	58.00	59.00	1.00	0.112			
BMT3	MBDD520	59.00	60.00	1.00	1.093	10.00 m @ 0.66 g/t Au	6.6	4.00 m @ 1.12 g/t Au
BMT3	MBDD520	60.00	61.00	1.00	0.731			
BMT3	MBDD520	61.00	62.00	1.00	1.042			
BMT3	MBDD520	62.00	63.00	1.00	1.604			
BMT3	MBDD520	63.00	64.00	1.00	0.465			
BMT3	MBDD520	64.00	65.00	1.00	0.049			
BMT3	MBDD520	65.00	65.60	0.60	0.050			
BMT3	MBDD520	65.60	67.10	1.50	0.744			
BMT3	MBDD520	67.10	68.00	0.90	0.100			
BMT3	MBDD520	68.00	69.00	1.00	0.360			
BMT3	MBDD520	75.00	76.18	1.18	0.220	3.60 m @ 1.24 g/t Au	4.5	1.82 m @ 2.23 g/t Au
BMT3	MBDD520	76.18	77.00	0.82	2.978			
BMT3	MBDD520	77.00	78.00	1.00	1.617			
BMT3	MBDD520	78.00	78.60	0.60	0.251			
BMT3	MBDD520	107.00	108.00	1.00	0.553	1.00 m @ 0.55 g/t Au	0.6	
BMT3	MBDD521	146.00	146.50	0.50	16.778	0.50 m @ 16.78 g/t Au	8.4	0.50 m @ 16.78 g/t Au
BMT3	MBDD521	146.50	148.00	1.50	0.141			
BMT3	MBDD521	149.00	150.00	1.00	0.112			
BMT3	MBDD521	150.00	151.00	1.00	0.191			
BMT3	MBDD521	156.00	157.00	1.00	1.607	7.60 m @ 1.10 g/t Au	8.3	4.00 m @ 1.11 g/t Au
BMT3	MBDD521	157.00	158.00	1.00	0.867			
BMT3	MBDD521	158.00	159.00	1.00	0.333			
BMT3	MBDD521	159.00	160.00	1.00	1.616			
BMT3	MBDD521	160.00	161.00	1.00	0.904			
BMT3	MBDD521	161.00	162.00	1.00	0.383			
BMT3	MBDD521	162.00	163.00	1.00	0.278			
BMT3	MBDD521	163.00	163.60	0.60	3.907			
BMT3	MBDD521	165.00	166.00	1.00	0.105			0.60 m @ 3.91 g/t Au
BMT3	MBDD521	173.00	174.00	1.00	3.823	3.00 m @ 1.40 g/t Au	4.2	1.00 m @ 3.82 g/t Au
BMT3	MBDD521	174.00	174.70	0.70	0.143			
BMT3	MBDD521	174.70	176.00	1.30	0.220			
BMT3	MBDD521	184.70	186.00	1.30	0.764	2.30 m @ 0.61 g/t Au	1.4	
BMT3	MBDD521	186.00	187.00	1.00	0.417	2.85 m @ 2.08 g/t Au	5.9	1.85 m @ 2.87 g/t Au
BMT3	MBDD521	189.15	190.00	0.85	4.052			
BMT3	MBDD521	190.00	191.00	1.00	1.860			
BMT3	MBDD521	191.00	192.00	1.00	0.622			
BMT3	MBDD521	192.00	193.00	1.00	0.109			
BMT3	MBDD521	194.85	196.00	1.15	0.463	2.15 m @ 0.60 g/t Au	1.3	
BMT3	MBDD521	196.00	197.00	1.00	0.749			
BMT3	MBDD521	236.00	237.15	1.15	0.214	3.00 m @ 0.45 g/t Au	1.3	
BMT3	MBDD521	237.15	238.00	0.85	0.830			
BMT3	MBDD521	238.00	239.00	1.00	0.387			
BMT3	MBDD521	241.00	242.00	1.00	0.177			
BMT3	MBDD521	242.00	243.00	1.00	0.209	2.00 m @ 0.33 g/t Au	0.7	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT3	MBDD521	243.00	244.00	1.00	0.442			
BMT3	MBDD521	248.50	249.00	0.50	0.502	0.50 m @ 0.50 g/t Au	0.3	
BMT3	MBDD521	276.00	277.00	1.00	0.587	1.00 m @ 0.59 g/t Au	0.6	
BMT3	MBDD521	287.00	288.00	1.00	0.138			
BMT3	MBDD521	290.00	291.00	1.00	0.101			
BMT3	MBDD522A	4.50	5.24	0.74	0.168			
BMT3	MBDD522A	6.00	7.10	1.10	0.260	1.10 m @ 0.26 g/t Au	0.3	
BMT3	MBDD522A	8.15	9.00	0.85	0.119			
BMT3	MBDD522A	9.00	10.50	1.50	0.168			
BMT3	MBDD522A	10.50	12.00	1.50	0.802	2.54 m @ 0.82 g/t Au	2.1	
BMT3	MBDD522A	12.00	13.04	1.04	0.852			
BMT3	MBDD522A	13.50	15.00	1.50	0.627	9.00 m @ 0.87 g/t Au	7.8	
BMT3	MBDD522A	15.00	16.00	1.00	0.611			
BMT3	MBDD522A	16.00	16.50	0.50	0.373			
BMT3	MBDD522A	16.50	18.00	1.50	2.829			1.50 m @ 2.83 g/t Au
BMT3	MBDD522A	18.00	19.50	1.50	0.444			
BMT3	MBDD522A	19.50	20.50	1.00	0.782			
BMT3	MBDD522A	20.50	21.00	0.50	0.062			
BMT3	MBDD522A	21.00	22.50	1.50	0.253			
BMT3	MBDD522A	27.00	28.00	1.00	0.107			
BMT3	MBDD522A	58.00	59.00	1.00	0.100			
BMT3	MBDD522A	63.00	64.32	1.32	0.176			
BMT3	MBDD522A	66.00	66.50	0.50	0.235	0.50 m @ 0.23 g/t Au	0.1	
BMT3	MBDD522A	69.00	70.18	1.18	0.221	2.16 m @ 0.81 g/t Au	1.8	
BMT3	MBDD522A	70.18	71.16	0.98	1.522			0.98 m @ 1.52 g/t Au
BMT3	MBDD522A	73.18	74.00	0.82	0.231	2.82 m @ 0.38 g/t Au	1.1	
BMT3	MBDD522A	74.00	74.83	0.83	0.353			
BMT3	MBDD522A	74.83	76.00	1.17	0.500			
BMT3	MBDD522A	87.00	88.00	1.00	0.175			
BMT2	MBDD523	57.00	58.50	1.50	0.104			
BMT2	MBDD523	58.50	60.00	1.50	0.277	1.50 m @ 0.28 g/t Au	0.4	
BMT2	MBDD523	61.00	62.00	1.00	0.186			
BMT2	MBDD523	74.00	75.00	1.00	0.156			
BMT2	MBDD523	75.00	76.50	1.50	0.168			
BMT2	MBDD523	91.00	92.00	1.00	1.080	7.00 m @ 1.17 g/t Au	8.2	1.00 m @ 1.08 g/t Au
BMT2	MBDD523	92.00	93.00	1.00	0.162			
BMT2	MBDD523	93.00	94.00	1.00	0.020			
BMT2	MBDD523	94.00	95.00	1.00	0.332			
BMT2	MBDD523	95.00	96.00	1.00	5.929			1.00 m @ 5.93 g/t Au
BMT2	MBDD523	96.00	97.00	1.00	0.205			
BMT2	MBDD523	97.00	98.00	1.00	0.488			
BMT2	MBDD523	103.00	104.00	1.00	0.761	1.00 m @ 0.76 g/t Au	0.8	
BMT2	MBDD523	128.00	129.00	1.00	0.150			
BMT2	MBDD523	133.00	134.27	1.27	0.119			
BMT2	MBDD523	134.27	135.00	0.73	0.176			
BMT2	MBDD523	135.00	136.00	1.00	0.381	1.00 m @ 0.38 g/t Au	0.4	
BMT2	MBDD523	156.00	157.00	1.00	0.719	1.00 m @ 0.72 g/t Au	0.7	
BMT2	MBDD523	157.00	158.00	1.00	0.105			
BMT2	MBDD523	228.20	229.00	0.80	5.196	7.80 m @ 0.92 g/t Au	7.2	0.80 m @ 5.20 g/t Au
BMT2	MBDD523	229.00	230.00	1.00	0.437			
BMT2	MBDD523	230.00	231.10	1.10	0.840			
BMT2	MBDD523	231.10	232.60	1.50	0.646			
BMT2	MBDD523	232.60	234.00	1.40	0.022			
BMT2	MBDD523	234.00	235.00	1.00	0.459			
BMT2	MBDD523	235.00	236.00	1.00	0.232			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BMT3	MBDD524	0.00	1.00	1.00	0.465	2.40 m @ 0.69 g/t Au	1.7	
BMT3	MBDD524	1.00	1.70	0.70	0.480			
BMT3	MBDD524	1.70	2.40	0.70	1.233			0.70 m @ 1.23 g/t Au
BMT3	MBDD524	3.00	4.00	1.00	0.926	3.90 m @ 2.24 g/t Au	8.7	
BMT3	MBDD524	4.00	5.30	1.30	1.026			2.90 m @ 2.69 g/t Au
BMT3	MBDD524	5.30	6.13	0.83	5.879			
BMT3	MBDD524	6.13	6.90	0.77	2.066			
BMT3	MBDD524	7.50	9.00	1.50	0.108			
BMT3	MBDD524	12.00	13.30	1.30	0.744	3.43 m @ 0.61 g/t Au	2.1	
BMT3	MBDD524	13.30	14.00	0.70	0.265			
BMT3	MBDD524	14.00	15.43	1.43	0.660			
BMT3	MBDD524	23.40	24.56	1.16	0.101			
BMT3	MBDD524	47.54	48.97	1.43	0.132			
BMT3	MBDD524	51.76	53.00	1.24	7.622	2.24 m @ 5.30 g/t Au	11.9	2.24 m @ 5.30 g/t Au
BMT3	MBDD524	53.00	54.00	1.00	2.418			
BMT3	MBDD524	60.00	61.50	1.50	0.357	1.50 m @ 0.36 g/t Au	0.5	
BMT3	MBDD524	61.50	62.47	0.97	0.101			
BMT3	MBDD524	63.41	64.00	0.59	1.145	5.09 m @ 0.43 g/t Au	2.2	0.59 m @ 1.15 g/t Au
BMT3	MBDD524	64.00	65.50	1.50	0.160			
BMT3	MBDD524	65.50	66.00	0.50	0.524			
BMT3	MBDD524	66.00	67.09	1.09	0.442			
BMT3	MBDD524	67.09	68.50	1.41	0.359			
BMT3	MBDD525	0.78	1.62	0.84	0.325	0.84 m @ 0.33 g/t Au	0.3	
BMT3	MBDD525	3.87	4.83	0.96	0.132			
BMT3	MBDD525	7.50	9.00	1.50	0.420	1.50 m @ 0.42 g/t Au	0.6	
BMT3	MBDD525	18.00	18.98	0.98	0.276	0.98 m @ 0.28 g/t Au	0.3	
BMT3	MBDD525	70.50	71.00	0.50	0.254	0.50 m @ 0.25 g/t Au	0.1	
BMT3	MBDD525	80.10	81.00	0.90	0.952	1.40 m @ 0.83 g/t Au	1.2	
BMT3	MBDD525	81.00	81.50	0.50	0.623			
BMT3	MBDD525	81.50	82.00	0.50	0.124			
BMT3	MBDD525	84.50	86.00	1.50	0.126			
BMT3	MBDD525	91.00	91.50	0.50	4.527	1.57 m @ 2.10 g/t Au	3.3	1.57 m @ 2.10 g/t Au
BMT3	MBDD525	91.50	92.00	0.50	0.855			
BMT3	MBDD525	92.00	92.57	0.57	1.068			
BMT3	MBDD526	0.00	0.80	0.80	0.148			
BMT3	MBDD526	2.22	3.00	0.78	0.107			
BMT3	MBDD526	3.00	3.69	0.69	0.109			
BMT3	MBDD526	115.00	116.00	1.00	0.564	1.00 m @ 0.56 g/t Au	0.6	
BMT3	MBDD526	123.00	124.00	1.00	0.143			
BMT3	MBDD526	140.00	140.60	0.60	0.234	14.50 m @ 1.10 g/t Au	15.9	
BMT3	MBDD526	140.60	142.00	1.40	0.463			
BMT3	MBDD526	142.00	143.00	1.00	1.218			9.00 m @ 1.50 g/t Au
BMT3	MBDD526	143.00	144.00	1.00	0.045			
BMT3	MBDD526	144.00	145.00	1.00	1.772			
BMT3	MBDD526	145.00	146.00	1.00	2.269			
BMT3	MBDD526	146.00	147.00	1.00	2.990			
BMT3	MBDD526	147.00	148.00	1.00	1.780			
BMT3	MBDD526	148.00	149.00	1.00	0.087			
BMT3	MBDD526	149.00	150.00	1.00	1.906			
BMT3	MBDD526	150.00	151.00	1.00	1.408			
BMT3	MBDD526	151.00	152.00	1.00	0.580			
BMT3	MBDD526	152.00	153.00	1.00	0.491			
BMT3	MBDD526	153.00	154.50	1.50	0.363			

Table 4: Significant assay results for new holes drilled at Boundiali (BST1)²³

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0148A	0.00	1.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0148A	69.00	70.00	1.00	2.950	4.00 m @ 0.85 g/t Au	3.4	1.00 m @ 2.95 g/t Au
BST1	BSDD0148A	70.00	71.00	1.00	0.010			
BST1	BSDD0148A	71.00	72.00	1.00	0.010			
BST1	BSDD0148A	72.00	73.00	1.00	0.440			
BST1	BSDD0148A	76.00	77.00	1.00	0.310	1.00 m @ 0.31 g/t Au	0.3	
BST1	BSDD0148A	83.00	84.00	1.00	1.100	3.00 m @ 0.46 g/t Au	1.4	1.00 m @ 1.10 g/t Au
BST1	BSDD0148A	84.00	85.00	1.00	0.010			
BST1	BSDD0148A	85.00	86.00	1.00	0.270			
BST1	BSDD0148A	100.00	101.00	1.00	0.510	4.00 m @ 0.95 g/t Au	3.8	
BST1	BSDD0148A	101.00	102.00	1.00	0.030			
BST1	BSDD0148A	102.00	103.00	1.00	0.020			
BST1	BSDD0148A	103.00	104.00	1.00	3.260			1.00 m @ 3.26 g/t Au
BST1	BSDD0148A	111.66	113.00	1.34	0.400	3.84 m @ 1.02 g/t Au	3.9	
BST1	BSDD0148A	113.00	114.00	1.00	0.040			
BST1	BSDD0148A	114.00	115.50	1.50	2.220			1.50 m @ 2.22 g/t Au
BST1	BSDD0148A	124.00	125.00	1.00	0.520	5.50 m @ 2.32 g/t Au	12.8	
BST1	BSDD0148A	125.00	126.50	1.50	0.140			
BST1	BSDD0148A	126.50	127.10	0.60	11.260			
BST1	BSDD0148A	127.10	127.67	0.57	0.380			
BST1	BSDD0148A	127.67	129.00	1.33	0.310			3.00 m @ 4.02 g/t Au
BST1	BSDD0148A	129.00	129.50	0.50	9.340			
BST1	BSDD0148A	140.10	141.50	1.40	0.130			
BST1	BSDD0148A	141.50	142.00	0.50	0.400	0.50 m @ 0.40 g/t Au	0.2	
BST1	BSDD0148A	142.00	143.00	1.00	0.120			
BST1	BSDD0148A	150.26	151.00	0.74	0.290	0.74 m @ 0.29 g/t Au	0.2	
BST1	BSDD0148A	154.00	155.00	1.00	0.140			
BST1	BSDD0148A	222.00	223.00	1.00	0.170			
BST1	BSDD0148A	223.00	224.00	1.00	0.510	1.00 m @ 0.51 g/t Au	0.5	
BST1	BSDD0148A	224.00	225.00	1.00	0.140			
BST1	BSDD0148A	231.00	232.00	1.00	0.500	1.00 m @ 0.50 g/t Au	0.5	
BST1	BSDD0148A	258.00	259.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3	
BST1	BSDD0148A	260.00	261.00	1.00	0.100			
BST1	BSDD0148A	262.00	263.00	1.00	0.180			
BST1	BSDD0148A	265.00	266.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0148A	281.00	282.00	1.00	12.630	1.00 m @ 12.63 g/t Au	12.6	1.00 m @ 12.63 g/t Au
BST1	BSDD0148A	288.00	289.00	1.00	0.110			
BST1	BSDD0148A	290.00	291.40	1.40	0.210	2.22 m @ 0.29 g/t Au	0.6	
BST1	BSDD0148A	291.40	292.22	0.82	0.430			
BST1	BSDD0148A	292.22	293.44	1.22	0.100			
BST1	BSDD0148A	295.50	296.96	1.46	0.200	1.46 m @ 0.20 g/t Au	0.3	
BST1	BSDD0148A	342.00	343.50	1.50	0.360	1.50 m @ 0.36 g/t Au	0.5	
BST1	BSDD0148A	345.00	346.00	1.00	0.160			
BST1	BSDD0148A	360.09	361.00	0.91	0.350	0.91 m @ 0.35 g/t Au	0.3	
BST1	BSDD0148A	366.00	367.00	1.00	0.120			
BST1	BSDD0148A	376.00	377.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0148A	381.00	382.00	1.00	0.300	2.00 m @ 0.28 g/t Au	0.6	
BST1	BSDD0148A	382.00	383.00	1.00	0.260			
BST1	BSDD0148A	387.00	388.00	1.00	0.160			
BST1	BSDD0148A	388.00	389.00	1.00	0.140			

²³ 0.2 g/t Au cut off used with up to 3m consecutive internal dilution and no top cut applied

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0148A	389.00	390.00	1.00	0.340	5.00 m @ 0.20 g/t Au	1.0	
BST1	BSDD0148A	390.00	391.00	1.00	0.050			
BST1	BSDD0148A	391.00	392.00	1.00	0.010			
BST1	BSDD0148A	392.00	393.00	1.00	0.330			
BST1	BSDD0148A	393.00	394.00	1.00	0.270			
BST1	BSDD0148A	394.00	395.00	1.00	0.180			
BST1	BSDD0148A	397.00	398.00	1.00	0.150			
BST1	BSDD0148A	398.00	399.00	1.00	0.120			
BST1	BSDD0148A	399.00	400.00	1.00	0.500	1.00 m @ 0.50 g/t Au	0.5	
BST1	BSDD0148A	402.00	403.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0148A	406.00	407.00	1.00	0.700	12.00 m @ 0.47 g/t Au	5.6	
BST1	BSDD0148A	407.00	408.00	1.00	0.040			
BST1	BSDD0148A	408.00	409.00	1.00	1.230			1.00 m @ 1.23 g/t Au
BST1	BSDD0148A	409.00	410.00	1.00	0.010			
BST1	BSDD0148A	410.00	411.00	1.00	0.170			
BST1	BSDD0148A	411.00	412.00	1.00	0.740			
BST1	BSDD0148A	412.00	413.00	1.00	1.630			1.00 m @ 1.63 g/t Au
BST1	BSDD0148A	413.00	414.00	1.00	0.190			
BST1	BSDD0148A	414.00	415.00	1.00	0.030			
BST1	BSDD0148A	415.00	416.00	1.00	0.460			
BST1	BSDD0148A	416.00	417.00	1.00	0.080			
BST1	BSDD0148A	417.00	418.00	1.00	0.330			
BST1	BSDD0148A	421.00	422.00	1.00	0.640	1.00 m @ 0.64 g/t Au	0.6	
BST1	BSDD0148A	423.00	424.00	1.00	0.140			
BST1	BSDD0148A	425.00	426.00	1.00	0.340	2.00 m @ 0.66 g/t Au	1.3	
BST1	BSDD0148A	426.00	427.00	1.00	0.980			
BST1	BSDD0148A	431.00	432.00	1.00	0.640	1.00 m @ 0.64 g/t Au	0.6	
BST1	BSDD0148A	432.00	433.00	1.00	0.100			
BST1	BSDD0148A	435.00	436.00	1.00	0.630	1.00 m @ 0.63 g/t Au	0.6	
BST1	BSDD0148A	439.00	440.41	1.41	0.350	1.41 m @ 0.35 g/t Au	0.5	
BST1	BSDD0148A	443.00	444.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3	
BST1	BSDD0148A	446.56	448.00	1.44	0.980	2.44 m @ 0.88 g/t Au	2.2	
BST1	BSDD0148A	448.00	449.00	1.00	0.740			
BST1	BSDD0148A	453.00	454.00	1.00	0.120			
BST1	BSDD0148A	454.00	455.00	1.00	0.110			
BST1	BSDD0148A	455.00	456.00	1.00	0.560	3.00 m @ 0.32 g/t Au	1.0	
BST1	BSDD0148A	456.00	457.00	1.00	0.040			
BST1	BSDD0148A	457.00	458.00	1.00	0.360			
BST1	BSDD0148A	461.00	462.00	1.00	0.140			
BST1	BSDD0148A	464.00	465.00	1.00	0.670	8.00 m @ 0.77 g/t Au	6.1	
BST1	BSDD0148A	465.00	466.00	1.00	0.760			
BST1	BSDD0148A	466.00	467.00	1.00	0.080			
BST1	BSDD0148A	467.00	468.00	1.00	1.090			1.00 m @ 1.09 g/t Au
BST1	BSDD0148A	468.00	469.00	1.00	0.240			
BST1	BSDD0148A	469.00	470.00	1.00	0.400			
BST1	BSDD0148A	470.00	471.00	1.00	1.710			2.00 m @ 1.45 g/t Au
BST1	BSDD0148A	471.00	472.00	1.00	1.190			
BST1	BSDD0148A	474.00	475.00	1.00	0.150			
BST1	BSDD0148A	475.00	476.00	1.00	0.320	5.00 m @ 0.75 g/t Au	3.7	
BST1	BSDD0148A	476.00	477.00	1.00	0.410			
BST1	BSDD0148A	477.00	478.00	1.00	0.210			
BST1	BSDD0148A	478.00	479.00	1.00	1.960			1.00 m @ 1.96 g/t Au
BST1	BSDD0148A	479.00	480.00	1.00	0.840			
BST1	BSDD0148A	483.00	484.00	1.00	0.160			
BST1	BSDD0148A	485.00	486.00	1.00	0.850	3.00 m @ 0.41 g/t Au	1.2	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0148A	486.00	487.00	1.00	0.040			
BST1	BSDD0148A	487.00	488.00	1.00	0.350			
BST1	BSDD0148A	493.00	494.00	1.00	0.170			
BST1	BSDD0148A	500.00	501.28	1.28	0.820	1.28 m @ 0.82 g/t Au	1.0	
BST1	BSDD0148A	511.00	512.00	1.00	0.110			
BST1	BSDD0171	5.16	6.36	1.20	0.280	1.20 m @ 0.28 g/t Au	0.3	
BST1	BSDD0171	27.00	28.00	1.00	0.320	4.00 m @ 0.34 g/t Au	1.4	
BST1	BSDD0171	28.00	29.00	1.00	0.030			
BST1	BSDD0171	29.00	30.00	1.00	0.810			
BST1	BSDD0171	30.00	31.00	1.00	0.210			
BST1	BSDD0171	32.00	33.00	1.00	0.130			
BST1	BSDD0171	39.00	40.00	1.00	0.140			
BST1	BSDD0171	49.00	50.00	1.00	0.980	1.00 m @ 0.98 g/t Au	1.0	
BST1	BSDD0171	52.00	53.00	1.00	0.130			
BST1	BSDD0171	53.00	54.00	1.00	1.650	2.00 m @ 1.16 g/t Au	2.3	1.00 m @ 1.65 g/t Au
BST1	BSDD0171	54.00	55.00	1.00	0.660			
BST1	BSDD0171	80.00	81.00	1.00	0.880	1.00 m @ 0.88 g/t Au	0.9	
BST1	BSDD0171	85.00	86.00	1.00	0.150			
BST1	BSDD0171	88.00	89.00	1.00	0.810	1.00 m @ 0.81 g/t Au	0.8	
BST1	BSDD0171	94.00	95.00	1.00	1.380	3.00 m @ 0.71 g/t Au	2.1	1.00 m @ 1.38 g/t Au
BST1	BSDD0171	95.00	96.00	1.00	0.530			
BST1	BSDD0171	96.00	97.00	1.00	0.230			
BST1	BSDD0171	99.00	100.00	1.00	0.100			
BST1	BSDD0171	100.00	101.00	1.00	0.250	2.00 m @ 0.35 g/t Au	0.7	
BST1	BSDD0171	101.00	102.00	1.00	0.450			
BST1	BSDD0171	110.00	111.00	1.00	0.130			
BST1	BSDD0171	113.00	114.00	1.00	0.450	1.00 m @ 0.45 g/t Au	0.5	
BST1	BSDD0171	120.00	121.00	1.00	0.330	5.00 m @ 0.25 g/t Au	1.3	
BST1	BSDD0171	121.00	122.00	1.00	0.120			
BST1	BSDD0171	122.00	123.00	1.00	0.530			
BST1	BSDD0171	123.00	124.00	1.00	0.030			
BST1	BSDD0171	124.00	125.00	1.00	0.240			
BST1	BSDD0171	127.00	128.00	1.00	0.250	3.00 m @ 0.25 g/t Au	0.8	
BST1	BSDD0171	128.00	129.00	1.00	0.070			
BST1	BSDD0171	129.00	130.00	1.00	0.430			
BST1	BSDD0171	133.00	134.00	1.00	0.530	4.00 m @ 0.32 g/t Au	1.3	
BST1	BSDD0171	134.00	135.00	1.00	0.350			
BST1	BSDD0171	135.00	136.00	1.00	0.030			
BST1	BSDD0171	136.00	137.00	1.00	0.350			
BST1	BSDD0171	142.00	143.00	1.00	0.150			
BST1	BSDD0171	149.00	150.00	1.00	0.730	1.00 m @ 0.73 g/t Au	0.7	
BST1	BSDD0171	150.00	151.00	1.00	0.130			
BST1	BSDD0171	179.00	180.00	1.00	0.960	1.00 m @ 0.96 g/t Au	1.0	
BST1	BSDD0171	181.00	182.00	1.00	0.180			
BST1	BSDD0171	183.00	184.00	1.00	0.120			
BST1	BSDD0171	184.00	185.00	1.00	0.290	2.00 m @ 0.47 g/t Au	1.0	
BST1	BSDD0171	185.00	186.00	1.00	0.660			
BST1	BSDD0171	193.00	194.00	1.00	0.970	1.00 m @ 0.97 g/t Au	1.0	
BST1	BSDD0171	195.00	196.00	1.00	0.150			
BST1	BSDD0171	212.00	213.00	1.00	1.020	1.00 m @ 1.02 g/t Au	1.0	1.00 m @ 1.02 g/t Au
BST1	BSDD0174	0.00	0.70	0.70	0.440	0.70 m @ 0.44 g/t Au	0.3	
BST1	BSDD0174	4.00	5.00	1.00	0.170			
BST1	BSDD0174	5.00	6.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3	
BST1	BSDD0174	9.00	10.00	1.00	0.530	1.00 m @ 0.53 g/t Au	0.5	
BST1	BSDD0174	13.00	14.00	1.00	1.270	5.00 m @ 0.39 g/t Au	2.0	1.00 m @ 1.27 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0174	14.00	15.00	1.00	0.040			
BST1	BSDD0174	15.00	16.00	1.00	0.050			
BST1	BSDD0174	16.00	17.00	1.00	0.210			
BST1	BSDD0174	17.00	18.00	1.00	0.400			
BST1	BSDD0174	39.00	40.00	1.00	0.140			
BST1	BSDD0174	139.00	140.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.3	
BST1	BSDD0174	149.00	150.00	1.00	0.350	1.00 m @ 0.35 g/t Au	0.4	
BST1	BSDD0174	150.00	151.00	1.00	0.170			
BST1	BSDD0174	151.00	151.80	0.80	0.110			
BST1	BSDD0174	155.00	156.00	1.00	7.510	1.00 m @ 7.51 g/t Au	7.5	1.00 m @ 7.51 g/t Au
BST1	BSDD0174	172.00	173.00	1.00	0.100			
BST1	BSDD0174	173.00	174.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0174	180.00	181.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0174	184.00	185.00	1.00	0.150			
BST1	BSDD0174	195.00	196.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3	
BST1	BSDD0174	197.00	198.00	1.00	0.130			
BST1	BSDD0174	199.00	200.00	1.00	0.640	1.00 m @ 0.64 g/t Au	0.6	
BST1	BSDD0174	212.00	213.00	1.00	0.160			
BST1	BSDD0174	213.00	214.00	1.00	0.120			
BST1	BSDD0174	216.00	217.00	1.00	0.100			
BST1	BSDD0174	217.00	218.00	1.00	0.170			
BST1	BSDD0174	258.00	259.00	1.00	0.110			
BST1	BSDD0174	264.00	265.00	1.00	2.280	1.00 m @ 2.28 g/t Au	2.3	1.00 m @ 2.28 g/t Au
BST1	BSDD0174	271.10	272.00	0.90	1.330	0.90 m @ 1.33 g/t Au	1.2	0.90 m @ 1.33 g/t Au
BST1	BSDD0174	278.00	279.00	1.00	0.110			
BST1	BSDD0174	290.00	291.00	1.00	0.160			
BST1	BSDD0174	306.00	307.00	1.00	0.110			
BST1	BSDD0174	307.00	308.00	1.00	0.170			
BST1	BSDD0179	44.50	45.30	0.80	0.100			
BST1	BSDD0179	46.50	47.50	1.00	0.130			
BST1	BSDD0179	49.00	50.50	1.50	0.100			
BST1	BSDD0179	83.00	84.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0179	96.00	97.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3	
BST1	BSDD0179	113.00	114.00	1.00	0.120			
BST1	BSDD0179	114.00	115.00	1.00	0.140			
BST1	BSDD0179	117.00	118.00	1.00	0.110			
BST1	BSDD0179	122.00	123.00	1.00	0.170			
BST1	BSDD0179	130.00	131.50	1.50	2.000	4.00 m @ 0.84 g/t Au	3.4	1.50 m @ 2.00 g/t Au
BST1	BSDD0179	131.50	132.00	0.50	0.030			
BST1	BSDD0179	132.00	133.00	1.00	0.040			
BST1	BSDD0179	133.00	134.00	1.00	0.310			
BST1	BSDD0179	145.00	146.00	1.00	0.100			
BST1	BSDD0179	149.00	150.00	1.00	0.140			
BST1	BSDD0179	154.00	155.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0179	175.00	176.00	1.00	1.690	1.00 m @ 1.69 g/t Au	1.7	1.00 m @ 1.69 g/t Au
BST1	BSDD0179	190.00	191.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3	
BST1	BSDD0180	0.00	1.00	1.00	0.100			
BST1	BSDD0180	1.00	2.30	1.30	0.640	1.30 m @ 0.64 g/t Au	0.8	
BST1	BSDD0180	3.55	5.00	1.45	0.100			
BST1	BSDD0180	56.00	57.00	1.00	0.350	1.00 m @ 0.35 g/t Au	0.4	
BST1	BSDD0180	68.00	69.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0180	69.76	71.00	1.24	0.150			
BST1	BSDD0180	75.00	75.96	0.96	0.120			
BST1	BSDD0180	78.00	79.00	1.00	0.350	1.00 m @ 0.35 g/t Au	0.4	
BST1	BSDD0180	99.00	100.00	1.00	0.160			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0180	118.00	118.72	0.72	0.170			
BST1	BSDD0180	118.72	120.00	1.28	0.390	4.28 m @ 1.25 g/t Au	5.3	
BST1	BSDD0180	120.00	121.00	1.00	0.030			
BST1	BSDD0180	121.00	122.00	1.00	0.010			
BST1	BSDD0180	122.00	123.00	1.00	4.800			1.00 m @ 4.80 g/t Au
BST1	BSDD0180	127.00	128.00	1.00	0.180			
BST1	BSDD0180	128.00	129.00	1.00	0.570	1.00 m @ 0.57 g/t Au	0.6	
BST1	BSDD0180	129.00	130.00	1.00	0.170			
BST1	BSDD0180	138.00	139.00	1.00	1.680	2.00 m @ 1.21 g/t Au	2.4	1.00 m @ 1.68 g/t Au
BST1	BSDD0180	139.00	140.00	1.00	0.730			
BST1	BSDD0180	146.00	147.00	1.00	0.100			
BST1	BSDD0180	172.00	173.00	1.00	0.150			
BST1	BSDD0180	192.00	193.00	1.00	0.130			
BST1	BSDD0180	195.00	196.00	1.00	0.110			
BST1	BSDD0180	199.00	200.00	1.00	0.460	1.00 m @ 0.46 g/t Au	0.5	
BST1	BSDD0180	201.00	202.00	1.00	0.160			
BST1	BSDD0180	202.00	203.00	1.00	0.100			
BST1	BSDD0180	203.00	204.00	1.00	0.250	5.00 m @ 0.47 g/t Au	2.3	
BST1	BSDD0180	204.00	205.00	1.00	0.050			
BST1	BSDD0180	205.00	206.00	1.00	0.620			
BST1	BSDD0180	206.00	207.00	1.00	0.480			
BST1	BSDD0180	207.00	208.00	1.00	0.940			
BST1	BSDD0180	208.00	209.00	1.00	0.110			
BST1	BSDD0180	209.00	210.00	1.00	0.100			
BST1	BSDD0180	210.00	211.00	1.00	0.130			
BST1	BSDD0180	211.00	212.00	1.00	0.190			
BST1	BSDD0180	214.00	215.00	1.00	0.160	38.00 m @ 0.89 g/t Au	33.8	
BST1	BSDD0180	215.00	216.00	1.00	0.280			
BST1	BSDD0180	216.00	217.00	1.00	6.170			1.00 m @ 6.17 g/t Au
BST1	BSDD0180	217.00	218.00	1.00	0.230			
BST1	BSDD0180	218.00	219.00	1.00	0.030			
BST1	BSDD0180	219.00	220.00	1.00	0.320			
BST1	BSDD0180	220.00	221.00	1.00	0.570			
BST1	BSDD0180	221.00	222.00	1.00	0.200			
BST1	BSDD0180	222.00	223.00	1.00	0.010			
BST1	BSDD0180	223.00	224.00	1.00	0.900			
BST1	BSDD0180	224.00	225.00	1.00	0.130			
BST1	BSDD0180	225.00	226.00	1.00	0.420			
BST1	BSDD0180	226.00	227.00	1.00	0.220			
BST1	BSDD0180	227.00	228.00	1.00	0.920			
BST1	BSDD0180	228.00	229.00	1.00	1.020			1.00 m @ 1.02 g/t Au
BST1	BSDD0180	229.00	230.00	1.00	0.250			
BST1	BSDD0180	230.00	231.00	1.00	0.300			
BST1	BSDD0180	231.00	232.00	1.00	0.140			
BST1	BSDD0180	232.00	233.00	1.00	2.600			1.00 m @ 2.60 g/t Au
BST1	BSDD0180	233.00	234.00	1.00	0.500			
BST1	BSDD0180	234.00	235.00	1.00	0.170			
BST1	BSDD0180	235.00	236.00	1.00	0.060			
BST1	BSDD0180	236.00	237.00	1.00	0.290			
BST1	BSDD0180	237.00	238.00	1.00	0.270			
BST1	BSDD0180	238.00	239.00	1.00	0.610			
BST1	BSDD0180	239.00	240.00	1.00	0.330			
BST1	BSDD0180	240.00	241.00	1.00	1.470			6.00 m @ 1.89 g/t Au
BST1	BSDD0180	241.00	242.00	1.00	1.380			
BST1	BSDD0180	242.00	243.00	1.00	2.370			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0180	243.00	244.00	1.00	0.300			
BST1	BSDD0180	244.00	245.00	1.00	0.790			
BST1	BSDD0180	245.00	246.00	1.00	5.040			
BST1	BSDD0180	246.00	247.00	1.00	0.250			
BST1	BSDD0180	247.00	248.00	1.00	3.380			
BST1	BSDD0180	248.00	249.00	1.00	0.860			
BST1	BSDD0180	249.00	250.00	1.00	0.220			
BST1	BSDD0180	250.00	251.00	1.00	0.040			
BST1	BSDD0180	251.00	252.00	1.00	0.040			
BST1	BSDD0180	252.00	253.00	1.00	0.740			
BST1	BSDD0180	257.00	258.00	1.00	0.430	13.07 m @ 1.15 g/t Au	15.1	4.00 m @ 2.80 g/t Au
BST1	BSDD0180	258.00	259.00	1.00	0.080			
BST1	BSDD0180	259.00	259.94	0.94	0.130			
BST1	BSDD0180	259.94	261.00	1.06	0.220			
BST1	BSDD0180	261.00	262.00	1.00	1.440			
BST1	BSDD0180	262.00	263.00	1.00	2.700			
BST1	BSDD0180	263.00	264.00	1.00	5.220			
BST1	BSDD0180	264.00	265.00	1.00	1.850			
BST1	BSDD0180	265.00	266.00	1.00	0.550			
BST1	BSDD0180	266.00	267.00	1.00	0.610			
BST1	BSDD0180	267.00	268.00	1.00	0.180			
BST1	BSDD0180	268.00	269.00	1.00	1.290			
BST1	BSDD0180	269.00	270.07	1.07	0.350			
BST1	BSDD0180	272.00	273.00	1.00	0.100			
BST1	BSDD0180	273.00	274.00	1.00	0.160			
BST1	BSDD0180	274.00	275.00	1.00	0.180			
BST1	BSDD0180	275.00	276.00	1.00	3.700	1.00 m @ 3.70 g/t Au	3.7	1.00 m @ 3.70 g/t Au
BST1	BSDD0180	276.00	277.00	1.00	0.140			
BST1	BSDD0180	281.00	282.00	1.00	1.290	2.00 m @ 1.01 g/t Au	2.0	1.00 m @ 1.29 g/t Au
BST1	BSDD0180	282.00	283.00	1.00	0.730			
BST1	BSDD0180	283.00	284.00	1.00	0.110			
BST1	BSDD0180	289.00	290.00	1.00	0.180			
BST1	BSDD0180	290.00	291.00	1.00	0.680	57.00 m @ 2.34 g/t Au	133.3	6.00 m @ 3.02 g/t Au
BST1	BSDD0180	291.00	292.00	1.00	0.030			
BST1	BSDD0180	292.00	293.00	1.00	0.010			
BST1	BSDD0180	293.00	294.00	1.00	0.300			
BST1	BSDD0180	294.00	295.00	1.00	0.630			
BST1	BSDD0180	295.00	296.00	1.00	1.050			
BST1	BSDD0180	296.00	297.00	1.00	0.070			
BST1	BSDD0180	297.00	298.00	1.00	0.060			
BST1	BSDD0180	298.00	299.00	1.00	0.880			
BST1	BSDD0180	299.00	300.00	1.00	0.050			
BST1	BSDD0180	300.00	301.00	1.00	7.670			
BST1	BSDD0180	301.00	302.00	1.00	0.070			
BST1	BSDD0180	302.00	303.00	1.00	0.130			
BST1	BSDD0180	303.00	303.78	0.78	0.240			
BST1	BSDD0180	303.78	305.00	1.22	0.990			
BST1	BSDD0180	305.00	306.00	1.00	0.650			
BST1	BSDD0180	306.00	307.00	1.00	0.870			
BST1	BSDD0180	307.00	308.00	1.00	3.190			
BST1	BSDD0180	308.00	309.00	1.00	0.440			
BST1	BSDD0180	309.00	310.00	1.00	1.910			
BST1	BSDD0180	310.00	311.00	1.00	0.130			
BST1	BSDD0180	311.00	312.00	1.00	1.590			
BST1	BSDD0180	312.00	313.00	1.00	10.870			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0180	313.00	314.00	1.00	0.620			
BST1	BSDD0180	314.00	315.32	1.32	0.930			
BST1	BSDD0180	315.32	316.00	0.68	0.900			
BST1	BSDD0180	316.00	317.00	1.00	74.630			2.00 m @ 37.95 g/t Au
BST1	BSDD0180	317.00	318.00	1.00	1.280			
BST1	BSDD0180	318.00	319.50	1.50	0.250			
BST1	BSDD0180	319.50	320.00	0.50	0.580			
BST1	BSDD0180	320.00	321.00	1.00	0.080			
BST1	BSDD0180	321.00	322.00	1.00	2.850			4.00 m @ 1.25 g/t Au
BST1	BSDD0180	322.00	323.00	1.00	0.660			
BST1	BSDD0180	323.00	324.00	1.00	0.380			
BST1	BSDD0180	324.00	325.00	1.00	1.130			
BST1	BSDD0180	325.00	326.00	1.00	0.110			
BST1	BSDD0180	326.00	327.00	1.00	0.100			
BST1	BSDD0180	327.00	328.00	1.00	0.840			
BST1	BSDD0180	328.00	329.00	1.00	0.690			
BST1	BSDD0180	329.00	330.00	1.00	0.010			
BST1	BSDD0180	330.00	331.00	1.00	0.440			
BST1	BSDD0180	331.00	332.00	1.00	1.840			1.00 m @ 1.84 g/t Au
BST1	BSDD0180	332.00	333.00	1.00	0.100			
BST1	BSDD0180	333.00	334.00	1.00	0.160			
BST1	BSDD0180	334.00	335.00	1.00	1.370			2.00 m @ 1.25 g/t Au
BST1	BSDD0180	335.00	336.00	1.00	1.130			
BST1	BSDD0180	336.00	337.00	1.00	0.840			
BST1	BSDD0180	337.00	338.00	1.00	2.190			4.00 m @ 1.12 g/t Au
BST1	BSDD0180	338.00	339.00	1.00	0.800			
BST1	BSDD0180	339.00	340.00	1.00	0.050			
BST1	BSDD0180	340.00	341.00	1.00	1.460			
BST1	BSDD0180	341.00	342.00	1.00	0.340			
BST1	BSDD0180	342.00	343.00	1.00	0.080			
BST1	BSDD0180	343.00	344.50	1.50	0.380			
BST1	BSDD0180	344.50	345.00	0.50	4.250			0.50 m @ 4.25 g/t Au
BST1	BSDD0180	345.00	346.00	1.00	0.510			
BST1	BSDD0180	346.00	347.00	1.00	0.760			
BST1	BSDD0180	347.00	347.74	0.74	0.100			
BST1	BSDD0180	351.00	352.00	1.00	0.220	4.00 m @ 0.55 g/t Au	2.2	
BST1	BSDD0180	352.00	353.00	1.00	0.040			
BST1	BSDD0180	353.00	354.00	1.00	0.010			
BST1	BSDD0180	354.00	355.00	1.00	1.910			1.00 m @ 1.91 g/t Au
BST1	BSDD0180	355.00	356.00	1.00	0.120			
BST1	BSDD0180	360.88	362.00	1.12	0.320	1.12 m @ 0.32 g/t Au	0.4	
BST1	BSDD0180	363.00	364.00	1.00	0.170			
BST1	BSDD0180	376.00	377.00	1.00	0.400	1.00 m @ 0.40 g/t Au	0.4	
BST1	BSDD0180	379.00	380.00	1.00	0.180			
BST1	BSDD0180	380.00	381.00	1.00	0.410	1.00 m @ 0.41 g/t Au	0.4	
BST1	BSDD0180	393.00	394.00	1.00	0.440	1.00 m @ 0.44 g/t Au	0.4	
BST1	BSDD0183	49.00	50.50	1.50	0.190			
BST1	BSDD0183	72.00	73.20	1.20	0.110			
BST1	BSDD0183	73.20	74.50	1.30	0.170			
BST1	BSDD0183	76.00	77.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0183	77.00	78.00	1.00	0.100			
BST1	BSDD0183	81.00	81.71	0.71	0.450	0.71 m @ 0.45 g/t Au	0.3	
BST1	BSDD0183	100.00	101.00	1.00	0.120			
BST1	BSDD0183	124.00	125.00	1.00	1.000	7.00 m @ 0.37 g/t Au	2.6	1.00 m @ 1.00 g/t Au
BST1	BSDD0183	125.00	126.00	1.00	0.080			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0183	126.00	127.00	1.00	0.160			
BST1	BSDD0183	127.00	128.00	1.00	0.790			
BST1	BSDD0183	128.00	129.00	1.00	0.060			
BST1	BSDD0183	129.00	130.00	1.00	0.080			
BST1	BSDD0183	130.00	131.00	1.00	0.440			
BST1	BSDD0183	164.95	166.00	1.05	0.600	1.05 m @ 0.60 g/t Au	0.6	
BST1	BSDD0183	171.00	172.00	1.00	0.200	3.00 m @ 0.73 g/t Au	2.2	
BST1	BSDD0183	172.00	173.00	1.00	0.090			
BST1	BSDD0183	173.00	174.00	1.00	1.890			1.00 m @ 1.89 g/t Au
BST1	BSDD0183	174.00	175.00	1.00	0.110			
BST1	BSDD0183	199.00	200.00	1.00	0.130			
BST1	BSDD0183	202.00	203.00	1.00	0.110			
BST1	BSDD0183	203.00	204.00	1.00	0.310	1.00 m @ 0.31 g/t Au	0.3	
BST1	BSDD0183	207.00	208.28	1.28	0.160			
BST1	BSDD0183	248.00	249.00	1.00	0.160			
BST1	BSDD0183	252.00	253.00	1.00	0.100			
BST1	BSDD0183	270.00	271.00	1.00	1.010	1.00 m @ 1.01 g/t Au	1.0	1.00 m @ 1.01 g/t Au
BST1	BSDD0183	272.90	274.00	1.10	0.130			
BST1	BSDD0183	274.00	275.30	1.30	0.620	3.00 m @ 0.91 g/t Au	2.7	
BST1	BSDD0183	275.30	276.00	0.70	0.010			
BST1	BSDD0183	276.00	277.00	1.00	1.920			1.00 m @ 1.92 g/t Au
BST1	BSDD0183	283.00	284.00	1.00	0.350	8.00 m @ 0.24 g/t Au	1.9	
BST1	BSDD0183	284.00	285.41	1.41	0.200			
BST1	BSDD0183	285.41	286.00	0.59	0.170			
BST1	BSDD0183	286.00	287.30	1.30	0.130			
BST1	BSDD0183	287.30	288.00	0.70	0.450			
BST1	BSDD0183	288.00	289.15	1.15	0.230			
BST1	BSDD0183	289.15	290.00	0.85	0.070			
BST1	BSDD0183	290.00	291.00	1.00	0.380			
BST1	BSDD0183	304.00	305.30	1.30	0.160			
BST1	BSDD0183	305.30	306.00	0.70	0.460			
BST1	BSDD0183	306.00	307.00	1.00	0.460	15.70 m @ 0.91 g/t Au	14.3	
BST1	BSDD0183	307.00	308.00	1.00	0.520			
BST1	BSDD0183	308.00	309.00	1.00	0.430			
BST1	BSDD0183	309.00	310.00	1.00	0.360			
BST1	BSDD0183	310.00	311.00	1.00	0.230			
BST1	BSDD0183	311.00	312.00	1.00	0.730			
BST1	BSDD0183	312.00	313.00	1.00	1.140			2.00 m @ 1.99 g/t Au
BST1	BSDD0183	313.00	314.00	1.00	2.840			
BST1	BSDD0183	314.00	315.00	1.00	0.810			
BST1	BSDD0183	315.00	316.00	1.00	0.610			
BST1	BSDD0183	316.00	317.00	1.00	0.570			
BST1	BSDD0183	317.00	318.00	1.00	0.310			
BST1	BSDD0183	318.00	319.00	1.00	1.310			3.00 m @ 1.67 g/t Au
BST1	BSDD0183	319.00	319.75	0.75	2.900			
BST1	BSDD0183	319.75	321.00	1.25	1.210			
BST1	BSDD0183	324.08	325.58	1.50	0.190			
BST1	BSDD0183	325.58	326.50	0.92	4.030	2.12 m @ 1.94 g/t Au	4.1	0.92 m @ 4.03 g/t Au
BST1	BSDD0183	326.50	327.70	1.20	0.340			
BST1	BSDD0183	327.70	329.00	1.30	0.110			
BST1	BSDD0183	332.00	333.50	1.50	0.450	1.50 m @ 0.45 g/t Au	0.7	
BST1	BSDD0184	0.00	1.00	1.00	0.126			
BST1	BSDD0184	1.00	2.00	1.00	0.185			
BST1	BSDD0184	3.00	4.00	1.00	0.212	4.00 m @ 0.21 g/t Au	0.8	
BST1	BSDD0184	4.00	5.00	1.00	0.243			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0184	5.00	6.30	1.30	0.158			
BST1	BSDD0184	6.30	7.00	0.70	0.244			
BST1	BSDD0184	10.50	12.00	1.50	1.199	1.50 m @ 1.20 g/t Au	1.8	1.50 m @ 1.20 g/t Au
BST1	BSDD0184	15.00	16.00	1.00	0.107			
BST1	BSDD0184	19.00	20.00	1.00	1.019	1.00 m @ 1.02 g/t Au	1.0	1.00 m @ 1.02 g/t Au
BST1	BSDD0184	27.00	28.00	1.00	0.103			
BST1	BSDD0184	28.00	29.00	1.00	0.157			
BST1	BSDD0184	31.00	32.00	1.00	0.203	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0184	32.00	33.00	1.00	0.170			
BST1	BSDD0184	39.00	40.00	1.00	0.264	2.25 m @ 0.25 g/t Au	0.6	
BST1	BSDD0184	40.00	41.25	1.25	0.234			
BST1	BSDD0184	42.00	43.00	1.00	0.379			
BST1	BSDD0184	43.00	44.00	1.00	0.085			
BST1	BSDD0184	44.00	45.00	1.00	1.918			
BST1	BSDD0184	45.00	46.00	1.00	2.759	6.00 m @ 1.45 g/t Au	8.7	3.00 m @ 2.67 g/t Au
BST1	BSDD0184	46.00	47.00	1.00	3.337			
BST1	BSDD0184	47.00	48.00	1.00	0.203			
BST1	BSDD0184	53.00	54.00	1.00	0.141			
BST1	BSDD0184	54.00	55.20	1.20	1.360			1.20 m @ 1.36 g/t Au
BST1	BSDD0184	55.20	56.68	1.48	0.008	4.00 m @ 0.63 g/t Au	2.5	
BST1	BSDD0184	56.68	58.00	1.32	0.676			
BST1	BSDD0184	61.00	62.00	1.00	0.495	1.00 m @ 0.49 g/t Au	0.5	
BST1	BSDD0184	71.20	72.00	0.80	1.135	0.80 m @ 1.14 g/t Au	0.9	0.80 m @ 1.14 g/t Au
BST1	BSDD0184	77.00	78.20	1.20	0.489	1.20 m @ 0.49 g/t Au	0.6	
BST1	BSDD0184	82.00	83.00	1.00	0.120			
BST1	BSDD0184	121.00	122.00	1.00	5.688	2.00 m @ 3.00 g/t Au	6.0	1.00 m @ 5.69 g/t Au
BST1	BSDD0184	122.00	123.00	1.00	0.319			
BST1	BSDD0184	165.00	166.00	1.00	0.145			
BST1	BSDD0184	170.00	171.00	1.00	0.582	1.00 m @ 0.58 g/t Au	0.6	
BST1	BSDD0184	193.00	194.00	1.00	0.519	1.00 m @ 0.52 g/t Au	0.5	
BST1	BSDD0184	197.00	198.00	1.00	1.126	1.00 m @ 1.13 g/t Au	1.1	1.00 m @ 1.13 g/t Au
BST1	BSDD0185	0.00	1.50	1.50	0.410			
BST1	BSDD0185	1.50	2.53	1.03	0.240	2.53 m @ 0.34 g/t Au	0.9	
BST1	BSDD0185	3.81	4.50	0.69	0.270			
BST1	BSDD0185	4.50	6.00	1.50	0.380			
BST1	BSDD0185	6.00	7.50	1.50	0.320	6.06 m @ 0.42 g/t Au	2.5	
BST1	BSDD0185	7.50	9.00	1.50	0.310			
BST1	BSDD0185	9.00	9.87	0.87	0.950			
BST1	BSDD0185	12.00	13.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0185	13.50	15.00	1.50	0.100			
BST1	BSDD0185	16.50	18.00	1.50	0.420			
BST1	BSDD0185	18.00	19.50	1.50	0.040	4.50 m @ 1.48 g/t Au	6.6	
BST1	BSDD0185	19.50	21.00	1.50	3.970			1.50 m @ 3.97 g/t Au
BST1	BSDD0185	50.00	51.00	1.00	0.240			
BST1	BSDD0185	51.00	52.00	1.00	0.300	2.00 m @ 0.27 g/t Au	0.5	
BST1	BSDD0185	56.00	57.00	1.00	0.430	1.00 m @ 0.43 g/t Au	0.4	
BST1	BSDD0185	63.00	64.00	1.00	0.430			
BST1	BSDD0185	64.00	65.00	1.00	0.090	3.00 m @ 0.49 g/t Au	1.5	
BST1	BSDD0185	65.00	66.00	1.00	0.950			
BST1	BSDD0185	66.00	67.00	1.00	0.100			
BST1	BSDD0185	72.82	74.00	1.18	0.410	1.18 m @ 0.41 g/t Au	0.5	
BST1	BSDD0185	78.39	79.00	0.61	0.130			
BST1	BSDD0185	81.00	82.00	1.00	0.890	1.00 m @ 0.89 g/t Au	0.9	
BST1	BSDD0185	90.00	90.80	0.80	0.550	0.80 m @ 0.55 g/t Au	0.4	

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration and development company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 4.38 Moz gold resources coming from two gold projects, the 3.22 Moz Boundiali Gold Project and the 1.16 Moz Napié Gold Project. Aurum has 16 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Group Mineral Resources and Reserves

The Mineral Resources and Ore Reserves are reported in accordance with the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). The Mineral Resources are inclusive of the Ore Reserves. All figures are reported on a dry mass basis at 100% equity interest. Rounding may cause minor computational discrepancies. Ore Reserves are not precise calculations.

Table 5: Group Mineral Resources as at 30 June 2026 (figures may not add up due to appropriate rounding)

Project	Cut-off	Category	Tonnes (Mt)	Grade (g/t Au)	Gold (Moz)
Boundiali	0.4 g/t Au above 300m depth and 1.5 g/t below 300m depth	Indicated	54.5	1.0	1.70
		Inferred	52.9	0.9	1.52
		Total	107.5	1.0	3.22
Napié	0.3 g/t Au above 300m depth and 1.0 g/t below 300m depth	Indicated	8.9	1.2	0.35
		Inferred	21.2	1.2	0.82
		Total	30.0	1.2	1.16
Group		Indicated	63.4	1.0	2.05
		Inferred	74.1	1.0	2.34
		Total	137.5	1.0	4.38

There are no Measured Mineral Resources. Boundiali: drilling effective date 30 April 2026; Napié: drilling effective date 6 February 2026. Both projects are in Côte d'Ivoire, West Africa.

Table 6: Group Ore Reserves as at 30 June 2026 (figures may not add up due to appropriate rounding)

Mining area	Category	Tonnes (Mt)	Grade (g/t Au)	Gold (koz)
BDT1	Probable	10.3	1.0	323
BDT2	Probable	17.5	0.6	354
BMT3	Probable	8.8	1.4	383
BST	Probable	5.5	0.8	145
Total	Probable	42.1	0.9	1,210

There are no Proved Ore Reserves. All Ore Reserves are at the Boundiali Gold Project, Côte d'Ivoire, based on drilling effective date 30 April 2026.

Boundiali Gold Project (3.22 Moz)

The flagship Boundiali Gold Project is comprised of seven neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine in Mali and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 6Moz Koné project located to the south. Atlantic Group's Tongon mine (5.0Moz) is located to the northeast:

BM gold project JV 80% interest - PR893 ("BM"), 400km²

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):



- 80% if local partner contributes 11% capex
- 85% if local partner does not contribute capex – they go to 5% free carry
- 88% if local partner sells us 3% of their interest they go to 2% free carry.

BD gold project JV 80% interest - PR808 ("BD"), 260km²

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry.

BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km²

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025*
- 90% interest in future gold production company (Government receives 10% free carry from Aurum interest).

BN gold project JV - PR283 ("BN"), 208.87km²

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of licence grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of licence grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation licence, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%).

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km² are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its Boundiali Gold Project.
- Staged earn-in agreement aligns expenditure with milestones for each permit area:
 - Path to 51% interest: 4,000m diamond drilling
 - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Exploration permit PR1069 (granted on 21/7/2026), 114.53km², is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its Boundiali Gold Project
- Application (No. 0793), 99.12km², is strategically located on the immediate west of the Napié gold project, offering growth potential for its Napié Gold Project

- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
 - Path to 51% interest in an exploration permit: Either USD1.5 million nominal expenditure or 7,000m diamond drilling.
 - Path to 80% interest in an exploration permit: Either USD3.0 million nominal expenditure or 15,000m diamond drilling
 - Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
 - 85.5~87% interest in a future production mine.

Mako Gold Pty Ltd (1.16Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 1.16Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths.

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- Samples were collected using diamond drilling techniques generally angled at -50° to -70° on an azimuth designed to optimally intersect the mineralised zones. - Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically, the core was sampled to geological intervals as defined by the geologist within the sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site. - Sampling and QAQC procedures were carried out to industry standards. - Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Company employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamoussoukro for analysis via 500g Photon Assay.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource	All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content

Criteria	JORC Code explanation	Commentary
	estimation, mining studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	were recorded. Metallurgical, Geotechnical and structural data has been recorded - Photography and recovery measurements were carried out by assistants under a geologist's supervision. - All drill holes were logged in full. - Logging was qualitative and quantitative in nature.
Sub-sampling techniques and sample preparation	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. - For all sample types, the nature, quality and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. - Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	- NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the sample intervals utilised. All samples were collected from the same side of the core. - The entire sample was crushed to 70% passing 2mm. - Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks. - Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd, - Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled. - Coarse blank samples: Inserted 1 in every 20 samples - Laboratory Internal Duplicates and Standards - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold
Quality of assay data and laboratory tests	- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. - For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. - Nature of quality control procedures adopted (eg standards, blanks,	The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of

Criteria	JORC Code explanation	Commentary
	<i>duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i>	gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting. • No geophysical tools were used to determine any element concentrations used for this report. • Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client. • The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).
• Verification of sampling and assaying	• The verification of significant intersections by either independent or alternative company personnel. • The use of twinned holes. • Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. • Discuss any adjustment to assay data.	• No holes have been twinned • No adjustment to assay data • Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format. • Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.
• Location of data points	• Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Specification of the grid system used. • Quality and adequacy of topographic control.	• DD collar positions were initially located using a handheld GPS with a location error of +/-3m. • The datum employed is WGS84, Zone 29 • All drill hole locations are then surveyed utilising the differential GPS methods by both company and third-party surveyors. • DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	<i>Data spacing for reporting of Exploration Results.</i> <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> <i>Whether sample compositing has been applied.</i>	<i>Drillholes were completed on variable line spacings (from 100m to 50m) and orientations.</i> <i>The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures.</i> <i>The samples were not composited prior to assay.</i>
Orientation of data in relation to geological structure	<i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	<i>Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.</i>
Sample security	<i>The measures taken to ensure sample security.</i>	<i>Chain of custody is managed by the Companies senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were handed over to the laboratory by company geologists. Company employees have no further involvement in the preparation or analysis of the samples.</i>
Audits or reviews	<i>The results of any audits or reviews of sampling techniques and data.</i>	<i>Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.</i>

Section 2 of the JORC Code, 2012 Edition – Table 1

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- Exploration results are from the Boundiali project area - PR893 (BM), 400km², holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km², holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner. - There are no impediments to working in the area.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	Exploration work undertaken prior to Aurum was undertaken by Predictive Discovery, Turaco Gold and comprised drilling, soil sampling and airborne geophysics.
Geology	Deposit type, geological setting and style of mineralisation.	- The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué-Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N. - The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone or hosted in a diorite emplaced between volcanic and sedimentary rocks. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts showing evidence of

Criteria	JORC Code explanation	Commentary
		shearing. Free gold is frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite. Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.
Drill hole information	- A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	Drill hole locations shown in figure in main body of announcement and all locations and dip/azimuth details are provided in tables in the announcement.
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values	- All mineralised and significantly anomalous intercepts of >0.2 g/t gold are reported in Table 2, calculated as downhole lengths using a 0.2 g/t Au lower cut-off with up to 3m of consecutive internal dilution and no top cut applied. Higher-grade intercepts calculated on the same basis at a 1.0 g/t Au lower cut-off are reported alongside them. - Metal equivalent values are not being reported.

Criteria	JORC Code explanation	Commentary
	<i>should be clearly stated.</i>	
Relationship between mineralisation widths and intercept lengths	- These relationships are particularly important in the reporting of Exploration Results. - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	- True widths are estimated at approximately 60–85% of reported downhole, based on the interpreted geometry of the mineralised zones. - The holes were drilled to test a steeply east/west dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Appropriate diagrams relevant to material results are shown in the body of this announcement.
Balanced Reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	All mineralised and significantly anomalous intercepts of >0.2 g/t gold are reported in Table 2, calculated as downhole lengths using a 0.2 g/t Au lower cut-off with up to 3m of consecutive internal dilution and no top cut applied. Higher-grade intercepts calculated on the same basis at a 1.0 g/t Au lower cut-off are reported alongside them.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	All relevant exploration data is either reported in this announcement or has been reported previously and is referred to in the announcement.
Further work	- The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	- The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs. - Diagrams included in body of report as deemed appropriate by competent person