

05 March 2026

Aurum returns high-grade gold intercepts at Napié Gold Project, Côte d'Ivoire

Aurum Resources (ASX: AUE, "Aurum" or "the Company") has confirmed multiple broad, shallow, high-grade gold intercepts from its ongoing 30,000m diamond drilling program at the 0.87Moz Napié Gold Project¹, Côte d'Ivoire. These results focus on the Tchaga (0.54Moz @ 1.16 g/t Au) and Gogbala (0.32Moz @ 1.29 g/t Au) deposits and provide the final data ahead of the upcoming Napié Mineral Resource Estimate (MRE) update.

Encouraging new drill intercepts at the Napié Gold Project include²:

- **Gogbala Deposit:**
 - **19.00m @ 5.16 g/t Au** from 146.00m inc. **14.00m @ 6.76 g/t Au** (NADD100)
 - **21.00m @ 2.01 g/t Au** from 157.00m inc. **10.00m @ 3.87 g/t Au** (NADD103)
 - **6.00m @ 4.17 g/t Au** from 42.00m inc. **1.00m @ 19.92 g/t Au** (NADD095)
 - **10.00m @ 1.46 g/t Au** from 82.00m inc. **1.00m @ 9.73 g/t Au** (NADD104)
 - **6.00m @ 1.85 g/t Au** from 25.00m inc. **2.00m @ 4.80 g/t Au** (NADD095)
- **Tchaga Deposit:**
 - **18.90m @ 2.59 g/t Au** from 176.10m inc. **5.90m @ 7.33 g/t Au** (NADD089)
 - **28.00m @ 1.48 g/t Au** from 233.00m inc. **3.00m @ 4.29 g/t Au** (NADD091)
 - **20.00m @ 1.34 g/t Au** from 183.15m inc. **6.25m @ 2.28 g/t Au** (NADD088).

Exploration Growth & Project Development:

- **Group Inventory tracking toward 4Moz:** Group gold resources currently stand at **3.90Moz** (Boundiali 3.03Moz³; Napié 0.87Moz).
- **Dual-Asset Growth Strategy:** 130,000m of diamond drilling planned for CY2026 (100,000m at Boundiali; 30,000m at Napié) to fast-track both projects.
- **Boundiali Pre-Feasibility Study:** PFS is in the final stages to define the **optimised scale** of the project. Following the recent 3.03Moz MRE update, a CP mining engineer will visit Boundiali to confirm site layout and production schedules, with PFS delivery now expected in April 2026.
- **Napié Standalone Potential:** Recent shallow, wide, high-grade results support a strategy to grow the Napié resource base toward the critical mass required for independent processing infrastructure.
- **Owner-Operator Advantage:** Aurum's fleet of 12 in-house diamond drill rigs drives aggressive growth, delivering cost-effective discovery through an owner-operator drilling model.
- **Strong balance sheet:** Well-funded with \$40.2M cash (as of 31 Dec 2025, unaudited), providing the financial strength to execute this dual-project growth strategy.

Aurum's Managing Director Dr. Caigen Wang said: *"This latest round of step-back diamond drilling at Napié continues to deliver broad, shallow, open-pitiable intercepts, confirming the system's potential for substantial resource growth. These results are a direct testament to our unique operational model; by owning and operating our own fleet of 12 diamond drill rigs, we have rapidly scaled our Group Resource to 3.90Moz gold in just 26 months."*

¹ "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au

² Refer to tables accompanying this report for collar location information and assay results for the new drilling

³ "Boundiali Resource Grows to 3Moz - Indicated Up 49%" released to the Australian Securities Exchange on 23 February 2026 and available to view on www.asx.com.au



Our objective is to build a substantial multi-asset gold business in Côte d'Ivoire. While our near-term focus is the development of our Boundiali Project, the scale and grade continuity we are seeing at Napié – following our acquisition of Mako – suggests that it too has the potential to grow into a second major production pillar.

With the Napié MRE update pending, we are targeting a global inventory milestone of >4Moz this quarter. Our aggressive 130,000m drilling program is already underway for CY2026, supported by a strong \$40.2M balance sheet and a clear development pathway through the Boundiali PFS. We will be hosting our CP mining engineer to site this month as the team ensure PFS technical parameters are refined following recent resource growth.

Aurum is positioned to advance from explorer to developer throughout this pivotal transition year."

New Drilling – Napié Gold Project⁴

Aurum is reporting new assay results from step-back diamond drilling (26 holes for 8,021.55m). These results are from the **Tchaga** (15 holes for 4,777.15m) and **Gogbala** (11 holes for 3,244.40m) deposits located on the **Napié** tenement (90% interest).

Latest Drill Results

Better intercepts from drilling include⁵:

- **Gogbala Deposit:**
 - **19.00m @ 5.16 g/t Au** from 146.00m inc. **14.00m @ 6.76 g/t Au** (NADD100)
 - **21.00m @ 2.01 g/t Au** from 157.00m inc. **10.00m @ 3.87 g/t Au** (NADD103)
 - **6.00m @ 4.17 g/t Au** from 42.00m inc. **1.00m @ 19.92 g/t Au** (NADD095)
 - **10.00m @ 1.46 g/t Au** from 82.00m inc. **1.00m @ 9.73 g/t Au** (NADD104)
 - **6.00m @ 1.85 g/t Au** from 25.00m inc. **2.00m @ 4.80 g/t Au** (NADD095).
- **Tchaga Deposit:**
 - **18.90m @ 2.59 g/t Au** from 176.10m inc. **5.90m @ 7.33 g/t Au** (NADD089)
 - **28.00m @ 1.48 g/t Au** from 233.00m inc. **3.00m @ 4.29 g/t Au** (NADD091)
 - **41.30m @ 0.66 g/t Au** from 301.70m inc. **2.00m @ 2.92 g/t Au** (NADD087)
 - **20.00m @ 1.34 g/t Au** from 183.15m inc. **6.25m @ 2.28 g/t Au** (NADD088).

These new results are in addition to results previously reported⁶ by Mako Gold⁷ and Aurum, which included:

- **Tchaga Deposit:**
 - **13m at 20.82 g/t Au** from 32m (NARC145)
 - **9m at 22.73 g/t Au** from 36m within **32m at 7.10 g/t Au** from 13m (NARC184)
 - **10m at 18.98 g/t Au** from 7m (NARC486)
 - **41m at 4.51 g/t Au** from 17m (NARC216)
 - **28m @ 4.86 g/t Au** from 83m (NARC057)
 - **17m @ 9.38 g/t Au** from 236m inc. **3m @ 49.46 g/t Au** inc. **1m @ 143.58 g/t Au** (NADD053)
 - **26m at 4.34 g/t Au** from surface (NARC214)
 - **36m @ 3.09 g/t Au** from 43m (NARC107DD)

⁴ Refer to About Aurum

⁵ Refer to Table 1 for collar information and Table 2 for assay results for the new drilling

⁶ Refer to Compliance Statement for details on previous reporting on ASX

⁷ Wholly owned subsidiary of Aurum Resources

- **5m @ 21.99 g/t Au** from 70m (NARC243)
- **7.70m @ 11.65 g/t Au** from 169m (NARC058DD)
- **25m @ 3.43 g/t Au** from 53m (NARC017)
- **19.60m @ 4.36 g/t Au** from 187.40m (NARC621DD).

- **Gogbala Deposit:**
 - **11.20m @ 7.40 g/t Au** from 172m (NARC294DD)
 - **17m @ 4.13 g/t Au** from 57m (NARC660)
 - **20m @ 3.41 g/t Au** from 19m (NARC531)
 - **12m @ 5.39 g/t Au** from 11m (NARC035)
 - **35m @ 1.72 g/t Au** from 43m (NARC553)
 - **4m @ 14.78 g/t Au** from 93m (NARC668)
 - **7m @ 6.70 g/t Au** from 6m (NARC518)
 - **13m @ 3.34 g/t Au** from 168m (NARC712)
 - **23m @ 1.81 g/t Au** from 19m (NARC535).

The Napié Project is located within the Lower Proterozoic Birimian Daloa greenstone belt in Côte d'Ivoire. The style of mineralisation sought is structurally controlled orogenic gold, within an interpreted shear zone related to a regional-scale shear and secondary splays.

Napié's **Tchaga** and **Gogbala** deposits are located along a 23km long +40ppb gold soil/auger anomaly coincident with a +30km long shear zone, interpreted to be a major control for gold mineralisation. Gold mineralisation is hosted in en-echelon quartz veins and stringers and the surrounding silicified, sericite, iron-carbonate, pyrite (+/- galena and chalcopyrite) alteration halo. Mineralisation is present in all lithologies (felsic to mafic volcanoclastics, volcanic breccias and conglomerates and to a lesser extent in felsic and mafic intrusives).

Drilling is ongoing at **Tchaga** and **Gogbala** with further results expected throughout the year. True widths for these shallow, wide gold intercepts are estimated at about 65% - 80% of reported downhole lengths.

Details of drill collar location and assay results and intercepts for the new drilling at **Tchaga** and **Gogbala** can be found in Table 1 and Table 2 respectively. Plans showing location of the Napié Gold Project and the assay results are presented in the following figures. General locations in Figure 1 and Figure 2, and project details in Figure 3. Detailed plans showing results for **Tchaga** and **Gogbala** are presented in Figure 4 and Figure 6 respectively. Oblique cross section views showing examples of the latest drill results are presented in Figure 5 and Figure 7 respectively.

Gold mineralisation at **Tchaga** and **Gogbala** remains open along strike and at depth on all deposits with drilling ongoing and Aurum is planning further work.



Next Steps

Aurum is leveraging its strong balance sheet and self-owned drill fleet, which is driving the continuous news flow throughout CY2026. The strategy focuses on rapid resource conversion and economic de-risking.

1. Boundiali: Moving to Development

- **PFS Delivery:** Completion of the open-pit Pre-Feasibility Study is expected in April 2026.
- **Drilling (100,000m):** Up to 12 diamond rigs will continue testing strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Updates:** Following the recent delivery of the Mineral Resource Estimate (MRE) update, an additional MRE update is targeted for **Q3 CY 2026**.
- **DFS Transition:** Results from 2026 drilling and the PFS will facilitate progress toward a **Definitive Feasibility Study (DFS)** in late 2026.

2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program is ongoing to grow the existing 0.87Moz gold resource.
- **Q1 MRE Update:** An updated MRE for the Napié Gold Project is scheduled for release this Quarter.

3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new targets identified via soil anomalies and geological mapping.
- **Early-Stage Growth:** Advancement of the **Encore JV** and **Major Star Plus** partnership projects to identify new gold systems.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, and potential Mineral Resource Estimate at the Boundiali and Napié Gold Projects. These statements are based on current expectations and are subject to risks and uncertainties inherent in mineral exploration and mining. Factors that could cause actual results to differ materially include exploration risks, drilling results, resource estimation, gold prices, operational risks, regulatory changes, and broader economic conditions. Investors should not place undue reliance on these forward-looking statements.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a non-executive Director of the Company since 1 February 2024 and joined as an executive Director on 1 June 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this presentation.

COMPLIANCE STATEMENT

The information in this presentation that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)" released to the Australian Securities Exchange on 23 February 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

| | |
|---|---|
| 23 Feb 2026, Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE) | 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE) |
| 16 Feb 2026, Boundiali extends strike and depth at BDT3 and BST1 (ASX:AUE) | 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE) |
| 5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE) | 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE) |
| 29 Jan 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE) | 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE) |
| 28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE) | 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE) |
| 16 Jan 2026, Aurum appoints Mr. Richard Simpson Chairman of the Company (ASX:AUE) | 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE) |
| 15 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE) | 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE) |
| 7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE) | 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE) |
| 19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE) | 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE) |
| 11 Dec 2025, Drilling at Napié Extends Gold Mineralisation to 400m Depth (ASX:AUE) | 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE) |
| 28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE) | 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE) |
| 18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE) | 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3 |
| 07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE) | 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG) |
| 06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE) | 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE) |
| 30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE) | 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE) |
| 27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE) | 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE) |
| 06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE) | 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE) |
| 29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE) | 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE) |
| 10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napié (ASX:AUE) | 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE) |
| 01 Sep 2025, Aurum expands footprint of Boundiali and Napié Gold Projects (ASX:AUE) | 30 Oct 2024, Bidders Statement (ASX:AUE) |
| 05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE) | 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE) |
| 29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE) | 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE) |
| 25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE) | 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE) |
| 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE) | 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE) |
| 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE) | 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE) |
| 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE) | 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE) |
| 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE) | 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE) |
| 27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE) | 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE) |
| 21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE) | 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE) |
| 13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE) | 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE) |
| 13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE) | 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE) |
| 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE) | 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE) |
| 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE) | 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE) |
| 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE) | 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE) |
| 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE) | 12 March 2024, AUE hits 73m at 2.15g/t inc. 1m at 72g/t gold at Boundiali (ASX:AUE) |
| 27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE) | 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE) |
| 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE) | 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE) |
| 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE) | 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE) |
| 7 Mar 25, Investor Presentation March 2025 (ASX:AUE) | 21 November 2023, AUE Acquisition Presentation (ASX:AUE) |
| 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE) | 21 June 2021, Notice of General Meeting/Proxy Form (MSR,ASX) |
| 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE) | 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR,ASX) |
| 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE) | 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI,ASX) |
| 4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE) | 15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI,ASX) |
| 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE) | 27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI,ASX) |
| 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE) | 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI,ASX) |
| 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE) | 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI,ASX) |

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 3: Aurum's Napié Gold Project




Figure 4: Plan view showing new drill results (yellow) for Tchaga⁸

⁸ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of intercepts included in table.




Figure 5: Oblique Cross Section looking northeast (+/-25m) showing new drill results (yellow) for Tchaga⁹

⁹ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of intercepts included in table.




Figure 6: Plan view showing new drill results (yellow) for Gogbala¹⁰

¹⁰ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of intercepts included in table.




Figure 7: Oblique Cross Section looking northeast (+/-25m) showing new drill results (yellow) for Gogbala¹¹

¹¹ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of intercepts included in table.

Table 1: Drill collar information for new holes drilled at Napié

| Hole ID | UTM East Zone 30N | UTM North Zone 30N | Elevation (m) | Depth (m) | Dip deg | Azi deg | Deposit | Type |
|-----------------|-------------------|--------------------|---------------|------------------|---------|---------|------------------|-----------|
| NADD078 | 227,547 | 1,011,399 | 308 | 351.30 | -58 | 135 | Tchaga | DD |
| NADD079 | 227,777 | 1,012,005 | 303 | 405.45 | -58 | 135 | Tchaga | DD |
| NADD081 | 227,438 | 1,010,364 | 284 | 367.30 | -60 | 135 | Tchaga | DD |
| NADD082 | 227,556 | 1,010,531 | 283 | 452.75 | -58 | 135 | Tchaga | DD |
| NADD083 | 227,708 | 1,010,376 | 283 | 301.00 | -60 | 135 | Tchaga | DD |
| NADD084 | 227,751 | 1,010,476 | 282 | 250.30 | -60 | 135 | Tchaga | DD |
| NADD085 | 227,290 | 1,010,320 | 283 | 200.40 | -60 | 135 | Tchaga | DD |
| NADD086 | 227,350 | 1,010,460 | 284 | 202.35 | -60 | 135 | Tchaga | DD |
| NADD087 | 227,756 | 1,010,896 | 294 | 408.50 | -65 | 135 | Tchaga | DD |
| NADD088 | 227,692 | 1,010,538 | 283 | 403.05 | -60 | 135 | Tchaga | DD |
| NADD089 | 227,868 | 1,011,276 | 304 | 361.35 | -60 | 135 | Tchaga | DD |
| NADD090 | 227,822 | 1,010,691 | 288 | 302.60 | -60 | 135 | Tchaga | DD |
| NADD091 | 227,868 | 1,011,421 | 305 | 360.50 | -60 | 135 | Tchaga | DD |
| NADD092 | 227,390 | 1,010,555 | 285 | 209.10 | -60 | 90 | Tchaga | DD |
| NADD093 | 227,402 | 1,010,700 | 288 | 201.20 | -60 | 90 | Tchaga | DD |
| 15 holes | | | | 4,777.15m | | | Sub total | |
| NADD094 | 225,383 | 1,003,721 | 294 | 357.45 | -57 | 135 | Gogbala | DD |
| NADD095 | 225,447 | 1,003,764 | 292 | 298.70 | -57 | 135 | Gogbala | DD |
| NADD096 | 225,287 | 1,003,923 | 291 | 347.60 | -57 | 135 | Gogbala | DD |
| NADD098 | 225,313 | 1,003,960 | 290 | 351.60 | -60 | 135 | Gogbala | DD |
| NADD099 | 225,346 | 1,003,965 | 289 | 300.80 | -60 | 135 | Gogbala | DD |
| NADD100 | 225,437 | 1,004,007 | 288 | 264.75 | -60 | 135 | Gogbala | DD |
| NADD101 | 225,420 | 1,004,083 | 290 | 346.00 | -60 | 135 | Gogbala | DD |
| NADD102 | 225,402 | 1,004,044 | 289 | 330.15 | -60 | 135 | Gogbala | DD |
| NADD103 | 225,412 | 1,003,982 | 288 | 275.25 | -60 | 135 | Gogbala | DD |
| NADD104 | 225,588 | 1,004,311 | 302 | 216.75 | -60 | 135 | Gogbala | DD |
| NADD105 | 225,692 | 1,004,410 | 299 | 155.35 | -60 | 135 | Gogbala | DD |
| 11 holes | | | | 3,244.40m | | | Sub total | |
| 26 holes | | | | 8,021.55m | | | TOTAL | DD |

Table 2: Significant assay results for new holes drilled at Napié¹²

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|--------------|----------------------|----------------|----------------------|
| NADD078 | 18.60 | 19.40 | 0.80 | 0.125 | | | |
| NADD078 | 19.40 | 20.20 | 0.80 | 0.187 | | | |
| NADD078 | 20.20 | 21.10 | 0.90 | 0.502 | 0.90 m @ 0.50 g/t Au | 0.5 | |
| NADD078 | 52.70 | 53.70 | 1.00 | 0.127 | | | |
| NADD078 | 53.70 | 54.70 | 1.00 | 0.111 | | | |
| NADD078 | 60.70 | 61.55 | 0.85 | 0.464 | 0.85 m @ 0.46 g/t Au | 0.4 | |
| NADD078 | 71.00 | 72.20 | 1.20 | 0.143 | | | |
| NADD078 | 89.20 | 90.30 | 1.10 | 0.169 | | | |
| NADD078 | 92.50 | 93.60 | 1.10 | 0.278 | 1.10 m @ 0.28 g/t Au | 0.3 | |
| NADD078 | 110.00 | 111.00 | 1.00 | 0.309 | 1.00 m @ 0.31 g/t Au | 0.3 | |
| NADD078 | 116.00 | 117.00 | 1.00 | 0.133 | | | |
| NADD078 | 118.90 | 120.25 | 1.35 | 0.739 | 1.35 m @ 0.74 g/t Au | 1.0 | |
| NADD078 | 134.00 | 135.00 | 1.00 | 0.375 | 1.00 m @ 0.38 g/t Au | 0.4 | |
| NADD078 | 135.00 | 136.00 | 1.00 | 0.162 | | | |
| NADD078 | 173.00 | 173.75 | 0.75 | 0.245 | 0.75 m @ 0.24 g/t Au | 0.2 | |
| NADD078 | 183.00 | 184.00 | 1.00 | 0.245 | 1.00 m @ 0.24 g/t Au | 0.2 | |
| NADD078 | 198.40 | 199.50 | 1.10 | 0.118 | | | |
| NADD078 | 208.00 | 209.00 | 1.00 | 0.281 | 1.00 m @ 0.28 g/t Au | 0.3 | |
| NADD078 | 211.00 | 212.00 | 1.00 | 0.165 | | | |
| NADD078 | 212.00 | 213.00 | 1.00 | 0.275 | 1.00 m @ 0.28 g/t Au | 0.3 | |
| NADD078 | 227.00 | 228.00 | 1.00 | 0.533 | | | |
| NADD078 | 228.00 | 229.00 | 1.00 | 0.573 | | | |
| NADD078 | 229.00 | 230.00 | 1.00 | 0.331 | 4.10 m @ 0.52 g/t Au | 2.1 | |
| NADD078 | 230.00 | 231.10 | 1.10 | 0.640 | | | |
| NADD078 | 231.10 | 232.20 | 1.10 | 0.184 | | | |
| NADD078 | 254.80 | 255.90 | 1.10 | 0.111 | | | |
| NADD078 | 278.00 | 279.00 | 1.00 | 0.364 | 1.00 m @ 0.36 g/t Au | 0.4 | |
| NADD078 | 281.00 | 282.15 | 1.15 | 0.287 | 1.15 m @ 0.29 g/t Au | 0.3 | |
| NADD078 | 307.80 | 308.90 | 1.10 | 0.116 | | | |
| NADD078 | 311.00 | 312.00 | 1.00 | 0.378 | | | |
| NADD078 | 312.00 | 313.10 | 1.10 | 0.116 | | | |
| NADD078 | 313.10 | 314.20 | 1.10 | 0.203 | 5.40 m @ 0.24 g/t Au | 1.3 | |
| NADD078 | 314.20 | 315.30 | 1.10 | 0.193 | | | |
| NADD078 | 315.30 | 316.40 | 1.10 | 0.330 | | | |
| NADD078 | 320.80 | 321.90 | 1.10 | 0.635 | 2.20 m @ 1.49 g/t Au | 3.3 | |
| NADD078 | 321.90 | 323.00 | 1.10 | 2.339 | | | 1.10 m @ 2.34 g/t Au |
| NADD078 | 329.00 | 330.00 | 1.00 | 0.198 | | | |
| NADD078 | 330.00 | 331.00 | 1.00 | 2.257 | 1.00 m @ 2.26 g/t Au | 2.3 | 1.00 m @ 2.26 g/t Au |
| NADD078 | 331.00 | 332.00 | 1.00 | 0.148 | | | |
| NADD078 | 339.30 | 340.25 | 0.95 | 0.189 | | | |
| NADD079 | 63.00 | 64.00 | 1.00 | 0.135 | | | |
| NADD079 | 208.00 | 209.10 | 1.10 | 0.159 | | | |
| NADD079 | 211.30 | 212.30 | 1.00 | 0.433 | 1.00 m @ 0.43 g/t Au | 0.4 | |
| NADD079 | 238.70 | 239.70 | 1.00 | 0.100 | | | |

¹² 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au | |
|---------|--------|--------|----------|--------------|------------------------------|----------------|-----------------------------|-----------------------------|
| NADD079 | 242.60 | 243.70 | 1.10 | 0.155 | | | | |
| NADD079 | 263.40 | 264.50 | 1.10 | 1.501 | 20.60 m @ 0.36 g/t Au | 7.5 | 1.10 m @ 1.50 g/t Au | |
| NADD079 | 264.50 | 265.50 | 1.00 | 0.055 | | | | |
| NADD079 | 265.50 | 266.40 | 0.90 | 0.170 | | | | |
| NADD079 | 266.40 | 267.40 | 1.00 | 0.378 | | | | |
| NADD079 | 267.40 | 268.40 | 1.00 | 0.458 | | | | |
| NADD079 | 268.40 | 269.40 | 1.00 | 0.015 | | | | |
| NADD079 | 269.40 | 270.30 | 0.90 | 0.079 | | | | |
| NADD079 | 270.30 | 271.15 | 0.85 | 0.018 | | | | |
| NADD079 | 271.15 | 272.15 | 1.00 | 0.572 | | | | |
| NADD079 | 272.15 | 272.75 | 0.60 | 0.584 | | | | |
| NADD079 | 272.75 | 273.30 | 0.55 | 0.394 | | | | |
| NADD079 | 273.30 | 274.20 | 0.90 | 0.015 | | | | |
| NADD079 | 274.20 | 275.00 | 0.80 | 0.008 | | | | |
| NADD079 | 275.00 | 276.00 | 1.00 | 0.022 | | | | |
| NADD079 | 276.00 | 277.00 | 1.00 | 0.271 | | | | |
| NADD079 | 277.00 | 278.00 | 1.00 | 0.224 | | | | |
| NADD079 | 278.00 | 279.00 | 1.00 | 0.578 | | | | |
| NADD079 | 279.00 | 280.00 | 1.00 | 1.014 | | | | 1.00 m @ 1.01 g/t Au |
| NADD079 | 280.00 | 281.00 | 1.00 | 0.791 | | | | |
| NADD079 | 281.00 | 282.00 | 1.00 | 0.018 | | | | |
| NADD079 | 282.00 | 283.00 | 1.00 | 0.041 | | | | |
| NADD079 | 283.00 | 284.00 | 1.00 | 0.593 | | | | |
| NADD079 | 284.00 | 285.00 | 1.00 | 0.182 | | | | |
| NADD079 | 313.00 | 314.00 | 1.00 | 0.199 | | | | |
| NADD079 | 324.40 | 325.20 | 0.80 | 0.144 | | | | |
| NADD079 | 326.00 | 327.00 | 1.00 | 0.117 | | | | |
| NADD079 | 327.00 | 328.00 | 1.00 | 0.305 | 3.00 m @ 0.56 g/t Au | 1.7 | | |
| NADD079 | 328.00 | 329.00 | 1.00 | 0.843 | | | | |
| NADD079 | 329.00 | 330.00 | 1.00 | 0.523 | | | | |
| NADD079 | 333.40 | 334.30 | 0.90 | 0.791 | 0.90 m @ 0.79 g/t Au | 0.7 | | |
| NADD081 | 95.00 | 96.00 | 1.00 | 0.542 | 1.00 m @ 0.54 g/t Au | 0.5 | | |
| NADD081 | 126.00 | 127.00 | 1.00 | 0.120 | | | | |
| NADD081 | 137.00 | 138.00 | 1.00 | 0.173 | | | | |
| NADD081 | 140.80 | 141.60 | 0.80 | 0.190 | | | | |
| NADD081 | 141.60 | 142.70 | 1.10 | 0.100 | | | | |
| NADD081 | 158.00 | 159.00 | 1.00 | 0.112 | | | | |
| NADD081 | 165.40 | 166.50 | 1.10 | 0.208 | 3.10 m @ 0.34 g/t Au | 1.0 | | |
| NADD081 | 166.50 | 167.50 | 1.00 | 0.327 | | | | |
| NADD081 | 167.50 | 168.50 | 1.00 | 0.487 | | | | |
| NADD081 | 176.00 | 177.00 | 1.00 | 0.152 | | | | |
| NADD081 | 214.50 | 215.50 | 1.00 | 0.252 | 3.00 m @ 0.51 g/t Au | 1.5 | | |
| NADD081 | 215.50 | 216.50 | 1.00 | 0.621 | | | | |
| NADD081 | 216.50 | 217.50 | 1.00 | 0.644 | | | | |
| NADD081 | 221.50 | 222.50 | 1.00 | 0.149 | | | | |
| NADD081 | 246.00 | 247.00 | 1.00 | 0.107 | | | | |
| NADD081 | 248.90 | 249.60 | 0.70 | 1.204 | 1.35 m @ 1.13 g/t Au | 1.5 | 1.35 m @ 1.13 g/t Au | |
| NADD081 | 249.60 | 250.25 | 0.65 | 1.055 | | | | |
| NADD081 | 271.00 | 272.00 | 1.00 | 0.228 | 1.00 m @ 0.23 g/t Au | 0.2 | | |
| NADD081 | 272.00 | 273.00 | 1.00 | 0.106 | | | | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|--------------|-----------------------------|----------------|-----------------------------|
| NADD081 | 277.00 | 278.00 | 1.00 | 0.156 | | | |
| NADD081 | 287.00 | 288.00 | 1.00 | 0.108 | | | |
| NADD081 | 288.00 | 289.00 | 1.00 | 0.189 | | | |
| NADD081 | 291.00 | 292.00 | 1.00 | 0.301 | 1.00 m @ 0.30 g/t Au | 0.3 | |
| NADD081 | 295.00 | 296.00 | 1.00 | 0.173 | | | |
| NADD081 | 297.00 | 298.00 | 1.00 | 0.207 | 2.00 m @ 0.28 g/t Au | 0.6 | |
| NADD081 | 298.00 | 299.00 | 1.00 | 0.359 | | | |
| NADD081 | 299.00 | 300.00 | 1.00 | 0.113 | | | |
| NADD081 | 313.45 | 314.45 | 1.00 | 0.117 | | | |
| NADD081 | 314.45 | 315.45 | 1.00 | 9.747 | 1.00 m @ 9.75 g/t Au | 9.7 | 1.00 m @ 9.75 g/t Au |
| NADD081 | 315.45 | 316.45 | 1.00 | 0.184 | | | |
| NADD081 | 317.40 | 318.50 | 1.10 | 0.110 | | | |
| NADD081 | 325.60 | 326.70 | 1.10 | 0.121 | | | |
| NADD081 | 327.80 | 328.90 | 1.10 | 0.106 | | | |
| NADD081 | 331.00 | 332.00 | 1.00 | 0.234 | 1.00 m @ 0.23 g/t Au | 0.2 | |
| NADD081 | 333.00 | 334.10 | 1.10 | 0.313 | 1.10 m @ 0.31 g/t Au | 0.3 | |
| NADD081 | 337.55 | 338.60 | 1.05 | 0.258 | 1.05 m @ 0.26 g/t Au | 0.3 | |
| NADD081 | 338.60 | 339.70 | 1.10 | 0.198 | | | |
| NADD081 | 339.70 | 340.80 | 1.10 | 0.142 | | | |
| NADD081 | 341.90 | 343.00 | 1.10 | 0.184 | | | |
| NADD081 | 348.00 | 349.00 | 1.00 | 0.441 | 1.00 m @ 0.44 g/t Au | 0.4 | |
| NADD081 | 358.50 | 359.40 | 0.90 | 0.300 | 0.90 m @ 0.30 g/t Au | 0.3 | |
| NADD082 | 53.30 | 54.60 | 1.30 | 0.174 | | | |
| NADD082 | 77.00 | 78.00 | 1.00 | 0.193 | | | |
| NADD082 | 78.00 | 79.00 | 1.00 | 0.187 | | | |
| NADD082 | 110.00 | 111.00 | 1.00 | 0.207 | 1.00 m @ 0.21 g/t Au | 0.2 | |
| NADD082 | 111.00 | 112.00 | 1.00 | 0.196 | | | |
| NADD082 | 113.00 | 114.00 | 1.00 | 0.175 | | | |
| NADD082 | 145.00 | 146.00 | 1.00 | 0.132 | | | |
| NADD082 | 149.30 | 150.00 | 0.70 | 0.211 | 0.70 m @ 0.21 g/t Au | 0.1 | |
| NADD082 | 151.00 | 152.00 | 1.00 | 0.397 | | | |
| NADD082 | 152.00 | 153.00 | 1.00 | 0.287 | 6.00 m @ 0.20 g/t Au | 1.2 | |
| NADD082 | 153.00 | 154.00 | 1.00 | 0.102 | | | |
| NADD082 | 154.00 | 155.00 | 1.00 | 0.041 | | | |
| NADD082 | 155.00 | 156.00 | 1.00 | 0.145 | | | |
| NADD082 | 156.00 | 157.00 | 1.00 | 0.231 | | | |
| NADD082 | 162.00 | 163.00 | 1.00 | 0.451 | 3.00 m @ 0.25 g/t Au | 0.7 | |
| NADD082 | 163.00 | 164.00 | 1.00 | 0.081 | | | |
| NADD082 | 164.00 | 165.00 | 1.00 | 0.209 | | | |
| NADD082 | 168.20 | 169.00 | 0.80 | 0.104 | | | |
| NADD082 | 181.45 | 182.00 | 0.55 | 0.333 | | | |
| NADD082 | 182.00 | 183.00 | 1.00 | 0.623 | 3.55 m @ 1.41 g/t Au | 5.0 | 1.40 m @ 2.84 g/t Au |
| NADD082 | 183.00 | 184.40 | 1.40 | 2.841 | | | |
| NADD082 | 184.40 | 185.00 | 0.60 | 0.357 | | | |
| NADD082 | 190.00 | 191.00 | 1.00 | 0.200 | 1.00 m @ 0.20 g/t Au | 0.2 | |
| NADD082 | 211.00 | 212.00 | 1.00 | 0.181 | | | |
| NADD082 | 219.00 | 220.00 | 1.00 | 0.111 | | | |
| NADD082 | 221.00 | 222.00 | 1.00 | 0.314 | 1.00 m @ 0.31 g/t Au | 0.3 | |
| NADD082 | 222.00 | 223.00 | 1.00 | 0.131 | | | |
| NADD082 | 224.00 | 225.00 | 1.00 | 0.162 | | | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|--------------|----------------------|----------------|----------------------|
| NADD082 | 227.00 | 228.00 | 1.00 | 0.633 | 4.40 m @ 0.35 g/t Au | 1.5 | |
| NADD082 | 228.00 | 229.00 | 1.00 | 0.228 | | | |
| NADD082 | 229.00 | 230.00 | 1.00 | 0.083 | | | |
| NADD082 | 230.00 | 231.40 | 1.40 | 0.425 | | | |
| NADD082 | 235.00 | 236.00 | 1.00 | 0.169 | | | |
| NADD082 | 239.00 | 240.00 | 1.00 | 0.591 | 1.00 m @ 0.59 g/t Au | 0.6 | |
| NADD082 | 244.00 | 245.00 | 1.00 | 0.119 | | | |
| NADD082 | 245.00 | 246.00 | 1.00 | 0.320 | 3.00 m @ 0.20 g/t Au | 0.6 | |
| NADD082 | 246.00 | 247.00 | 1.00 | 0.019 | | | |
| NADD082 | 247.00 | 248.00 | 1.00 | 0.265 | | | |
| NADD082 | 248.00 | 249.00 | 1.00 | 0.104 | | | |
| NADD082 | 253.80 | 255.00 | 1.20 | 0.234 | 1.20 m @ 0.23 g/t Au | 0.3 | |
| NADD082 | 277.00 | 278.00 | 1.00 | 0.115 | | | |
| NADD082 | 289.00 | 290.00 | 1.00 | 0.101 | | | |
| NADD082 | 330.00 | 331.00 | 1.00 | 0.709 | 4.00 m @ 1.20 g/t Au | 4.8 | 1.00 m @ 3.46 g/t Au |
| NADD082 | 331.00 | 332.00 | 1.00 | 3.455 | | | |
| NADD082 | 332.00 | 333.00 | 1.00 | 0.433 | | | |
| NADD082 | 333.00 | 334.00 | 1.00 | 0.218 | | | |
| NADD082 | 363.50 | 365.00 | 1.50 | 0.202 | 2.50 m @ 0.23 g/t Au | 0.6 | |
| NADD082 | 365.00 | 366.00 | 1.00 | 0.279 | | | |
| NADD082 | 401.00 | 402.00 | 1.00 | 0.106 | | | |
| NADD082 | 406.00 | 407.00 | 1.00 | 0.542 | 5.00 m @ 0.21 g/t Au | 1.0 | |
| NADD082 | 407.00 | 408.00 | 1.00 | 0.068 | | | |
| NADD082 | 408.00 | 409.00 | 1.00 | 0.079 | | | |
| NADD082 | 409.00 | 410.00 | 1.00 | 0.008 | | | |
| NADD082 | 410.00 | 411.00 | 1.00 | 0.333 | | | |
| NADD082 | 416.20 | 417.00 | 0.80 | 0.287 | 0.80 m @ 0.29 g/t Au | 0.2 | |
| NADD082 | 422.00 | 423.00 | 1.00 | 0.182 | | | |
| NADD082 | 425.00 | 426.00 | 1.00 | 0.287 | 3.00 m @ 0.23 g/t Au | 0.7 | |
| NADD082 | 426.00 | 427.00 | 1.00 | 0.191 | | | |
| NADD082 | 427.00 | 428.00 | 1.00 | 0.202 | | | |
| NADD082 | 428.00 | 429.50 | 1.50 | 0.168 | | | |
| NADD082 | 432.00 | 433.00 | 1.00 | 0.344 | 1.00 m @ 0.34 g/t Au | 0.3 | |
| NADD082 | 438.00 | 439.00 | 1.00 | 0.790 | 1.00 m @ 0.79 g/t Au | 0.8 | |
| NADD082 | 447.00 | 448.00 | 1.00 | 0.120 | | | |
| NADD083 | 16.50 | 17.50 | 1.00 | 0.256 | 1.00 m @ 0.26 g/t Au | 0.3 | |
| NADD083 | 58.00 | 59.00 | 1.00 | 0.100 | | | |
| NADD083 | 66.40 | 67.40 | 1.00 | 1.241 | 1.00 m @ 1.24 g/t Au | 1.2 | 1.00 m @ 1.24 g/t Au |
| NADD083 | 76.30 | 77.10 | 0.80 | 0.298 | 0.80 m @ 0.30 g/t Au | 0.2 | |
| NADD083 | 79.00 | 80.00 | 1.00 | 0.327 | 1.00 m @ 0.33 g/t Au | 0.3 | |
| NADD083 | 93.00 | 94.00 | 1.00 | 0.448 | 1.00 m @ 0.45 g/t Au | 0.4 | |
| NADD083 | 121.90 | 123.00 | 1.10 | 0.142 | | | |
| NADD083 | 142.00 | 143.00 | 1.00 | 0.126 | 4.00 m @ 0.74 g/t Au | 2.9 | 1.10 m @ 1.54 g/t Au |
| NADD083 | 143.00 | 144.00 | 1.00 | 0.217 | | | |
| NADD083 | 144.00 | 145.00 | 1.00 | 0.337 | | | |
| NADD083 | 145.00 | 146.10 | 1.10 | 1.542 | | | |
| NADD083 | 146.10 | 147.00 | 0.90 | 0.769 | | | |
| NADD083 | 163.00 | 164.00 | 1.00 | 0.156 | | | |
| NADD083 | 171.00 | 171.70 | 0.70 | 0.497 | 0.70 m @ 0.50 g/t Au | 0.3 | |
| NADD083 | 177.00 | 178.00 | 1.00 | 0.156 | | | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au | | | |
|---------|--------|--------|----------|--------------|-----------------------|----------------|-----------------------------|--|--|-----------------------------|
| NADD083 | 192.00 | 193.00 | 1.00 | 0.332 | 3.00 m @ 0.28 g/t Au | 0.8 | | | | |
| NADD083 | 193.00 | 194.00 | 1.00 | 0.230 | | | | | | |
| NADD083 | 194.00 | 195.00 | 1.00 | 0.288 | | | | | | |
| NADD083 | 237.00 | 238.00 | 1.00 | 0.314 | 5.00 m @ 0.29 g/t Au | 1.5 | | | | |
| NADD083 | 238.00 | 239.00 | 1.00 | 0.088 | | | | | | |
| NADD083 | 239.00 | 240.00 | 1.00 | 0.356 | | | | | | |
| NADD083 | 240.00 | 241.00 | 1.00 | 0.204 | | | | | | |
| NADD083 | 241.00 | 242.00 | 1.00 | 0.508 | | | | | | |
| NADD083 | 247.00 | 248.00 | 1.00 | 0.663 | 1.00 m @ 0.66 g/t Au | 0.7 | | | | |
| NADD083 | 253.00 | 254.00 | 1.00 | 0.140 | | | | | | |
| NADD083 | 263.00 | 263.70 | 0.70 | 0.209 | 0.70 m @ 0.21 g/t Au | 0.1 | | | | |
| NADD083 | 268.20 | 269.00 | 0.80 | 0.284 | 1.80 m @ 0.37 g/t Au | 0.7 | | | | |
| NADD083 | 269.00 | 270.00 | 1.00 | 0.447 | | | | | | |
| NADD083 | 285.00 | 286.00 | 1.00 | 0.415 | 1.00 m @ 0.41 g/t Au | 0.4 | | | | |
| NADD083 | 291.00 | 292.00 | 1.00 | 0.157 | | | | | | |
| NADD083 | 292.00 | 293.00 | 1.00 | 0.142 | | | | | | |
| NADD084 | 9.65 | 10.75 | 1.10 | 0.307 | 1.10 m @ 0.31 g/t Au | 0.3 | | | | |
| NADD084 | 13.50 | 14.70 | 1.20 | 0.521 | 2.40 m @ 0.49 g/t Au | 1.2 | | | | |
| NADD084 | 14.70 | 15.90 | 1.20 | 0.463 | | | | | | |
| NADD084 | 35.00 | 36.00 | 1.00 | 1.143 | 1.00 m @ 1.14 g/t Au | 1.1 | 1.00 m @ 1.14 g/t Au | | | |
| NADD084 | 40.00 | 41.00 | 1.00 | 0.103 | | | | | | |
| NADD084 | 64.40 | 65.10 | 0.70 | 0.448 | 0.70 m @ 0.45 g/t Au | 0.3 | | | | |
| NADD084 | 70.00 | 71.50 | 1.50 | 0.104 | | | | | | |
| NADD084 | 71.50 | 72.50 | 1.00 | 0.449 | 3.50 m @ 0.20 g/t Au | 0.7 | | | | |
| NADD084 | 72.50 | 73.00 | 0.50 | 0.008 | | | | | | |
| NADD084 | 73.00 | 74.00 | 1.00 | 0.008 | | | | | | |
| NADD084 | 74.00 | 75.00 | 1.00 | 0.249 | | | | | | |
| NADD084 | 82.00 | 83.00 | 1.00 | 0.251 | 7.00 m @ 0.56 g/t Au | 3.9 | | | | |
| NADD084 | 83.00 | 84.00 | 1.00 | 0.248 | | | | | | |
| NADD084 | 84.00 | 85.00 | 1.00 | 0.124 | | | | | | |
| NADD084 | 85.00 | 86.00 | 1.00 | 0.147 | | | | | | |
| NADD084 | 86.00 | 87.00 | 1.00 | 0.814 | | | | | | |
| NADD084 | 87.00 | 88.00 | 1.00 | 0.138 | | | | | | |
| NADD084 | 88.00 | 89.00 | 1.00 | 2.166 | | | 1.00 m @ 2.17 g/t Au | | | |
| NADD084 | 97.25 | 98.50 | 1.25 | 1.000 | 1.25 m @ 1.00 g/t Au | 1.3 | 1.25 m @ 1.00 g/t Au | | | |
| NADD084 | 104.70 | 106.00 | 1.30 | 0.128 | | | | | | |
| NADD084 | 106.00 | 107.00 | 1.00 | 0.256 | 15.70 m @ 0.26 g/t Au | 4.1 | | | | |
| NADD084 | 107.00 | 108.00 | 1.00 | 0.086 | | | | | | |
| NADD084 | 108.00 | 109.00 | 1.00 | 0.202 | | | | | | |
| NADD084 | 109.00 | 110.00 | 1.00 | 0.221 | | | | | | |
| NADD084 | 110.00 | 111.00 | 1.00 | 0.401 | | | | | | |
| NADD084 | 111.00 | 112.00 | 1.00 | 0.084 | | | | | | |
| NADD084 | 112.00 | 113.00 | 1.00 | 0.035 | | | | | | |
| NADD084 | 113.00 | 114.00 | 1.00 | 0.335 | | | | | | |
| NADD084 | 114.00 | 115.00 | 1.00 | 0.272 | | | | | | |
| NADD084 | 115.00 | 116.00 | 1.00 | 0.070 | | | | | | |
| NADD084 | 116.00 | 117.00 | 1.00 | 0.033 | | | | | | |
| NADD084 | 117.00 | 118.50 | 1.50 | 0.272 | | | | | | |
| NADD084 | 118.50 | 119.50 | 1.00 | 1.019 | | | | | | 1.00 m @ 1.02 g/t Au |
| NADD084 | 119.50 | 120.50 | 1.00 | 0.171 | | | | | | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|--------------|-----------------------|----------------|----------------------|
| NADD084 | 120.50 | 121.70 | 1.20 | 0.448 | | | |
| NADD084 | 121.70 | 123.00 | 1.30 | 0.111 | | | |
| NADD084 | 123.00 | 124.00 | 1.00 | 0.136 | | | |
| NADD084 | 124.00 | 125.00 | 1.00 | 0.166 | | | |
| NADD084 | 125.00 | 126.00 | 1.00 | 0.107 | | | |
| NADD084 | 126.00 | 127.00 | 1.00 | 0.170 | | | |
| NADD084 | 127.00 | 128.00 | 1.00 | 0.148 | | | |
| NADD084 | 131.00 | 132.00 | 1.00 | 0.159 | | | |
| NADD084 | 138.00 | 139.00 | 1.00 | 0.158 | | | |
| NADD084 | 139.00 | 140.00 | 1.00 | 0.466 | 1.00 m @ 0.47 g/t Au | 0.5 | |
| NADD084 | 143.00 | 144.00 | 1.00 | 0.108 | | | |
| NADD084 | 148.00 | 149.00 | 1.00 | 0.137 | | | |
| NADD084 | 149.00 | 150.00 | 1.00 | 0.447 | | | |
| NADD084 | 150.00 | 150.80 | 0.80 | 0.070 | 4.00 m @ 0.48 g/t Au | 1.9 | |
| NADD084 | 150.80 | 152.00 | 1.20 | 0.886 | | | |
| NADD084 | 152.00 | 153.00 | 1.00 | 0.358 | | | |
| NADD084 | 158.00 | 159.00 | 1.00 | 0.125 | | | |
| NADD084 | 162.00 | 163.00 | 1.00 | 0.120 | | | |
| NADD084 | 164.00 | 165.10 | 1.10 | 0.532 | 1.10 m @ 0.53 g/t Au | 0.6 | |
| NADD084 | 171.00 | 172.00 | 1.00 | 0.195 | | | |
| NADD084 | 174.00 | 175.00 | 1.00 | 0.124 | | | |
| NADD084 | 176.00 | 177.00 | 1.00 | 0.182 | | | |
| NADD084 | 178.00 | 179.00 | 1.00 | 0.224 | 1.00 m @ 0.22 g/t Au | 0.2 | |
| NADD084 | 187.00 | 188.00 | 1.00 | 0.645 | 1.00 m @ 0.65 g/t Au | 0.6 | |
| NADD084 | 191.00 | 192.00 | 1.00 | 0.202 | 1.00 m @ 0.20 g/t Au | 0.2 | |
| NADD084 | 195.10 | 196.20 | 1.10 | 0.109 | | | |
| NADD084 | 198.40 | 199.50 | 1.10 | 0.854 | | | |
| NADD084 | 199.50 | 200.50 | 1.00 | 0.686 | | | |
| NADD084 | 200.50 | 201.50 | 1.00 | 8.279 | | | 1.00 m @ 8.28 g/t Au |
| NADD084 | 201.50 | 202.50 | 1.00 | 0.039 | | | |
| NADD084 | 202.50 | 203.50 | 1.00 | 0.317 | | | |
| NADD084 | 203.50 | 204.50 | 1.00 | 0.278 | | | |
| NADD084 | 204.50 | 205.30 | 0.80 | 0.149 | | | |
| NADD084 | 205.30 | 206.00 | 0.70 | 0.685 | | | |
| NADD084 | 206.00 | 207.00 | 1.00 | 1.015 | | | 1.00 m @ 1.01 g/t Au |
| NADD084 | 207.00 | 208.00 | 1.00 | 0.290 | | | |
| NADD084 | 208.00 | 209.00 | 1.00 | 0.123 | 21.60 m @ 0.85 g/t Au | 18.4 | |
| NADD084 | 209.00 | 210.00 | 1.00 | 0.127 | | | |
| NADD084 | 210.00 | 211.00 | 1.00 | 0.467 | | | |
| NADD084 | 211.00 | 212.00 | 1.00 | 0.593 | | | |
| NADD084 | 212.00 | 213.00 | 1.00 | 0.310 | | | |
| NADD084 | 213.00 | 213.80 | 0.80 | 0.462 | | | |
| NADD084 | 213.80 | 214.80 | 1.00 | 1.972 | | | 1.00 m @ 1.97 g/t Au |
| NADD084 | 214.80 | 215.80 | 1.00 | 0.320 | | | |
| NADD084 | 215.80 | 216.65 | 0.85 | 0.388 | | | |
| NADD084 | 216.65 | 217.80 | 1.15 | 0.511 | | | |
| NADD084 | 217.80 | 219.00 | 1.20 | 0.138 | | | |
| NADD084 | 219.00 | 220.00 | 1.00 | 0.606 | | | |
| NADD084 | 225.00 | 226.00 | 1.00 | 0.818 | | | |
| NADD084 | 226.00 | 227.00 | 1.00 | 0.052 | 7.00 m @ 0.34 g/t Au | 2.4 | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|--------------|------------------------------|----------------|-----------------------------|
| NADD084 | 227.00 | 228.00 | 1.00 | 0.008 | | | |
| NADD084 | 228.00 | 229.00 | 1.00 | 0.114 | | | |
| NADD084 | 229.00 | 230.00 | 1.00 | 0.225 | | | |
| NADD084 | 230.00 | 231.00 | 1.00 | 0.082 | | | |
| NADD084 | 231.00 | 232.00 | 1.00 | 1.071 | | | 1.00 m @ 1.07 g/t Au |
| NADD084 | 232.00 | 233.00 | 1.00 | 0.102 | | | |
| NADD084 | 233.00 | 234.00 | 1.00 | 0.127 | | | |
| NADD085 | 7.50 | 8.34 | 0.84 | 0.152 | | | |
| NADD085 | 83.00 | 84.00 | 1.00 | 0.482 | 1.00 m @ 0.48 g/t Au | 0.5 | |
| NADD085 | 103.00 | 104.00 | 1.00 | 0.254 | 1.00 m @ 0.25 g/t Au | 0.3 | |
| NADD085 | 153.00 | 154.00 | 1.00 | 0.203 | | | |
| NADD085 | 154.00 | 155.15 | 1.15 | 0.157 | | | |
| NADD085 | 155.15 | 156.00 | 0.85 | 1.294 | | | |
| NADD085 | 156.00 | 157.00 | 1.00 | 0.737 | | | 3.85 m @ 1.00 g/t Au |
| NADD085 | 157.00 | 158.00 | 1.00 | 0.280 | | | |
| NADD085 | 158.00 | 159.00 | 1.00 | 1.735 | | | |
| NADD085 | 159.00 | 160.00 | 1.00 | 0.606 | 13.00 m @ 1.00 g/t Au | 13.0 | |
| NADD085 | 160.00 | 161.00 | 1.00 | 3.508 | | | 2.50 m @ 2.68 g/t Au |
| NADD085 | 161.00 | 162.50 | 1.50 | 2.124 | | | |
| NADD085 | 162.50 | 163.00 | 0.50 | 0.379 | | | |
| NADD085 | 163.00 | 164.00 | 1.00 | 0.086 | | | |
| NADD085 | 164.00 | 165.00 | 1.00 | 0.925 | | | |
| NADD085 | 165.00 | 166.00 | 1.00 | 0.236 | | | |
| NADD085 | 182.50 | 183.70 | 1.20 | 0.138 | | | |
| NADD086 | 44.00 | 45.00 | 1.00 | 0.216 | | | |
| NADD086 | 45.00 | 46.00 | 1.00 | 0.273 | 3.00 m @ 0.43 g/t Au | 1.3 | |
| NADD086 | 46.00 | 47.00 | 1.00 | 0.807 | | | |
| NADD086 | 48.00 | 49.00 | 1.00 | 0.134 | | | |
| NADD086 | 69.00 | 70.00 | 1.00 | 0.104 | | | |
| NADD086 | 70.00 | 71.00 | 1.00 | 0.319 | 2.00 m @ 0.42 g/t Au | 0.8 | |
| NADD086 | 71.00 | 72.00 | 1.00 | 0.513 | | | |
| NADD086 | 87.00 | 88.00 | 1.00 | 1.146 | 1.00 m @ 1.15 g/t Au | 1.1 | 1.00 m @ 1.15 g/t Au |
| NADD086 | 148.00 | 149.00 | 1.00 | 0.317 | 1.00 m @ 0.32 g/t Au | 0.3 | |
| NADD086 | 158.00 | 159.00 | 1.00 | 0.106 | | | |
| NADD086 | 159.00 | 160.00 | 1.00 | 0.172 | | | |
| NADD086 | 160.00 | 161.00 | 1.00 | 0.129 | | | |
| NADD087 | 0.00 | 1.00 | 1.00 | 0.132 | | | |
| NADD087 | 1.00 | 2.10 | 1.10 | 0.136 | | | |
| NADD087 | 4.00 | 5.25 | 1.25 | 0.142 | | | |
| NADD087 | 7.50 | 9.00 | 1.50 | 0.377 | | | |
| NADD087 | 9.00 | 10.00 | 1.00 | 0.038 | 4.50 m @ 0.32 g/t Au | 1.4 | |
| NADD087 | 10.00 | 11.00 | 1.00 | 0.132 | | | |
| NADD087 | 11.00 | 12.00 | 1.00 | 0.691 | | | |
| NADD087 | 12.00 | 13.00 | 1.00 | 0.132 | | | |
| NADD087 | 13.00 | 14.00 | 1.00 | 0.147 | | | |
| NADD087 | 19.50 | 20.50 | 1.00 | 0.568 | 1.00 m @ 0.57 g/t Au | 0.6 | |
| NADD087 | 22.50 | 23.50 | 1.00 | 0.106 | | | |
| NADD087 | 38.00 | 39.00 | 1.00 | 0.117 | | | |
| NADD087 | 63.00 | 64.00 | 1.00 | 0.198 | | | |
| NADD087 | 73.00 | 74.10 | 1.10 | 0.320 | 1.10 m @ 0.32 g/t Au | 0.4 | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|--------------|------------------------------|-----------------------------|-----------------------------|
| NADD087 | 84.00 | 85.00 | 1.00 | 0.142 | | | |
| NADD087 | 90.00 | 91.00 | 1.00 | 0.372 | 1.00 m @ 0.37 g/t Au | 0.4 | |
| NADD087 | 96.00 | 97.00 | 1.00 | 0.920 | 1.00 m @ 0.92 g/t Au | 0.9 | |
| NADD087 | 111.00 | 112.00 | 1.00 | 0.279 | 1.00 m @ 0.28 g/t Au | 0.3 | |
| NADD087 | 121.60 | 122.70 | 1.10 | 0.531 | 2.20 m @ 0.45 g/t Au | 1.0 | |
| NADD087 | 122.70 | 123.80 | 1.10 | 0.363 | | | |
| NADD087 | 133.25 | 134.40 | 1.15 | 0.808 | 2.35 m @ 0.55 g/t Au | 1.3 | |
| NADD087 | 134.40 | 135.60 | 1.20 | 0.301 | | | |
| NADD087 | 139.00 | 140.00 | 1.00 | 2.362 | 3.75 m @ 1.48 g/t Au | 5.6 | 2.00 m @ 2.46 g/t Au |
| NADD087 | 140.00 | 141.00 | 1.00 | 2.551 | | | |
| NADD087 | 141.00 | 142.00 | 1.00 | 0.293 | | | |
| NADD087 | 142.00 | 142.75 | 0.75 | 0.472 | | | |
| NADD087 | 155.00 | 156.00 | 1.00 | 0.164 | 14.50 m @ 1.03 g/t Au | 14.9 | |
| NADD087 | 158.00 | 159.00 | 1.00 | 0.406 | | | |
| NADD087 | 159.00 | 160.00 | 1.00 | 0.317 | | | |
| NADD087 | 160.00 | 161.00 | 1.00 | 0.307 | | | |
| NADD087 | 161.00 | 162.00 | 1.00 | 0.081 | | | |
| NADD087 | 162.00 | 163.00 | 1.00 | 1.395 | | | 4.10 m @ 2.13 g/t Au |
| NADD087 | 163.00 | 164.00 | 1.00 | 1.340 | | | |
| NADD087 | 164.00 | 165.00 | 1.00 | 0.546 | | | |
| NADD087 | 165.00 | 166.10 | 1.10 | 4.949 | | | |
| NADD087 | 166.10 | 167.20 | 1.10 | 0.118 | | | |
| NADD087 | 167.20 | 168.30 | 1.10 | 1.756 | | | 2.20 m @ 1.67 g/t Au |
| NADD087 | 168.30 | 169.40 | 1.10 | 1.589 | | | |
| NADD087 | 169.40 | 170.70 | 1.30 | 0.255 | | | |
| NADD087 | 170.70 | 171.80 | 1.10 | 0.674 | | | |
| NADD087 | 171.80 | 172.50 | 0.70 | 0.306 | | | |
| NADD087 | 180.50 | 181.50 | 1.00 | 0.117 | 1.00 m @ 0.22 g/t Au | 0.2 | |
| NADD087 | 181.50 | 182.50 | 1.00 | 0.221 | | | |
| NADD087 | 186.50 | 187.50 | 1.00 | 0.105 | 2.00 m @ 0.75 g/t Au | 1.5 | |
| NADD087 | 191.65 | 193.00 | 1.35 | 0.179 | | | |
| NADD087 | 204.00 | 205.00 | 1.00 | 0.871 | 1.00 m @ 0.22 g/t Au | 0.2 | |
| NADD087 | 205.00 | 206.00 | 1.00 | 0.632 | | | |
| NADD087 | 215.00 | 216.00 | 1.00 | 0.222 | 3.30 m @ 1.18 g/t Au | 3.9 | |
| NADD087 | 216.00 | 217.00 | 1.00 | 0.136 | | | |
| NADD087 | 226.60 | 227.70 | 1.10 | 0.143 | | | |
| NADD087 | 227.70 | 228.80 | 1.10 | 0.287 | | | |
| NADD087 | 228.80 | 229.90 | 1.10 | 0.750 | 1.10 m @ 2.51 g/t Au | 1.10 m @ 2.33 g/t Au | |
| NADD087 | 229.90 | 231.00 | 1.10 | 2.506 | | | |
| NADD087 | 234.90 | 236.00 | 1.10 | 2.333 | 6.25 m @ 0.64 g/t Au | 4.0 | |
| NADD087 | 236.00 | 237.00 | 1.00 | 0.053 | | | |
| NADD087 | 237.00 | 238.00 | 1.00 | 0.206 | | | |
| NADD087 | 238.00 | 239.00 | 1.00 | 0.552 | | | |
| NADD087 | 239.00 | 240.00 | 1.00 | 0.008 | | | |
| NADD087 | 240.00 | 241.15 | 1.15 | 0.519 | 6.30 m @ 0.41 g/t Au | 2.6 | |
| NADD087 | 249.70 | 251.00 | 1.30 | 0.527 | | | |
| NADD087 | 251.00 | 252.00 | 1.00 | 0.172 | | | |
| NADD087 | 252.00 | 253.00 | 1.00 | 0.155 | | | |
| NADD087 | 253.00 | 254.00 | 1.00 | 0.131 | | | |
| NADD087 | 254.00 | 255.00 | 1.00 | 1.186 | | | 1.00 m @ 1.19 g/t Au |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au | | |
|---------|--------|--------|----------|--------------|-----------------------|----------------|-------------------|--|----------------------|
| NADD087 | 255.00 | 256.00 | 1.00 | 0.256 | | | | | |
| NADD087 | 260.00 | 261.00 | 1.00 | 0.510 | 1.00 m @ 0.51 g/t Au | 0.5 | | | |
| NADD087 | 263.00 | 264.00 | 1.00 | 0.239 | 1.00 m @ 0.24 g/t Au | 0.2 | | | |
| NADD087 | 265.00 | 266.00 | 1.00 | 0.235 | 5.00 m @ 0.20 g/t Au | 1.0 | | | |
| NADD087 | 266.00 | 267.00 | 1.00 | 0.286 | | | | | |
| NADD087 | 267.00 | 268.00 | 1.00 | 0.206 | | | | | |
| NADD087 | 268.00 | 269.00 | 1.00 | 0.069 | | | | | |
| NADD087 | 269.00 | 270.00 | 1.00 | 0.214 | | | | | |
| NADD087 | 271.00 | 272.15 | 1.15 | 0.254 | 1.15 m @ 0.25 g/t Au | 0.3 | | | |
| NADD087 | 272.15 | 273.00 | 0.85 | 0.192 | | | | | |
| NADD087 | 277.00 | 278.00 | 1.00 | 0.271 | 1.00 m @ 0.27 g/t Au | 0.3 | | | |
| NADD087 | 281.00 | 282.00 | 1.00 | 0.115 | | | | | |
| NADD087 | 287.40 | 288.65 | 1.25 | 0.103 | | | | | |
| NADD087 | 288.65 | 290.00 | 1.35 | 0.121 | | | | | |
| NADD087 | 290.00 | 291.00 | 1.00 | 0.386 | | | | | |
| NADD087 | 291.00 | 292.00 | 1.00 | 0.700 | | | | | |
| NADD087 | 292.00 | 293.00 | 1.00 | 1.661 | 8.00 m @ 1.80 g/t Au | 14.4 | | | |
| NADD087 | 293.00 | 294.00 | 1.00 | 3.765 | | | | | |
| NADD087 | 294.00 | 295.00 | 1.00 | 2.205 | | | | | |
| NADD087 | 295.00 | 296.00 | 1.00 | 1.426 | | | | | |
| NADD087 | 296.00 | 296.90 | 0.90 | 1.821 | | | | | |
| NADD087 | 296.90 | 298.00 | 1.10 | 2.413 | | | | | |
| NADD087 | 298.00 | 299.00 | 1.00 | 0.100 | | | | | |
| NADD087 | 301.00 | 301.70 | 0.70 | 0.151 | 41.30 m @ 0.66 g/t Au | 27.4 | | | |
| NADD087 | 301.70 | 303.00 | 1.30 | 0.407 | | | | | |
| NADD087 | 303.00 | 304.00 | 1.00 | 1.310 | | | | | |
| NADD087 | 304.00 | 305.00 | 1.00 | 0.867 | | | | | 3.20 m @ 1.53 g/t Au |
| NADD087 | 305.00 | 306.20 | 1.20 | 2.268 | | | | | |
| NADD087 | 306.20 | 307.00 | 0.80 | 0.629 | | | | | |
| NADD087 | 307.00 | 308.00 | 1.00 | 0.137 | | | | | |
| NADD087 | 308.00 | 309.00 | 1.00 | 1.303 | | | | | |
| NADD087 | 309.00 | 310.00 | 1.00 | 4.527 | | | | | 2.00 m @ 2.92 g/t Au |
| NADD087 | 310.00 | 311.00 | 1.00 | 0.655 | | | | | |
| NADD087 | 311.00 | 312.00 | 1.00 | 0.899 | | | | | |
| NADD087 | 312.00 | 313.00 | 1.00 | 0.653 | | | | | |
| NADD087 | 313.00 | 314.00 | 1.00 | 0.596 | | | | | |
| NADD087 | 314.00 | 315.00 | 1.00 | 0.400 | | | | | |
| NADD087 | 315.00 | 316.00 | 1.00 | 0.061 | | | | | |
| NADD087 | 316.00 | 317.00 | 1.00 | 0.308 | | | | | |
| NADD087 | 317.00 | 318.00 | 1.00 | 0.258 | | | | | |
| NADD087 | 318.00 | 319.00 | 1.00 | 0.233 | | | | | |
| NADD087 | 319.00 | 320.00 | 1.00 | 0.564 | | | | | |
| NADD087 | 320.00 | 321.00 | 1.00 | 0.043 | | | | | |
| NADD087 | 321.00 | 322.00 | 1.00 | 0.524 | | | | | |
| NADD087 | 322.00 | 323.10 | 1.10 | 0.477 | | | | | |
| NADD087 | 323.10 | 324.20 | 1.10 | 0.383 | | | | | |
| NADD087 | 324.20 | 325.30 | 1.10 | 0.403 | | | | | |
| NADD087 | 325.30 | 326.40 | 1.10 | 0.038 | | | | | |
| NADD087 | 326.40 | 327.50 | 1.10 | 0.382 | | | | | |
| NADD087 | 327.50 | 328.60 | 1.10 | 0.734 | | | | | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|--------------|-----------------------------|----------------|-----------------------------|
| NADD087 | 328.60 | 329.70 | 1.10 | 0.962 | | | |
| NADD087 | 329.70 | 330.80 | 1.10 | 1.194 | | | 1.10 m @ 1.19 g/t Au |
| NADD087 | 330.80 | 331.90 | 1.10 | 0.509 | | | |
| NADD087 | 331.90 | 333.10 | 1.20 | 0.371 | | | |
| NADD087 | 333.10 | 334.00 | 0.90 | 0.141 | | | |
| NADD087 | 334.00 | 335.00 | 1.00 | 0.241 | | | |
| NADD087 | 335.00 | 336.00 | 1.00 | 0.845 | | | |
| NADD087 | 336.00 | 337.00 | 1.00 | 0.120 | | | |
| NADD087 | 337.00 | 338.00 | 1.00 | 0.487 | | | |
| NADD087 | 338.00 | 339.00 | 1.00 | 0.507 | | | |
| NADD087 | 339.00 | 340.00 | 1.00 | 0.571 | | | |
| NADD087 | 340.00 | 341.00 | 1.00 | 0.538 | | | |
| NADD087 | 341.00 | 342.15 | 1.15 | 0.476 | | | |
| NADD087 | 342.15 | 343.00 | 0.85 | 0.350 | | | |
| NADD087 | 345.00 | 346.00 | 1.00 | 0.132 | | | |
| NADD087 | 349.00 | 350.00 | 1.00 | 0.291 | | | |
| NADD087 | 350.00 | 351.00 | 1.00 | 0.021 | | | |
| NADD087 | 351.00 | 352.00 | 1.00 | 1.030 | 4.00 m @ 0.44 g/t Au | 1.8 | 1.00 m @ 1.03 g/t Au |
| NADD087 | 352.00 | 353.00 | 1.00 | 0.431 | | | |
| NADD087 | 356.00 | 357.00 | 1.00 | 0.180 | | | |
| NADD087 | 357.00 | 358.00 | 1.00 | 0.597 | | | |
| NADD087 | 358.00 | 359.00 | 1.00 | 0.838 | | | |
| NADD087 | 359.00 | 360.00 | 1.00 | 0.172 | | | |
| NADD087 | 360.00 | 361.00 | 1.00 | 0.398 | | | |
| NADD087 | 361.00 | 362.00 | 1.00 | 0.148 | | | |
| NADD087 | 362.00 | 363.00 | 1.00 | 0.452 | | | |
| NADD087 | 363.00 | 364.00 | 1.00 | 0.373 | | | |
| NADD087 | 364.00 | 365.25 | 1.25 | 0.237 | | | |
| NADD087 | 368.00 | 369.00 | 1.00 | 0.106 | | | |
| NADD087 | 369.00 | 370.00 | 1.00 | 0.135 | | | |
| NADD087 | 370.00 | 371.00 | 1.00 | 0.870 | | | |
| NADD087 | 371.00 | 372.00 | 1.00 | 0.742 | 2.00 m @ 0.81 g/t Au | 1.6 | |
| NADD087 | 374.00 | 375.00 | 1.00 | 0.107 | | | |
| NADD087 | 380.00 | 381.00 | 1.00 | 0.101 | | | |
| NADD087 | 381.00 | 382.00 | 1.00 | 0.299 | | | |
| NADD087 | 382.00 | 383.00 | 1.00 | 0.044 | | | |
| NADD087 | 383.00 | 384.00 | 1.00 | 0.250 | | | |
| NADD087 | 384.00 | 385.00 | 1.00 | 0.162 | | | |
| NADD087 | 385.00 | 386.00 | 1.00 | 0.321 | | | |
| NADD087 | 397.00 | 398.00 | 1.00 | 0.114 | | | |
| NADD087 | 404.00 | 405.00 | 1.00 | 0.310 | 1.00 m @ 0.31 g/t Au | 0.3 | |
| NADD088 | 1.50 | 3.00 | 1.50 | 0.110 | | | |
| NADD088 | 32.00 | 33.00 | 1.00 | 0.590 | | | |
| NADD088 | 33.00 | 34.00 | 1.00 | 0.037 | | | |
| NADD088 | 34.00 | 35.00 | 1.00 | 0.041 | | | |
| NADD088 | 35.00 | 36.00 | 1.00 | 0.925 | | | |
| NADD088 | 36.00 | 37.00 | 1.00 | 0.255 | | | |
| NADD088 | 37.00 | 38.00 | 1.00 | 0.451 | | | |
| NADD088 | 38.00 | 39.15 | 1.15 | 0.462 | | | |
| NADD088 | 44.50 | 45.50 | 1.00 | 0.132 | | | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au | | | |
|---------|--------|--------|----------|----------|-----------------------|----------------|----------------------|-----------------------|-----|--|
| NADD088 | 46.50 | 47.50 | 1.00 | 1.136 | 2.00 m @ 0.84 g/t Au | 1.7 | 1.00 m @ 1.14 g/t Au | | | |
| NADD088 | 47.50 | 48.50 | 1.00 | 0.547 | | | | | | |
| NADD088 | 49.60 | 50.70 | 1.10 | 0.104 | | | | | | |
| NADD088 | 50.70 | 51.80 | 1.10 | 0.124 | | | | | | |
| NADD088 | 51.80 | 52.90 | 1.10 | 0.172 | | | | | | |
| NADD088 | 52.90 | 54.00 | 1.10 | 0.136 | | | | | | |
| NADD088 | 57.00 | 58.00 | 1.00 | 0.196 | | | | | | |
| NADD088 | 66.00 | 67.00 | 1.00 | 0.406 | | | | | | |
| NADD088 | 67.00 | 68.00 | 1.00 | 0.220 | | | | | | |
| NADD088 | 68.00 | 69.00 | 1.00 | 0.118 | 17.00 m @ 0.26 g/t Au | 4.4 | | | | |
| NADD088 | 69.00 | 70.00 | 1.00 | 0.103 | | | | | | |
| NADD088 | 70.00 | 71.00 | 1.00 | 0.323 | | | | | | |
| NADD088 | 71.00 | 72.00 | 1.00 | 0.008 | | | | | | |
| NADD088 | 72.00 | 73.00 | 1.00 | 0.248 | | | | | | |
| NADD088 | 73.00 | 74.00 | 1.00 | 0.127 | | | | | | |
| NADD088 | 74.00 | 75.00 | 1.00 | 0.078 | | | | | | |
| NADD088 | 75.00 | 76.00 | 1.00 | 0.054 | | | | | | |
| NADD088 | 76.00 | 77.00 | 1.00 | 0.396 | | | | | | |
| NADD088 | 77.00 | 78.00 | 1.00 | 0.221 | | | | | | |
| NADD088 | 78.00 | 79.00 | 1.00 | 0.530 | | | | | | |
| NADD088 | 79.00 | 80.00 | 1.00 | 0.043 | | | | | | |
| NADD088 | 80.00 | 81.00 | 1.00 | 0.605 | | | | | | |
| NADD088 | 81.00 | 82.00 | 1.00 | 0.365 | | | | | | |
| NADD088 | 82.00 | 83.00 | 1.00 | 0.586 | | | | | | |
| NADD088 | 89.00 | 90.00 | 1.00 | 0.210 | | | | 13.25 m @ 0.27 g/t Au | 3.5 | |
| NADD088 | 90.00 | 91.00 | 1.00 | 0.181 | | | | | | |
| NADD088 | 91.00 | 92.00 | 1.00 | 0.131 | | | | | | |
| NADD088 | 92.00 | 93.00 | 1.00 | 0.607 | | | | | | |
| NADD088 | 93.00 | 94.00 | 1.00 | 0.207 | | | | | | |
| NADD088 | 94.00 | 95.00 | 1.00 | 0.550 | | | | | | |
| NADD088 | 95.00 | 96.00 | 1.00 | 0.172 | | | | | | |
| NADD088 | 96.00 | 97.00 | 1.00 | 0.079 | | | | | | |
| NADD088 | 97.00 | 98.00 | 1.00 | 0.687 | | | | | | |
| NADD088 | 98.00 | 99.00 | 1.00 | 0.032 | | | | | | |
| NADD088 | 99.00 | 100.00 | 1.00 | 0.028 | 8.00 m @ 0.41 g/t Au | 3.2 | | | | |
| NADD088 | 100.00 | 101.00 | 1.00 | 0.307 | | | | | | |
| NADD088 | 101.00 | 102.25 | 1.25 | 0.283 | | | | | | |
| NADD088 | 106.00 | 107.00 | 1.00 | 0.473 | | | | | | |
| NADD088 | 107.00 | 108.00 | 1.00 | 0.486 | | | | | | |
| NADD088 | 108.00 | 109.00 | 1.00 | 0.796 | | | | | | |
| NADD088 | 109.00 | 109.80 | 0.80 | 0.528 | | | | | | |
| NADD088 | 109.80 | 111.00 | 1.20 | 0.008 | | | | | | |
| NADD088 | 111.00 | 112.00 | 1.00 | 0.008 | 1.00 m @ 0.57 g/t Au | 0.6 | | | | |
| NADD088 | 112.00 | 113.00 | 1.00 | 0.328 | | | | | | |
| NADD088 | 113.00 | 114.00 | 1.00 | 0.721 | | | | | | |
| NADD088 | 126.00 | 127.00 | 1.00 | 0.573 | | | | | | |
| NADD088 | 129.00 | 130.00 | 1.00 | 0.146 | 1.00 m @ 0.81 g/t Au | 0.8 | | | | |
| NADD088 | 146.00 | 147.00 | 1.00 | 0.169 | | | | | | |
| NADD088 | 149.00 | 150.00 | 1.00 | 0.180 | | | | | | |
| NADD088 | 150.00 | 151.00 | 1.00 | 0.807 | | | | | | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|--------------|------------------------------|----------------|-----------------------------|
| NADD088 | 156.00 | 157.00 | 1.00 | 0.107 | | | |
| NADD088 | 160.00 | 161.00 | 1.00 | 2.104 | 1.00 m @ 2.10 g/t Au | 2.1 | 1.00 m @ 2.10 g/t Au |
| NADD088 | 183.15 | 184.00 | 0.85 | 5.296 | 20.00 m @ 1.34 g/t Au | 26.9 | 0.85 m @ 5.30 g/t Au |
| NADD088 | 184.00 | 185.00 | 1.00 | 0.597 | | | |
| NADD088 | 185.00 | 186.00 | 1.00 | 0.210 | | | |
| NADD088 | 186.00 | 187.00 | 1.00 | 0.037 | | | |
| NADD088 | 187.00 | 188.00 | 1.00 | 0.029 | | | |
| NADD088 | 188.00 | 189.00 | 1.00 | 0.306 | | | |
| NADD088 | 189.00 | 190.00 | 1.00 | 0.506 | | | |
| NADD088 | 190.00 | 191.00 | 1.00 | 1.679 | | | |
| NADD088 | 191.00 | 192.00 | 1.00 | 0.579 | | | |
| NADD088 | 192.00 | 192.75 | 0.75 | 0.088 | | | |
| NADD088 | 192.75 | 194.00 | 1.25 | 1.045 | | | |
| NADD088 | 194.00 | 195.00 | 1.00 | 0.354 | | | |
| NADD088 | 195.00 | 196.00 | 1.00 | 0.932 | | | |
| NADD088 | 196.00 | 197.00 | 1.00 | 5.487 | | | |
| NADD088 | 197.00 | 198.00 | 1.00 | 2.403 | | | |
| NADD088 | 198.00 | 199.00 | 1.00 | 3.761 | | | |
| NADD088 | 199.00 | 200.00 | 1.00 | 0.320 | | | |
| NADD088 | 200.00 | 201.00 | 1.00 | 2.360 | | | |
| NADD088 | 201.00 | 202.00 | 1.00 | 0.485 | | | |
| NADD088 | 202.00 | 203.15 | 1.15 | 0.815 | | | |
| NADD088 | 206.00 | 207.00 | 1.00 | 0.115 | | | |
| NADD088 | 217.00 | 218.00 | 1.00 | 0.100 | | | |
| NADD088 | 218.00 | 219.00 | 1.00 | 0.107 | | | |
| NADD088 | 219.00 | 220.20 | 1.20 | 0.632 | 1.20 m @ 0.63 g/t Au | 0.8 | |
| NADD088 | 224.00 | 225.00 | 1.00 | 0.228 | 1.00 m @ 0.23 g/t Au | 0.2 | |
| NADD088 | 228.00 | 229.00 | 1.00 | 0.367 | 1.00 m @ 0.37 g/t Au | 0.4 | |
| NADD088 | 243.00 | 244.00 | 1.00 | 0.110 | | | |
| NADD088 | 250.00 | 251.00 | 1.00 | 1.737 | 1.75 m @ 1.60 g/t Au | 2.8 | 1.75 m @ 1.60 g/t Au |
| NADD088 | 251.00 | 251.75 | 0.75 | 1.426 | | | |
| NADD088 | 259.00 | 260.00 | 1.00 | 0.129 | | | |
| NADD088 | 274.00 | 275.00 | 1.00 | 0.198 | | | |
| NADD088 | 285.00 | 286.00 | 1.00 | 0.136 | | | |
| NADD088 | 292.00 | 293.00 | 1.00 | 0.191 | | | |
| NADD088 | 296.00 | 297.00 | 1.00 | 0.622 | 1.00 m @ 0.62 g/t Au | 0.6 | |
| NADD088 | 297.00 | 298.00 | 1.00 | 0.102 | | | |
| NADD088 | 307.30 | 308.30 | 1.00 | 0.175 | | | |
| NADD088 | 308.30 | 309.30 | 1.00 | 1.063 | 1.00 m @ 1.06 g/t Au | 1.1 | 1.00 m @ 1.06 g/t Au |
| NADD088 | 313.00 | 314.00 | 1.00 | 0.191 | | | |
| NADD088 | 328.00 | 329.00 | 1.00 | 0.116 | | | |
| NADD088 | 333.00 | 334.00 | 1.00 | 0.157 | | | |
| NADD088 | 337.90 | 339.00 | 1.10 | 1.249 | 2.30 m @ 1.23 g/t Au | 2.8 | 2.30 m @ 1.23 g/t Au |
| NADD088 | 339.00 | 340.20 | 1.20 | 1.214 | | | |
| NADD088 | 356.00 | 357.00 | 1.00 | 0.195 | | | |
| NADD088 | 359.00 | 360.00 | 1.00 | 0.233 | 1.00 m @ 0.23 g/t Au | 0.2 | |
| NADD089 | 1.00 | 2.00 | 1.00 | 0.100 | | | |
| NADD089 | 4.00 | 5.00 | 1.00 | 0.122 | | | |
| NADD089 | 28.00 | 29.00 | 1.00 | 0.530 | 4.00 m @ 0.66 g/t Au | 2.6 | |
| NADD089 | 29.00 | 30.00 | 1.00 | 0.008 | | | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|---------------|-----------------------|----------------|----------------------|
| NADD089 | 30.00 | 31.00 | 1.00 | 0.029 | | | |
| NADD089 | 31.00 | 32.00 | 1.00 | 2.079 | | | 1.00 m @ 2.08 g/t Au |
| NADD089 | 32.00 | 33.00 | 1.00 | 0.132 | | | |
| NADD089 | 38.00 | 39.00 | 1.00 | 4.539 | 1.00 m @ 4.54 g/t Au | 4.5 | 1.00 m @ 4.54 g/t Au |
| NADD089 | 40.00 | 41.00 | 1.00 | 0.196 | | | |
| NADD089 | 43.60 | 44.60 | 1.00 | 0.119 | | | |
| NADD089 | 55.00 | 56.00 | 1.00 | 0.222 | 1.00 m @ 0.22 g/t Au | 0.2 | |
| NADD089 | 61.00 | 62.00 | 1.00 | 0.175 | | | |
| NADD089 | 71.00 | 72.00 | 1.00 | 0.120 | | | |
| NADD089 | 72.00 | 73.00 | 1.00 | 0.375 | | | |
| NADD089 | 73.00 | 74.00 | 1.00 | 0.089 | 3.00 m @ 0.26 g/t Au | 0.8 | |
| NADD089 | 74.00 | 75.00 | 1.00 | 0.325 | | | |
| NADD089 | 76.00 | 77.00 | 1.00 | 0.182 | | | |
| NADD089 | 81.00 | 82.00 | 1.00 | 0.484 | 1.00 m @ 0.48 g/t Au | 0.5 | |
| NADD089 | 82.00 | 83.00 | 1.00 | 0.113 | | | |
| NADD089 | 85.00 | 86.00 | 1.00 | 0.120 | | | |
| NADD089 | 86.00 | 87.00 | 1.00 | 0.235 | 1.00 m @ 0.23 g/t Au | 0.2 | |
| NADD089 | 93.70 | 95.00 | 1.30 | 0.374 | 1.30 m @ 0.37 g/t Au | 0.5 | |
| NADD089 | 112.00 | 113.00 | 1.00 | 0.801 | | | |
| NADD089 | 113.00 | 114.00 | 1.00 | 0.053 | 3.00 m @ 0.36 g/t Au | 1.1 | |
| NADD089 | 114.00 | 115.00 | 1.00 | 0.229 | | | |
| NADD089 | 118.60 | 120.00 | 1.40 | 0.146 | | | |
| NADD089 | 120.00 | 121.40 | 1.40 | 0.431 | 1.40 m @ 0.43 g/t Au | 0.6 | |
| NADD089 | 176.10 | 177.00 | 0.90 | 1.720 | | | |
| NADD089 | 177.00 | 178.00 | 1.00 | 3.023 | | | |
| NADD089 | 178.00 | 179.00 | 1.00 | 1.767 | | | |
| NADD089 | 179.00 | 180.00 | 1.00 | 0.576 | | | 5.90 m @ 7.33 g/t Au |
| NADD089 | 180.00 | 181.00 | 1.00 | 2.461 | | | |
| NADD089 | 181.00 | 182.00 | 1.00 | 33.854 | | | |
| NADD089 | 182.00 | 183.00 | 1.00 | 0.396 | | | |
| NADD089 | 183.00 | 184.20 | 1.20 | 0.043 | | | |
| NADD089 | 184.20 | 185.70 | 1.50 | 0.339 | | | |
| NADD089 | 185.70 | 187.00 | 1.30 | 0.916 | 18.90 m @ 2.59 g/t Au | 48.9 | |
| NADD089 | 187.00 | 188.00 | 1.00 | 0.197 | | | |
| NADD089 | 188.00 | 189.00 | 1.00 | 0.097 | | | |
| NADD089 | 189.00 | 190.00 | 1.00 | 1.246 | | | |
| NADD089 | 190.00 | 191.00 | 1.00 | 1.464 | | | 2.00 m @ 1.35 g/t Au |
| NADD089 | 191.00 | 192.00 | 1.00 | 0.088 | | | |
| NADD089 | 192.00 | 193.00 | 1.00 | 0.026 | | | |
| NADD089 | 193.00 | 194.00 | 1.00 | 0.112 | | | |
| NADD089 | 194.00 | 195.00 | 1.00 | 0.317 | | | |
| NADD089 | 195.00 | 196.00 | 1.00 | 0.137 | | | |
| NADD089 | 200.00 | 201.00 | 1.00 | 0.469 | | | |
| NADD089 | 201.00 | 202.00 | 1.00 | 0.585 | 2.00 m @ 0.53 g/t Au | 1.1 | |
| NADD089 | 202.00 | 203.00 | 1.00 | 0.127 | | | |
| NADD089 | 208.00 | 209.00 | 1.00 | 0.137 | | | |
| NADD089 | 209.00 | 210.00 | 1.00 | 0.417 | | | |
| NADD089 | 210.00 | 211.00 | 1.00 | 0.665 | 2.00 m @ 0.54 g/t Au | 1.1 | |
| NADD089 | 216.00 | 217.00 | 1.00 | 0.133 | | | |
| NADD089 | 219.00 | 220.00 | 1.00 | 0.137 | | | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|--------------|----------------------|----------------|----------------------|
| NADD089 | 227.00 | 228.00 | 1.00 | 0.404 | 2.00 m @ 0.32 g/t Au | 0.6 | |
| NADD089 | 228.00 | 229.00 | 1.00 | 0.234 | | | |
| NADD089 | 230.30 | 231.60 | 1.30 | 0.108 | | | |
| NADD089 | 233.00 | 234.00 | 1.00 | 0.407 | 1.00 m @ 0.41 g/t Au | 0.4 | |
| NADD089 | 234.00 | 235.00 | 1.00 | 0.130 | | | |
| NADD089 | 244.00 | 245.00 | 1.00 | 0.381 | 1.00 m @ 0.38 g/t Au | 0.4 | |
| NADD089 | 249.40 | 250.00 | 0.60 | 0.454 | 0.60 m @ 0.45 g/t Au | 0.3 | |
| NADD089 | 255.00 | 256.20 | 1.20 | 0.347 | 2.70 m @ 2.24 g/t Au | 6.1 | |
| NADD089 | 256.20 | 257.70 | 1.50 | 3.762 | | | |
| NADD089 | 261.00 | 262.00 | 1.00 | 0.107 | 4.00 m @ 0.26 g/t Au | 1.0 | |
| NADD089 | 264.00 | 265.00 | 1.00 | 0.123 | | | |
| NADD089 | 265.00 | 266.00 | 1.00 | 0.450 | | | |
| NADD089 | 266.00 | 267.00 | 1.00 | 0.032 | | | |
| NADD089 | 267.00 | 268.00 | 1.00 | 0.344 | | | |
| NADD089 | 268.00 | 269.00 | 1.00 | 0.200 | | | |
| NADD089 | 269.00 | 270.00 | 1.00 | 0.146 | | | |
| NADD089 | 276.00 | 277.00 | 1.00 | 0.126 | 2.30 m @ 0.32 g/t Au | 0.7 | |
| NADD089 | 277.00 | 278.00 | 1.00 | 0.131 | | | |
| NADD089 | 303.70 | 305.00 | 1.30 | 0.381 | | | |
| NADD089 | 305.00 | 306.00 | 1.00 | 0.242 | 5.00 m @ 0.25 g/t Au | 1.3 | |
| NADD089 | 306.00 | 307.00 | 1.00 | 0.140 | | | |
| NADD089 | 307.00 | 308.00 | 1.00 | 0.102 | | | |
| NADD089 | 310.00 | 311.00 | 1.00 | 0.153 | | | |
| NADD089 | 322.00 | 323.00 | 1.00 | 0.133 | | | |
| NADD089 | 327.00 | 328.00 | 1.00 | 0.120 | | | |
| NADD089 | 328.00 | 328.70 | 0.70 | 0.110 | | | |
| NADD089 | 330.00 | 331.00 | 1.00 | 0.274 | | | |
| NADD089 | 331.00 | 332.00 | 1.00 | 0.169 | | | |
| NADD089 | 332.00 | 333.00 | 1.00 | 0.439 | | | |
| NADD089 | 333.00 | 334.00 | 1.00 | 0.156 | 3.00 m @ 0.55 g/t Au | 1.7 | |
| NADD089 | 334.00 | 335.00 | 1.00 | 0.225 | | | |
| NADD089 | 336.00 | 337.00 | 1.00 | 0.111 | | | |
| NADD089 | 343.00 | 344.00 | 1.00 | 0.529 | 0.90 m @ 0.43 g/t Au | 0.4 | |
| NADD089 | 344.00 | 345.00 | 1.00 | 0.513 | | | |
| NADD089 | 345.00 | 346.00 | 1.00 | 0.609 | | | |
| NADD090 | 0.00 | 1.00 | 1.00 | 0.105 | 2.50 m @ 0.26 g/t Au | 0.6 | |
| NADD090 | 6.00 | 6.90 | 0.90 | 0.433 | | | |
| NADD090 | 7.50 | 9.00 | 1.50 | 0.296 | 1.55 m @ 0.24 g/t Au | 0.4 | |
| NADD090 | 9.00 | 10.00 | 1.00 | 0.204 | | | |
| NADD090 | 11.00 | 12.20 | 1.20 | 0.120 | | | |
| NADD090 | 12.20 | 13.75 | 1.55 | 0.237 | 1.75 m @ 1.52 g/t Au | 2.7 | |
| NADD090 | 16.25 | 17.00 | 0.75 | 2.791 | | | 0.75 m @ 2.79 g/t Au |
| NADD090 | 17.00 | 18.00 | 1.00 | 0.572 | 5.00 m @ 0.24 g/t Au | 1.2 | |
| NADD090 | 22.50 | 23.50 | 1.00 | 0.282 | | | |
| NADD090 | 23.50 | 24.50 | 1.00 | 0.493 | | | |
| NADD090 | 24.50 | 25.50 | 1.00 | 0.181 | | | |
| NADD090 | 25.50 | 26.50 | 1.00 | 0.047 | | | |
| NADD090 | 26.50 | 27.50 | 1.00 | 0.208 | | | |
| NADD090 | 27.50 | 28.60 | 1.10 | 0.127 | 8.00 m @ 0.52 g/t Au | 4.2 | |
| NADD090 | 38.00 | 39.00 | 1.00 | 1.838 | | | 1.00 m @ 1.84 g/t Au |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|---------------|------------------------------|----------------|------------------------------|
| NADD090 | 39.00 | 40.00 | 1.00 | 0.156 | | | |
| NADD090 | 40.00 | 41.00 | 1.00 | 0.008 | | | |
| NADD090 | 41.00 | 42.00 | 1.00 | 0.246 | | | |
| NADD090 | 42.00 | 43.00 | 1.00 | 0.053 | | | |
| NADD090 | 43.00 | 44.00 | 1.00 | 0.370 | | | |
| NADD090 | 44.00 | 45.00 | 1.00 | 0.802 | | | |
| NADD090 | 45.00 | 46.00 | 1.00 | 0.697 | | | |
| NADD090 | 46.00 | 47.00 | 1.00 | 0.172 | | | |
| NADD090 | 50.00 | 51.00 | 1.00 | 0.144 | | | |
| NADD090 | 55.00 | 56.30 | 1.30 | 1.421 | 1.30 m @ 1.42 g/t Au | 1.8 | 1.30 m @ 1.42 g/t Au |
| NADD090 | 67.00 | 68.00 | 1.00 | 0.198 | | | |
| NADD090 | 69.00 | 70.00 | 1.00 | 0.108 | | | |
| NADD090 | 79.00 | 80.00 | 1.00 | 0.947 | 1.00 m @ 0.95 g/t Au | 0.9 | |
| NADD090 | 84.10 | 85.00 | 0.90 | 0.158 | | | |
| NADD090 | 86.00 | 87.00 | 1.00 | 0.758 | | | |
| NADD090 | 87.00 | 88.00 | 1.00 | 0.215 | 4.00 m @ 0.71 g/t Au | 2.8 | |
| NADD090 | 88.00 | 89.00 | 1.00 | 0.034 | | | |
| NADD090 | 89.00 | 90.00 | 1.00 | 1.826 | | | 1.00 m @ 1.83 g/t Au |
| NADD090 | 106.00 | 107.00 | 1.00 | 0.276 | 1.00 m @ 0.28 g/t Au | 0.3 | |
| NADD090 | 116.00 | 117.00 | 1.00 | 3.092 | | | 1.00 m @ 3.09 g/t Au |
| NADD090 | 117.00 | 118.00 | 1.00 | 0.020 | 4.00 m @ 0.83 g/t Au | 3.3 | |
| NADD090 | 118.00 | 119.00 | 1.00 | 0.015 | | | |
| NADD090 | 119.00 | 120.00 | 1.00 | 0.200 | | | |
| NADD090 | 151.00 | 152.00 | 1.00 | 0.121 | | | |
| NADD090 | 153.00 | 154.00 | 1.00 | 0.101 | | | |
| NADD090 | 176.00 | 177.00 | 1.00 | 0.339 | | | |
| NADD090 | 177.00 | 178.00 | 1.00 | 0.491 | | | |
| NADD090 | 178.00 | 179.00 | 1.00 | 1.158 | 5.00 m @ 1.42 g/t Au | 7.1 | |
| NADD090 | 179.00 | 180.00 | 1.00 | 4.885 | | | 2.00 m @ 3.02 g/t Au |
| NADD090 | 180.00 | 181.00 | 1.00 | 0.221 | | | |
| NADD090 | 190.00 | 191.00 | 1.00 | 0.112 | | | |
| NADD090 | 198.00 | 198.70 | 0.70 | 0.169 | | | |
| NADD090 | 198.70 | 199.70 | 1.00 | 9.680 | 1.90 m @ 11.76 g/t Au | 22.3 | 1.90 m @ 11.76 g/t Au |
| NADD090 | 199.70 | 200.60 | 0.90 | 14.062 | | | |
| NADD090 | 204.40 | 205.50 | 1.10 | 0.726 | 2.30 m @ 0.61 g/t Au | 1.4 | |
| NADD090 | 205.50 | 206.70 | 1.20 | 0.503 | | | |
| NADD090 | 209.00 | 210.00 | 1.00 | 0.187 | | | |
| NADD090 | 212.00 | 213.00 | 1.00 | 1.099 | | | 1.00 m @ 1.10 g/t Au |
| NADD090 | 213.00 | 214.00 | 1.00 | 0.035 | 5.00 m @ 0.29 g/t Au | 1.4 | |
| NADD090 | 214.00 | 215.00 | 1.00 | 0.008 | | | |
| NADD090 | 215.00 | 216.00 | 1.00 | 0.071 | | | |
| NADD090 | 216.00 | 217.00 | 1.00 | 0.217 | | | |
| NADD090 | 221.85 | 223.00 | 1.15 | 0.549 | 1.15 m @ 0.55 g/t Au | 0.6 | |
| NADD090 | 255.00 | 256.00 | 1.00 | 0.182 | | | |
| NADD091 | 0.00 | 1.50 | 1.50 | 0.171 | | | |
| NADD091 | 1.50 | 3.00 | 1.50 | 0.222 | | | |
| NADD091 | 3.00 | 4.00 | 1.00 | 0.354 | | | |
| NADD091 | 4.00 | 5.00 | 1.00 | 0.036 | 5.40 m @ 0.31 g/t Au | 1.7 | |
| NADD091 | 5.00 | 6.00 | 1.00 | 0.109 | | | |
| NADD091 | 6.00 | 6.90 | 0.90 | 0.913 | | | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|---------------|-----------------------------|----------------|------------------------------|
| NADD091 | 10.00 | 11.00 | 1.00 | 0.318 | 1.00 m @ 0.32 g/t Au | 0.3 | |
| NADD091 | 29.00 | 30.00 | 1.00 | 0.112 | | | |
| NADD091 | 118.00 | 119.00 | 1.00 | 0.159 | | | |
| NADD091 | 124.00 | 125.00 | 1.00 | 0.289 | 1.00 m @ 0.29 g/t Au | 0.3 | |
| NADD091 | 132.00 | 133.00 | 1.00 | 0.278 | 1.00 m @ 0.28 g/t Au | 0.3 | |
| NADD091 | 133.00 | 134.30 | 1.30 | 0.109 | | | |
| NADD091 | 139.00 | 140.00 | 1.00 | 0.298 | 1.00 m @ 0.30 g/t Au | 0.3 | |
| NADD091 | 148.00 | 149.00 | 1.00 | 0.783 | | | |
| NADD091 | 149.00 | 150.00 | 1.00 | 0.083 | 3.00 m @ 0.52 g/t Au | 1.6 | |
| NADD091 | 150.00 | 151.00 | 1.00 | 0.698 | | | |
| NADD091 | 159.00 | 160.20 | 1.20 | 0.140 | | | |
| NADD091 | 161.00 | 162.00 | 1.00 | 0.275 | 1.00 m @ 0.28 g/t Au | 0.3 | |
| NADD091 | 207.00 | 208.00 | 1.00 | 0.248 | 1.00 m @ 0.25 g/t Au | 0.2 | |
| NADD091 | 233.00 | 234.00 | 1.00 | 10.004 | | | 1.00 m @ 10.00 g/t Au |
| NADD091 | 234.00 | 235.00 | 1.00 | 0.109 | | | |
| NADD091 | 235.00 | 236.00 | 1.00 | 0.248 | | | |
| NADD091 | 236.00 | 237.00 | 1.00 | 0.932 | | | |
| NADD091 | 237.00 | 238.00 | 1.00 | 0.587 | | | |
| NADD091 | 238.00 | 239.00 | 1.00 | 0.049 | | | |
| NADD091 | 239.00 | 240.00 | 1.00 | 1.120 | | | 2.00 m @ 1.21 g/t Au |
| NADD091 | 240.00 | 241.00 | 1.00 | 1.303 | | | |
| NADD091 | 241.00 | 242.00 | 1.00 | 0.027 | | | |
| NADD091 | 242.00 | 243.00 | 1.00 | 1.319 | | | 3.00 m @ 4.29 g/t Au |
| NADD091 | 243.00 | 244.00 | 1.00 | 0.008 | | | |
| NADD091 | 244.00 | 245.00 | 1.00 | 11.552 | | | |
| NADD091 | 245.00 | 246.00 | 1.00 | 0.641 | | | |
| NADD091 | 246.00 | 247.00 | 1.00 | 0.343 | | | |
| NADD091 | 247.00 | 248.00 | 1.00 | 0.285 | | | |
| NADD091 | 248.00 | 249.00 | 1.00 | 0.455 | | | |
| NADD091 | 249.00 | 250.00 | 1.00 | 2.279 | | | 1.00 m @ 2.28 g/t Au |
| NADD091 | 250.00 | 251.00 | 1.00 | 0.065 | | | |
| NADD091 | 251.00 | 252.00 | 1.00 | 0.008 | | | |
| NADD091 | 252.00 | 253.00 | 1.00 | 0.698 | | | |
| NADD091 | 253.00 | 254.00 | 1.00 | 0.544 | | | |
| NADD091 | 254.00 | 255.00 | 1.00 | 0.856 | | | |
| NADD091 | 255.00 | 256.00 | 1.00 | 0.029 | | | |
| NADD091 | 256.00 | 257.00 | 1.00 | 0.593 | | | |
| NADD091 | 257.00 | 258.00 | 1.00 | 0.294 | | | |
| NADD091 | 258.00 | 259.00 | 1.00 | 6.533 | | | 1.00 m @ 6.53 g/t Au |
| NADD091 | 259.00 | 260.00 | 1.00 | 0.043 | | | |
| NADD091 | 260.00 | 261.00 | 1.00 | 0.402 | | | |
| NADD091 | 265.50 | 267.00 | 1.50 | 0.158 | | | |
| NADD091 | 273.00 | 274.00 | 1.00 | 0.223 | 1.00 m @ 0.22 g/t Au | 0.2 | |
| NADD091 | 283.00 | 284.00 | 1.00 | 0.195 | | | |
| NADD091 | 300.00 | 301.00 | 1.00 | 0.143 | | | |
| NADD091 | 321.00 | 322.00 | 1.00 | 0.124 | | | |
| NADD091 | 331.00 | 332.00 | 1.00 | 1.946 | 1.00 m @ 1.95 g/t Au | 1.9 | 1.00 m @ 1.95 g/t Au |
| NADD091 | 334.20 | 335.70 | 1.50 | 0.139 | | | |
| NADD091 | 335.70 | 337.00 | 1.30 | 2.764 | | | |
| NADD091 | 337.00 | 338.00 | 1.00 | 0.600 | 6.30 m @ 0.97 g/t Au | 6.1 | 3.30 m @ 1.63 g/t Au |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|----------|-----------------------|----------------|----------------------|
| NADD091 | 338.00 | 339.00 | 1.00 | 1.179 | | | |
| NADD091 | 339.00 | 340.00 | 1.00 | 0.380 | | | |
| NADD091 | 340.00 | 341.00 | 1.00 | 0.008 | | | |
| NADD091 | 341.00 | 342.00 | 1.00 | 0.369 | | | |
| NADD092 | 33.50 | 34.00 | 0.50 | 0.259 | 0.50 m @ 0.26 g/t Au | 0.1 | |
| NADD092 | 81.00 | 82.00 | 1.00 | 0.111 | | | |
| NADD092 | 82.00 | 83.00 | 1.00 | 0.199 | | | |
| NADD092 | 113.60 | 114.60 | 1.00 | 0.165 | | | |
| NADD092 | 148.00 | 149.00 | 1.00 | 0.682 | 1.00 m @ 0.68 g/t Au | 0.7 | |
| NADD092 | 157.00 | 158.00 | 1.00 | 0.139 | | | |
| NADD092 | 194.40 | 195.50 | 1.10 | 0.489 | 1.10 m @ 0.49 g/t Au | 0.5 | |
| NADD092 | 198.80 | 199.50 | 0.70 | 0.146 | | | |
| NADD093 | 2.00 | 3.00 | 1.00 | 0.135 | | | |
| NADD093 | 26.00 | 27.00 | 1.00 | 0.600 | 1.00 m @ 0.60 g/t Au | 0.6 | |
| NADD093 | 30.00 | 31.40 | 1.40 | 0.155 | | | |
| NADD093 | 33.00 | 34.00 | 1.00 | 0.158 | | | |
| NADD093 | 37.00 | 38.00 | 1.00 | 0.161 | | | |
| NADD093 | 42.00 | 43.00 | 1.00 | 0.241 | 1.00 m @ 0.24 g/t Au | 0.2 | |
| NADD093 | 64.00 | 65.00 | 1.00 | 1.409 | 1.00 m @ 1.41 g/t Au | 1.4 | 1.00 m @ 1.41 g/t Au |
| NADD093 | 65.00 | 66.00 | 1.00 | 0.123 | | | |
| NADD093 | 141.50 | 142.60 | 1.10 | 0.125 | | | |
| NADD093 | 142.60 | 144.00 | 1.40 | 0.116 | | | |
| NADD094 | 45.00 | 46.00 | 1.00 | 0.364 | | | |
| NADD094 | 46.00 | 47.00 | 1.00 | 1.157 | | | |
| NADD094 | 47.00 | 48.00 | 1.00 | 2.309 | | | 2.00 m @ 1.73 g/t Au |
| NADD094 | 48.00 | 49.00 | 1.00 | 0.738 | 6.00 m @ 0.96 g/t Au | 5.7 | |
| NADD094 | 49.00 | 50.00 | 1.00 | 0.580 | | | |
| NADD094 | 50.00 | 51.00 | 1.00 | 0.596 | | | |
| NADD094 | 56.00 | 57.00 | 1.00 | 2.528 | | | 1.00 m @ 2.53 g/t Au |
| NADD094 | 57.00 | 58.00 | 1.00 | 0.008 | | | |
| NADD094 | 58.00 | 58.70 | 0.70 | 0.028 | | | |
| NADD094 | 58.70 | 59.40 | 0.70 | 0.037 | | | |
| NADD094 | 59.40 | 60.00 | 0.60 | 0.008 | 7.00 m @ 0.89 g/t Au | 6.2 | |
| NADD094 | 60.00 | 61.00 | 1.00 | 0.753 | | | |
| NADD094 | 61.00 | 62.00 | 1.00 | 1.419 | | | |
| NADD094 | 62.00 | 63.00 | 1.00 | 1.487 | | | 2.00 m @ 1.45 g/t Au |
| NADD094 | 138.00 | 138.75 | 0.75 | 0.103 | | | |
| NADD094 | 177.00 | 178.00 | 1.00 | 0.167 | | | |
| NADD094 | 188.90 | 189.65 | 0.75 | 0.399 | 0.75 m @ 0.40 g/t Au | 0.3 | |
| NADD094 | 229.00 | 230.00 | 1.00 | 0.286 | | | |
| NADD094 | 230.00 | 231.00 | 1.00 | 1.451 | 2.00 m @ 0.87 g/t Au | 1.7 | 1.00 m @ 1.45 g/t Au |
| NADD094 | 232.00 | 233.00 | 1.00 | 0.121 | | | |
| NADD094 | 252.00 | 253.00 | 1.00 | 3.055 | | | |
| NADD094 | 253.00 | 254.00 | 1.00 | 0.207 | 2.00 m @ 1.63 g/t Au | 3.3 | 1.00 m @ 3.06 g/t Au |
| NADD094 | 333.00 | 334.00 | 1.00 | 0.106 | | | |
| NADD094 | 334.00 | 335.00 | 1.00 | 0.130 | | | |
| NADD094 | 336.00 | 337.00 | 1.00 | 1.083 | | | 1.00 m @ 1.08 g/t Au |
| NADD094 | 337.00 | 338.00 | 1.00 | 0.538 | | | |
| NADD094 | 338.00 | 339.00 | 1.00 | 0.061 | 17.00 m @ 0.60 g/t Au | 10.2 | |
| NADD094 | 339.00 | 340.00 | 1.00 | 0.476 | | | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|---------------|------------------------------|----------------|------------------------------|
| NADD094 | 340.00 | 341.00 | 1.00 | 0.815 | | | |
| NADD094 | 341.00 | 342.00 | 1.00 | 0.236 | | | |
| NADD094 | 342.00 | 343.00 | 1.00 | 0.035 | | | |
| NADD094 | 343.00 | 344.00 | 1.00 | 1.894 | | | |
| NADD094 | 344.00 | 345.00 | 1.00 | 0.453 | | | 3.00 m @ 1.45 g/t Au |
| NADD094 | 345.00 | 346.00 | 1.00 | 1.995 | | | |
| NADD094 | 346.00 | 347.00 | 1.00 | 0.279 | | | |
| NADD094 | 347.00 | 348.00 | 1.00 | 0.292 | | | |
| NADD094 | 348.00 | 349.00 | 1.00 | 0.388 | | | |
| NADD094 | 349.00 | 350.00 | 1.00 | 1.220 | | | 1.00 m @ 1.22 g/t Au |
| NADD094 | 350.00 | 351.00 | 1.00 | 0.085 | | | |
| NADD094 | 351.00 | 352.00 | 1.00 | 0.038 | | | |
| NADD094 | 352.00 | 353.00 | 1.00 | 0.313 | | | |
| NADD094 | 354.10 | 355.20 | 1.10 | 0.107 | | | |
| NADD095 | 0.00 | 0.70 | 0.70 | 0.108 | | | |
| NADD095 | 25.00 | 26.00 | 1.00 | 0.820 | | | |
| NADD095 | 26.00 | 27.00 | 1.00 | 1.277 | | | 2.00 m @ 4.80 g/t Au |
| NADD095 | 27.00 | 28.00 | 1.00 | 8.315 | 6.00 m @ 1.85 g/t Au | 11.1 | |
| NADD095 | 28.00 | 29.00 | 1.00 | 0.270 | | | |
| NADD095 | 29.00 | 30.00 | 1.00 | 0.008 | | | |
| NADD095 | 30.00 | 31.00 | 1.00 | 0.415 | | | |
| NADD095 | 34.30 | 35.30 | 1.00 | 0.242 | | | |
| NADD095 | 35.30 | 36.70 | 1.40 | 1.118 | 2.40 m @ 0.75 g/t Au | 1.8 | 1.40 m @ 1.12 g/t Au |
| NADD095 | 42.00 | 43.00 | 1.00 | 3.258 | | | |
| NADD095 | 43.00 | 44.30 | 1.30 | 0.792 | | | 3.00 m @ 1.70 g/t Au |
| NADD095 | 44.30 | 45.00 | 0.70 | 1.153 | 6.00 m @ 4.17 g/t Au | 25.0 | |
| NADD095 | 45.00 | 46.00 | 1.00 | 0.008 | | | |
| NADD095 | 46.00 | 47.00 | 1.00 | 0.008 | | | |
| NADD095 | 47.00 | 48.00 | 1.00 | 19.917 | | | 1.00 m @ 19.92 g/t Au |
| NADD095 | 57.00 | 58.00 | 1.00 | 0.132 | | | |
| NADD095 | 180.00 | 181.00 | 1.00 | 0.183 | | | |
| NADD095 | 181.00 | 182.00 | 1.00 | 0.440 | | | |
| NADD095 | 182.00 | 183.00 | 1.00 | 1.875 | | | |
| NADD095 | 183.00 | 184.00 | 1.00 | 0.850 | | | 5.00 m @ 1.54 g/t Au |
| NADD095 | 184.00 | 185.00 | 1.00 | 1.218 | | | |
| NADD095 | 185.00 | 186.00 | 1.00 | 0.555 | | | |
| NADD095 | 186.00 | 187.00 | 1.00 | 3.223 | 11.00 m @ 0.81 g/t Au | 8.9 | |
| NADD095 | 187.00 | 188.00 | 1.00 | 0.299 | | | |
| NADD095 | 188.00 | 189.00 | 1.00 | 0.008 | | | |
| NADD095 | 189.00 | 190.00 | 1.00 | 0.008 | | | |
| NADD095 | 190.00 | 191.00 | 1.00 | 0.008 | | | |
| NADD095 | 191.00 | 192.00 | 1.00 | 0.465 | | | |
| NADD095 | 218.00 | 219.00 | 1.00 | 0.673 | 1.00 m @ 0.67 g/t Au | 0.7 | |
| NADD095 | 245.20 | 246.30 | 1.10 | 0.509 | | | |
| NADD095 | 246.30 | 247.40 | 1.10 | 0.074 | | | |
| NADD095 | 247.40 | 248.00 | 0.60 | 0.035 | 4.80 m @ 0.24 g/t Au | 1.1 | |
| NADD095 | 248.00 | 249.00 | 1.00 | 0.023 | | | |
| NADD095 | 249.00 | 250.00 | 1.00 | 0.455 | | | |
| NADD095 | 250.00 | 251.00 | 1.00 | 0.168 | | | |
| NADD095 | 286.00 | 287.00 | 1.00 | 0.118 | | | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|---------------|------------------------------|----------------|------------------------------|
| NADD096 | 189.00 | 190.00 | 1.00 | 0.443 | 1.00 m @ 0.44 g/t Au | 0.4 | |
| NADD096 | 193.00 | 194.00 | 1.00 | 0.269 | 2.00 m @ 0.28 g/t Au | 0.6 | |
| NADD096 | 194.00 | 195.00 | 1.00 | 0.283 | | | |
| NADD096 | 195.00 | 196.00 | 1.00 | 0.112 | | | |
| NADD096 | 203.00 | 204.00 | 1.00 | 0.508 | 1.00 m @ 0.51 g/t Au | 0.5 | |
| NADD096 | 295.00 | 296.00 | 1.00 | 0.405 | 1.00 m @ 0.41 g/t Au | 0.4 | |
| NADD096 | 317.00 | 318.00 | 1.00 | 0.113 | | | |
| NADD096 | 320.00 | 321.00 | 1.00 | 0.207 | 1.00 m @ 0.21 g/t Au | 0.2 | |
| NADD098 | 143.00 | 144.00 | 1.00 | 0.108 | | | |
| NADD098 | 144.00 | 145.00 | 1.00 | 0.539 | 1.00 m @ 0.54 g/t Au | 0.5 | |
| NADD098 | 147.00 | 148.00 | 1.00 | 0.157 | | | |
| NADD098 | 165.30 | 166.40 | 1.10 | 0.380 | 2.20 m @ 0.77 g/t Au | 1.7 | |
| NADD098 | 166.40 | 167.50 | 1.10 | 1.151 | | | |
| NADD098 | 177.00 | 178.00 | 1.00 | 0.240 | 1.00 m @ 0.24 g/t Au | 0.2 | 1.10 m @ 1.15 g/t Au |
| NADD098 | 181.00 | 182.00 | 1.00 | 0.149 | | | |
| NADD098 | 183.00 | 184.00 | 1.00 | 0.334 | 1.00 m @ 0.33 g/t Au | 0.3 | |
| NADD098 | 192.00 | 193.00 | 1.00 | 0.177 | | | |
| NADD098 | 204.00 | 205.00 | 1.00 | 0.152 | | | |
| NADD098 | 209.00 | 210.00 | 1.00 | 0.473 | 1.00 m @ 0.47 g/t Au | 0.5 | |
| NADD099 | 130.00 | 131.00 | 1.00 | 0.357 | 2.00 m @ 0.40 g/t Au | 0.8 | |
| NADD099 | 131.00 | 132.00 | 1.00 | 0.448 | | | |
| NADD099 | 164.00 | 165.00 | 1.00 | 0.350 | 5.00 m @ 0.51 g/t Au | 2.5 | |
| NADD099 | 165.00 | 166.00 | 1.00 | 0.008 | | | |
| NADD099 | 166.00 | 167.00 | 1.00 | 0.181 | | | |
| NADD099 | 167.00 | 168.00 | 1.00 | 1.594 | | | |
| NADD099 | 168.00 | 169.00 | 1.00 | 0.406 | | | |
| NADD100 | 41.00 | 42.00 | 1.00 | 0.778 | 3.00 m @ 0.66 g/t Au | 2.0 | |
| NADD100 | 42.00 | 42.80 | 0.80 | 0.016 | | | |
| NADD100 | 42.80 | 44.00 | 1.20 | 0.988 | | | |
| NADD100 | 45.00 | 46.00 | 1.00 | 0.147 | | | |
| NADD100 | 55.00 | 56.00 | 1.00 | 0.737 | 9.00 m @ 0.50 g/t Au | 4.5 | |
| NADD100 | 56.00 | 57.00 | 1.00 | 0.008 | | | |
| NADD100 | 57.00 | 58.00 | 1.00 | 2.369 | | | |
| NADD100 | 58.00 | 59.00 | 1.00 | 0.067 | | | |
| NADD100 | 59.00 | 60.00 | 1.00 | 0.236 | | | |
| NADD100 | 60.00 | 61.00 | 1.00 | 0.036 | | | |
| NADD100 | 61.00 | 62.00 | 1.00 | 0.016 | | | |
| NADD100 | 62.00 | 63.00 | 1.00 | 0.197 | | | |
| NADD100 | 63.00 | 64.00 | 1.00 | 0.829 | | | |
| NADD100 | 86.00 | 87.00 | 1.00 | 0.267 | | | |
| NADD100 | 87.00 | 88.00 | 1.00 | 0.407 | 2.00 m @ 0.34 g/t Au | 0.7 | |
| NADD100 | 97.00 | 98.00 | 1.00 | 0.202 | 1.00 m @ 0.20 g/t Au | 0.2 | |
| NADD100 | 100.00 | 101.00 | 1.00 | 0.189 | | | |
| NADD100 | 146.00 | 147.00 | 1.00 | 0.501 | 19.00 m @ 5.16 g/t Au | 98.1 | |
| NADD100 | 147.00 | 148.00 | 1.00 | 0.402 | | | |
| NADD100 | 148.00 | 149.00 | 1.00 | 22.269 | | | |
| NADD100 | 149.00 | 150.00 | 1.00 | 4.317 | | | |
| NADD100 | 150.00 | 151.00 | 1.00 | 2.812 | | | |
| NADD100 | 151.00 | 152.00 | 1.00 | 5.366 | | | |
| NADD100 | 152.00 | 153.00 | 1.00 | 1.146 | | | |
| | | | | | | | 14.00 m @ 6.76 g/t Au |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|----------|-----------------------|----------------|----------------------|
| NADD100 | 153.00 | 154.00 | 1.00 | 1.671 | | | |
| NADD100 | 154.00 | 155.00 | 1.00 | 0.008 | | | |
| NADD100 | 155.00 | 156.00 | 1.00 | 0.648 | | | |
| NADD100 | 156.00 | 157.00 | 1.00 | 5.212 | | | |
| NADD100 | 157.00 | 158.00 | 1.00 | 1.092 | | | |
| NADD100 | 158.00 | 159.00 | 1.00 | 21.985 | | | |
| NADD100 | 159.00 | 160.00 | 1.00 | 16.451 | | | |
| NADD100 | 160.00 | 161.00 | 1.00 | 5.429 | | | |
| NADD100 | 161.00 | 162.00 | 1.00 | 6.255 | | | |
| NADD100 | 162.00 | 163.00 | 1.00 | 0.008 | | | |
| NADD100 | 163.00 | 164.00 | 1.00 | 0.043 | | | |
| NADD100 | 164.00 | 165.00 | 1.00 | 2.477 | | | 1.00 m @ 2.48 g/t Au |
| NADD100 | 212.00 | 213.00 | 1.00 | 0.160 | | | |
| NADD100 | 213.00 | 214.00 | 1.00 | 0.432 | 1.00 m @ 0.43 g/t Au | 0.4 | |
| NADD100 | 222.00 | 223.00 | 1.00 | 0.101 | | | |
| NADD100 | 225.00 | 226.00 | 1.00 | 0.134 | | | |
| NADD101 | 6.00 | 6.55 | 0.55 | 0.227 | 0.55 m @ 0.23 g/t Au | 0.1 | |
| NADD101 | 134.00 | 135.00 | 1.00 | 0.121 | | | |
| NADD101 | 135.90 | 137.00 | 1.10 | 0.137 | | | |
| NADD101 | 146.50 | 147.60 | 1.10 | 0.792 | | | |
| NADD101 | 147.60 | 148.70 | 1.10 | 0.333 | 2.20 m @ 0.56 g/t Au | 1.2 | |
| NADD101 | 195.00 | 196.00 | 1.00 | 0.436 | 1.00 m @ 0.44 g/t Au | 0.4 | |
| NADD101 | 200.00 | 201.00 | 1.00 | 0.121 | | | |
| NADD101 | 220.00 | 221.00 | 1.00 | 0.250 | 1.00 m @ 0.25 g/t Au | 0.3 | |
| NADD101 | 282.00 | 283.00 | 1.00 | 0.391 | 1.00 m @ 0.39 g/t Au | 0.4 | |
| NADD102 | 0.70 | 1.50 | 0.80 | 0.101 | | | |
| NADD102 | 110.20 | 111.70 | 1.50 | 0.615 | | | |
| NADD102 | 111.70 | 113.00 | 1.30 | 0.031 | 3.80 m @ 0.32 g/t Au | 1.2 | |
| NADD102 | 113.00 | 114.00 | 1.00 | 0.240 | | | |
| NADD102 | 114.00 | 115.00 | 1.00 | 0.171 | | | |
| NADD102 | 121.00 | 122.00 | 1.00 | 0.461 | | | |
| NADD102 | 122.00 | 123.00 | 1.00 | 0.266 | 3.30 m @ 0.49 g/t Au | 1.6 | |
| NADD102 | 123.00 | 124.30 | 1.30 | 0.688 | | | |
| NADD102 | 124.30 | 125.60 | 1.30 | 0.135 | | | |
| NADD102 | 129.00 | 130.00 | 1.00 | 0.166 | | | |
| NADD102 | 195.00 | 196.00 | 1.00 | 1.842 | 1.00 m @ 1.84 g/t Au | 1.8 | 1.00 m @ 1.84 g/t Au |
| NADD102 | 288.00 | 289.00 | 1.00 | 0.129 | | | |
| NADD103 | 37.90 | 39.00 | 1.10 | 6.347 | 1.10 m @ 6.35 g/t Au | 7.0 | 1.10 m @ 6.35 g/t Au |
| NADD103 | 82.90 | 83.85 | 0.95 | 0.505 | 0.95 m @ 0.51 g/t Au | 0.5 | |
| NADD103 | 85.85 | 86.75 | 0.90 | 0.202 | 0.90 m @ 0.20 g/t Au | 0.2 | |
| NADD103 | 91.20 | 92.45 | 1.25 | 0.376 | | | |
| NADD103 | 92.45 | 93.20 | 0.75 | 1.006 | 2.80 m @ 0.75 g/t Au | 2.1 | 1.55 m @ 1.06 g/t Au |
| NADD103 | 93.20 | 94.00 | 0.80 | 1.111 | | | |
| NADD103 | 99.00 | 100.00 | 1.00 | 0.543 | 1.00 m @ 0.54 g/t Au | 0.5 | |
| NADD103 | 113.00 | 114.00 | 1.00 | 0.258 | 1.00 m @ 0.26 g/t Au | 0.3 | |
| NADD103 | 150.00 | 151.00 | 1.00 | 4.274 | 1.00 m @ 4.27 g/t Au | 4.3 | 1.00 m @ 4.27 g/t Au |
| NADD103 | 153.00 | 154.00 | 1.00 | 0.131 | | | |
| NADD103 | 154.00 | 155.00 | 1.00 | 0.156 | | | |
| NADD103 | 157.00 | 158.00 | 1.00 | 0.267 | | | |
| NADD103 | 158.00 | 159.00 | 1.00 | 0.927 | 21.00 m @ 2.01 g/t Au | 42.2 | |

| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au | |
|---------|--------|--------|----------|---------------|-----------------------|----------------|----------------------|----------------------|
| NADD103 | 159.00 | 160.00 | 1.00 | 0.008 | | | | |
| NADD103 | 160.00 | 161.00 | 1.00 | 0.008 | | | | |
| NADD103 | 161.00 | 162.00 | 1.00 | 0.523 | | | | |
| NADD103 | 162.00 | 163.00 | 1.00 | 0.544 | | | | |
| NADD103 | 163.00 | 164.00 | 1.00 | 2.903 | | | | |
| NADD103 | 164.00 | 165.00 | 1.00 | 2.078 | | | | |
| NADD103 | 165.00 | 166.00 | 1.00 | 1.052 | | | | |
| NADD103 | 166.00 | 167.00 | 1.00 | 6.853 | | | | |
| NADD103 | 167.00 | 168.00 | 1.00 | 3.841 | | | | |
| NADD103 | 168.00 | 169.00 | 1.00 | 5.134 | | | | |
| NADD103 | 169.00 | 170.00 | 1.00 | 0.008 | | | | |
| NADD103 | 170.00 | 171.00 | 1.00 | 12.713 | | | | |
| NADD103 | 171.00 | 172.00 | 1.00 | 0.932 | | | | |
| NADD103 | 172.00 | 173.00 | 1.00 | 3.168 | | | | |
| NADD103 | 173.00 | 174.00 | 1.00 | 0.313 | | | | |
| NADD103 | 174.00 | 175.00 | 1.00 | 0.373 | | | | |
| NADD103 | 175.00 | 176.00 | 1.00 | 0.069 | | | | |
| NADD103 | 176.00 | 177.00 | 1.00 | 0.221 | | | | |
| NADD103 | 177.00 | 178.00 | 1.00 | 0.256 | | | | |
| NADD104 | 0.00 | 0.80 | 0.80 | 0.238 | 0.80 m @ 0.24 g/t Au | 0.2 | | |
| NADD104 | 9.00 | 9.85 | 0.85 | 0.132 | | | | |
| NADD104 | 82.00 | 83.00 | 1.00 | 0.387 | 10.00 m @ 1.46 g/t Au | 14.6 | | |
| NADD104 | 83.00 | 84.00 | 1.00 | 0.805 | | | | |
| NADD104 | 84.00 | 85.00 | 1.00 | 0.008 | | | | |
| NADD104 | 85.00 | 86.00 | 1.00 | 9.731 | | | | 1.00 m @ 9.73 g/t Au |
| NADD104 | 86.00 | 87.00 | 1.00 | 0.910 | | | | |
| NADD104 | 87.00 | 88.00 | 1.00 | 0.033 | | | | |
| NADD104 | 88.00 | 89.00 | 1.00 | 0.513 | | | | |
| NADD104 | 89.00 | 90.00 | 1.00 | 0.413 | | | | |
| NADD104 | 90.00 | 91.00 | 1.00 | 0.533 | | | | |
| NADD104 | 91.00 | 92.00 | 1.00 | 1.257 | | | | 1.00 m @ 1.26 g/t Au |
| NADD104 | 92.00 | 93.00 | 1.00 | 0.166 | | | | |
| NADD104 | 93.00 | 94.30 | 1.30 | 0.153 | | | | |
| NADD104 | 119.70 | 121.20 | 1.50 | 0.297 | 2.70 m @ 0.91 g/t Au | 2.5 | | |
| NADD104 | 121.20 | 122.40 | 1.20 | 1.682 | | | 1.20 m @ 1.68 g/t Au | |
| NADD104 | 182.00 | 183.00 | 1.00 | 0.128 | | | | |
| NADD104 | 184.00 | 185.00 | 1.00 | 0.104 | | | | |
| NADD105 | 12.95 | 14.00 | 1.05 | 0.725 | 1.05 m @ 0.72 g/t Au | 0.8 | | |
| NADD105 | 31.70 | 33.00 | 1.30 | 0.324 | 1.30 m @ 0.32 g/t Au | 0.4 | | |
| NADD105 | 59.10 | 60.00 | 0.90 | 0.200 | 11.90 m @ 0.72 g/t Au | 8.5 | | |
| NADD105 | 60.00 | 61.00 | 1.00 | 0.680 | | | | |
| NADD105 | 61.00 | 62.00 | 1.00 | 0.238 | | | | |
| NADD105 | 62.00 | 63.00 | 1.00 | 0.030 | | | | |
| NADD105 | 63.00 | 64.00 | 1.00 | 0.414 | | | | |
| NADD105 | 64.00 | 65.00 | 1.00 | 1.281 | | | | 1.00 m @ 1.28 g/t Au |
| NADD105 | 65.00 | 66.00 | 1.00 | 0.844 | | | | |
| NADD105 | 66.00 | 67.00 | 1.00 | 0.608 | | | | |
| NADD105 | 67.00 | 68.00 | 1.00 | 0.969 | | | | |
| NADD105 | 68.00 | 69.00 | 1.00 | 2.828 | | | | 1.00 m @ 2.83 g/t Au |
| NADD105 | 69.00 | 70.00 | 1.00 | 0.008 | | | | |



| Hole ID | From | To | Interval | Au (ppm) | Sig Int > 0.2 g/t Au | m*g/t Au (gpm) | Sig Int >1 g/t Au |
|---------|--------|--------|----------|--------------|-----------------------------|----------------|-----------------------------|
| NADD105 | 70.00 | 71.00 | 1.00 | 0.457 | | | |
| NADD105 | 80.05 | 81.10 | 1.05 | 0.178 | | | |
| NADD105 | 114.00 | 115.00 | 1.00 | 0.198 | | | |
| NADD105 | 118.00 | 119.00 | 1.00 | 1.380 | 3.00 m @ 0.63 g/t Au | 1.9 | 1.00 m @ 1.38 g/t Au |
| NADD105 | 119.00 | 120.00 | 1.00 | 0.142 | | | |
| NADD105 | 120.00 | 121.00 | 1.00 | 0.363 | | | |
| NADD105 | 136.00 | 137.00 | 1.00 | 0.281 | 3.00 m @ 1.12 g/t Au | 3.4 | |
| NADD105 | 137.00 | 138.00 | 1.00 | 0.008 | | | |
| NADD105 | 138.00 | 139.00 | 1.00 | 3.081 | | | 1.00 m @ 3.08 g/t Au |
| NADD105 | 140.00 | 141.00 | 1.00 | 0.197 | | | |

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 3.90Moz gold resources coming from two gold projects, the 3.03 Moz Boundiali Gold Project and the 0.87Moz Napié Gold Project. Aurum owns and runs 12 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Group Mineral Resources

Table 3: Group Mineral Resources Statement for contained gold at 31 January 2026 (figures may not add up due to appropriate rounding)

| Mineral Resources | | | Indicated | | | Inferred | | | Total Resources | | |
|-------------------|--------------|--|-------------|------------------|-------------|-------------|------------------|-------------|-----------------|------------------|-------------|
| Project | Type | Cut-off | Tonnes (Mt) | Gold grade (g/t) | Gold (Moz) | Tonnes (Mt) | Gold grade (g/t) | Gold (Moz) | Tonnes (Mt) | Gold grade (g/t) | Gold (Moz) |
| Boundiali | Oxide | 0.4 g/t Au above 300m depth and 1.0 g/t below 300m depth | 2.7 | 1.0 | 0.08 | 2.4 | 0.8 | 0.06 | 5.1 | 0.9 | 0.15 |
| | Transition | | 2.7 | 1.0 | 0.09 | 2.5 | 0.8 | 0.07 | 5.2 | 0.9 | 0.15 |
| | Fresh | | 35.4 | 1.1 | 1.20 | 53.9 | 0.9 | 1.53 | 89.3 | 1.0 | 2.73 |
| | Total | | 40.8 | 1.0 | 1.37 | 58.8 | 0.9 | 1.66 | 99.7 | 1.0 | 3.03 |
| Napié | Oxide | 0.6 g/t Au | - | - | - | 2.4 | 1.2 | 0.09 | 2.4 | 1.2 | 0.09 |
| | Transition | | - | - | - | 1.9 | 1.1 | 0.07 | 1.9 | 1.1 | 0.07 |
| | Fresh | | - | - | - | 18.3 | 1.2 | 0.71 | 18.3 | 1.2 | 0.71 |
| | Total | | - | - | - | 22.5 | 1.2 | 0.87 | 22.5 | 1.2 | 0.87 |
| Total | | | 40.8 | 1.0 | 1.37 | 81.3 | 1.0 | 2.53 | 122 | 1.0 | 3.90 |

Boundiali Gold Project (3.03Moz)

The flagship 3.03Moz Boundiali Gold Project is comprised of four neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 6Moz Koné project located to the south. Atlantic Group's Tongon mine (5.0Moz) is located to the northeast (Figure 1):

BM gold project JV 80% interest - PR0893 ("BM"), 400km²

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BD gold project JV 80% interest - PR808 ("BD"), 260km²



- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km²

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government get 10% free carry from Aurum interest)

BN gold project JV - PR283 ("BN"), 208.87km²

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of license grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of license grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement.
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation license, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km² are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its 1.6Moz Boundiali Gold Project.
- Staged earn-in agreement aligns expenditure with milestones for each permit area:
 - Path to 51% interest: 4,000m diamond drilling.
 - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Applications (No. 0791), 114.53km², is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its 2.41Moz Boundiali Gold Project.
- Applications (No. 0793), 99.12km², are structurally located on the immediate west of the Napié gold project, offering growth potential for its 0.87Moz Napié Project.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
 - Path to 51% interest in an exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.
 - Path to 80% interest in an exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling



- Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
- 85.5~87% interest in a future production mine

Mako Gold Pty Ltd (0.87Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 0.87Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

| Criteria | JORC Code explanation | Commentary |
|-----------------------|--|--|
| Sampling techniques | <ul style="list-style-type: none"> Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. | <ul style="list-style-type: none"> Samples were collected using diamond drilling techniques generally angled at 60° towards 135° to optimally intersect the mineralised zones. Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site. QAQC procedures included the insertion of certified reference materials (standards), blanks, and field duplicates at a rate of 1:20. Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamousoukro for analysis via 500g Photon Assay. |
| Drilling techniques | <ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). | <ul style="list-style-type: none"> Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core. |
| Drill sample recovery | <ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. | <ul style="list-style-type: none"> Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted. |

| Criteria | JORC Code explanation | Commentary |
|---|--|--|
| <ul style="list-style-type: none"> Logging | <ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. | <ul style="list-style-type: none"> All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded. Metallurgical, Geotechnical and structural data has been recorded Photography and recovery measurements were carried out by assistants under a geologist's supervision. All drill holes were logged in full. Logging was qualitative and quantitative in nature. |
| <ul style="list-style-type: none"> Sub-sampling techniques and sample preparation | <ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. | <ul style="list-style-type: none"> NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core (RHS). Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au. The entire sample was crushed to 70% passing 2mm. Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks. Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd, Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled. Coarse blank samples: Inserted 1 in every 20 samples Laboratory Internal Duplicates and Standards Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold |
| <ul style="list-style-type: none"> Quality of assay data and laboratory | <ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. | <ul style="list-style-type: none"> The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically |

| Criteria | JORC Code explanation | Commentary |
|--|--|--|
| <p>tests</p> | <ul style="list-style-type: none"> For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. | <p>about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of ChrysoTM PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting.</p> <ul style="list-style-type: none"> No geophysical tools were used to determine any element concentrations used for this report. Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. Review of QAQC data (standards, blanks, duplicates) showed results were within acceptable tolerance limits. No material bias was identified. The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only). |
| <ul style="list-style-type: none"> Verification of sampling and assaying | <ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. | <ul style="list-style-type: none"> NA No holes have been twinned No adjustment to assay data Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format. Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal. |
| <ul style="list-style-type: none"> Location of data points | <ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource | <ul style="list-style-type: none"> DD collar positions were initially located using a handheld GPS with a location error of +/-3m. The datum employed is WGS84, Zone 30 |

| Criteria | JORC Code explanation | Commentary |
|--|--|--|
| | <p>estimation.</p> <ul style="list-style-type: none"> • Specification of the grid system used. • Quality and adequacy of topographic control. | <ul style="list-style-type: none"> • All drill hole locations are then surveyed utilising the differential GPS methods by both company and third party surveyors. • DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied. |
| <ul style="list-style-type: none"> • Data spacing and distribution | <ul style="list-style-type: none"> • Data spacing for reporting of Exploration Results. • Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been applied. | <ul style="list-style-type: none"> • Drillholes were completed on variable line spacings (from 100m to 20m) and orientations. • The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures. • The samples were not composited prior to assay. |
| <ul style="list-style-type: none"> • Orientation of data in relation to geological structure | <ul style="list-style-type: none"> • Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. • If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. | <ul style="list-style-type: none"> • Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation. |
| <ul style="list-style-type: none"> • Sample security | <ul style="list-style-type: none"> • The measures taken to ensure sample security. | <ul style="list-style-type: none"> • Chain of custody is managed by the senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples. |
| <ul style="list-style-type: none"> • Audits or reviews | <ul style="list-style-type: none"> • The results of any audits or reviews of sampling techniques and data. | <ul style="list-style-type: none"> • Detailed reviews of sampling techniques were carried out on the site visit by RPM in August 2025. |

•

• Section 2 of the JORC Code, 2012 Edition – Table 1

| Criteria | JORC Code explanation | Commentary | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|---|------|-------|--------|----|-----|--------|-------|-------|--------|---------|---|----|--------|----|-------|-----------------|------------|----------------|----|----|-------|----|-----|--------|------|----|--------|--------------|--------------|----------------|
| <ul style="list-style-type: none"> Mineral tenement and land tenure status | <ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area. | <ul style="list-style-type: none"> Exploration results are from the Napié project area which covers PR1038 which is in application and awaiting final approval from Mines minister following site visit. African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study The size of the permit is 236.49km². There are no impediments to working in the area. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <ul style="list-style-type: none"> Exploration done by other parties | <ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. | <ul style="list-style-type: none"> The historical exploration results reported in this announcement are from work undertaken by Mako Gold Ltd now a wholly owned subsidiary of Aurum Resources Limited. Review of historical data indicates drilling and sampling were conducted to industry standard practices comparable to Aurum's current protocols. The Mako Gold Pty Ltd exploration drilling database acquired by Aurum includes: <table border="1" data-bbox="1023 1077 1329 1480"> <thead> <tr> <th>Type</th> <th>Holes</th> <th>Metres</th> </tr> </thead> <tbody> <tr> <td>AC</td> <td>343</td> <td>11,439</td> </tr> <tr> <td>Auger</td> <td>3,546</td> <td>31,457</td> </tr> <tr> <td>Channel</td> <td>1</td> <td>36</td> </tr> <tr> <td>Trench</td> <td>12</td> <td>1,168</td> </tr> <tr> <td>Drilling</td> <td>878</td> <td>105,195</td> </tr> <tr> <td>DD</td> <td>23</td> <td>3,190</td> </tr> <tr> <td>RC</td> <td>791</td> <td>88,733</td> </tr> <tr> <td>RCDD</td> <td>64</td> <td>13,272</td> </tr> <tr> <td>Total</td> <td>4,780</td> <td>149,295</td> </tr> </tbody> </table> The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining. | Type | Holes | Metres | AC | 343 | 11,439 | Auger | 3,546 | 31,457 | Channel | 1 | 36 | Trench | 12 | 1,168 | Drilling | 878 | 105,195 | DD | 23 | 3,190 | RC | 791 | 88,733 | RCDD | 64 | 13,272 | Total | 4,780 | 149,295 |
| Type | Holes | Metres | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AC | 343 | 11,439 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Auger | 3,546 | 31,457 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Channel | 1 | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trench | 12 | 1,168 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Drilling | 878 | 105,195 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DD | 23 | 3,190 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RC | 791 | 88,733 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RCDD | 64 | 13,272 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 4,780 | 149,295 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <ul style="list-style-type: none"> Geology | <ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. | <ul style="list-style-type: none"> The Napié Permit is located within the Lower Proterozoic Birimian Daloa greenstone belt. The style of mineralisation sought is structurally controlled orogenic gold, within an interpreted shear zone related to a regional-scale shear and secondary splays. The Tchaga and Gogbala deposits are located along a 23km long +40ppb gold soil/auger anomaly coincident with a +30km-long shear zone, thought to be a | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| • Criteria | • JORC Code explanation | • Commentary |
|---|--|--|
| | | <p>major control for gold mineralisation. Gold mineralisation is hosted in enechelon quartz veins and stringers and the surrounding silicified, sericite, iron-carbonate, pyrite (+/- galena and chalcopyrite) alteration halo. Mineralisation is present in all lithologies (felsic to mafic volcanoclastics, volcanic breccias and conglomerates and to a lesser extent in felsic and mafic intrusives).</p> |
| <ul style="list-style-type: none"> • Drill hole information | <ul style="list-style-type: none"> • A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> • easting and northing of the drill hole collar • elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar • dip and azimuth of the hole • down hole length and interception depth • hole length • If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. | <ul style="list-style-type: none"> • Complete drill hole data has been provided. • Drill hole collar locations are shown in figures in main body of announcement. |
| <ul style="list-style-type: none"> • Data aggregation methods | <ul style="list-style-type: none"> • In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. • Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. • The assumptions used for any reporting of metal equivalent values should be clearly stated. | <ul style="list-style-type: none"> • Assay Intervals are shown in detail. Drilling intervals are predominantly 1m. • Metal equivalent values are not being reported. |
| <ul style="list-style-type: none"> • Relationship between mineralisation widths and intercept lengths | <ul style="list-style-type: none"> • These relationships are particularly important in the reporting of Exploration Results. • If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a | <ul style="list-style-type: none"> • Intersection lengths are reported as down hole lengths (the distance from the surface to the end of the hole, as measured along the drill trace). |

| • Criteria | • JORC Code explanation | • Commentary |
|---|--|--|
| | clear statement to this effect (e.g. 'down hole length, true width not known'). | |
| • Diagrams | • Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views. | • Appropriate diagrams relevant to material results are shown in the body of this announcement. |
| • Balanced Reporting | <ul style="list-style-type: none"> • Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. | <ul style="list-style-type: none"> • All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported. • Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole. |
| • Other substantive exploration data | • Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. | • All relevant exploration data is either reported in this announcement or has been reported previously by Aurum or Mako Gold Pty Ltd and is referred to in the announcement. |
| • Further work | <ul style="list-style-type: none"> • The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). • Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. | <ul style="list-style-type: none"> • The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs. • Diagrams included in body of report as deemed appropriate by competent person |