

1 October 2026

Aurum hits project-best gold intercept at Boundiali's BST1

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce the latest gold intercepts from an ongoing and expanded 150,000m diamond drilling program at its 3.22Moz Boundiali Gold Project¹ in Côte d'Ivoire. Aurum has received assay results from eight diamond drill (DD) holes totalling 2,564.35m, completed as a mix of infill, step-out and extensional drilling at the **BST1** deposit located on the **BST** tenement (100% interest), returning a **project-best result** from BSDD0152.

Key drill intercepts from the latest drilling include²:

BST1 (22Mt @ 0.8 g/t Au for 570koz)¹

- **28.80m @ 22.92 g/t Au** from 204m inc **17.95m @ 36.57 g/t Au** (BSDD0152)
- **57m @ 2.87 g/t Au** from 192m inc **5m @ 12.31 g/t Au** (BSDD0150)
- **22m @ 4.70 g/t Au** from 279m inc **2m @ 45.86 g/t Au** (BSDD0142)
- **1m @ 32.53 g/t Au** from 124m (BSDD0144)
- **4m @ 7.21 g/t Au** from 357m (BSDD0142)
- **11m @ 2.06 g/t Au** from 162m inc **2m @ 8.10 g/t Au** (BSDD0150)
- **2m @ 10.20 g/t Au** from 134m inc **0.50m @ 39.70 g/t Au** (BSDD0150)
- **5.81m @ 3.49 g/t Au** from 11.54m inc **1.46m @ 11.95 g/t Au** (BSDD0158).

Highlights:

- BSDD0152's **28.80m @ 22.92 g/t Au** from 204m inc **17.95m @ 36.57 g/t Au** is the **highest grade-thickness (gram-metre) intercept** reported at Boundiali to date.
- **Resource growth potential:** Drilling confirms gold mineralisation system at BST1 remains open.
- **180,000m drilling planned for CY2026:** 16 Aurum-owned diamond drill rigs operating to drive resource growth at Boundiali (targeting 150,000m for CY2026 – up 50%) and **Napié** (30,000m drilling to start Q4 CY2026).
- **Next Boundiali MRE update** is targeted for early Q4 CY2026 (drilling completed end September 2026).
- **Boundiali Definitive Feasibility Study (DFS)** expected late CY2026.
- Aurum has **4.4Moz gold combined group resources** including flagship **3.22Moz Boundiali Gold Project** and **1.16Moz Napié Gold Project**³.
- **Well funded:** Cash balance of more than A\$95 million (unaudited) following recent placement⁴.

Aurum's Managing Director Dr Caigen Wang said: "These eight DD holes (2,564.35m) from drilling at the **BST1** deposit are part of our expanded 150,000m Boundiali drilling program for 2026. BSDD0152 has delivered a project-best intercept for Boundiali with **28.80m @ 22.92 g/t Au** from 204m inc. **17.95m @ 36.57 g/t Au**. In addition, BSDD0150 hit **57m @ 2.87 g/t Au** from 192m inc. **5m @ 12.31 g/t Au**. We expect these new holes to contribute to the **BST1** Indicated Resource (currently 6.9Mt @ 0.9 g/t Au for 190koz) in the next MRE update for Boundiali, expected early in the December quarter. The updated MRE will then feed into a Boundiali DFS due late this year.

"Aurum has a strong cash balance of A\$95 million. This cash and our own diamond rig fleet places us in a strong position to advance drilling, studies and permitting concurrently at Boundiali. We received environmental approval in May and delivered the Pre-Feasibility Study and Maiden Ore Reserve in June. Our focus now is grant of the Mining Licences and

¹ "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on www.asx.com.au

² Refer to tables accompanying this report for collar location information and assay results for the new drilling

³ "Napié Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au

⁴ "A\$52.5m firm commitments to accelerate Boundiali development" released to the Australian Securities Exchange on 23 September 2026 and available to view on www.asx.com.au

completion of the DFS, with the goal of finalising funding and starting construction in early 2027, targeting first gold from Boundiali in the first half of 2028.

“Boundiali continues to grow in both scale and confidence, and today's results reinforce that trajectory. We look forward to reporting further progress on Boundiali exploration and development through the remainder of 2026 and into 2027.”

New drilling at BST1 – Boundiali Gold Project⁵

Aurum has received assay results⁶ for eight diamond drill (DD) holes, totalling 2,564.35m, from the **BST1** deposit on the **BST** tenement (100% interest). The holes were a mix of infill, step-out and extensional drilling designed to:

- Test the limits of known mineralisation along strike and at depth;
- Drill previously unclassified mineralisation to a spacing sufficient for Inferred classification; and
- Upgrade Inferred Mineral Resources to Indicated.

Drilling intersected gold mineralisation outside the current Mineral Resource, and most holes returned multiple mineralised zones downhole. The holes form part of the ongoing and expanded 150,000m (up 50%) Boundiali drilling program for CY2026, which aims to grow the Mineral Resource and increase its confidence. At the time of writing, more than 120,000m of diamond core had been drilled at Boundiali in CY2026 (based on drill logs), including more than 36,000m on the **BST** tenement. Aurum has completed more than 290,000m of diamond drilling at Boundiali.

These results, together with assays and geological data still to be received from holes completed by 30 September 2026, will be assessed for inclusion in the next Boundiali Mineral Resource Estimate (MRE). Drilling for that update closed on 30 September 2026, with the updated MRE targeted for early Q4 CY2026.

Drill collar locations and all assay results⁷ for the new drilling at **BST1** are provided in Table 1 and Table 2. Project location and details are shown in Figure 2 to Figure 4. A detailed plan showing the latest assay results is presented in Figure 1, a long section in Figure 5 and Figure 6 is a representative cross section.

Significant intercepts include (full results in Table 2):

BST1

- **28.80m @ 22.92 g/t Au** from 204m inc **17.95m @ 36.57 g/t Au** (BSDD0152)
- **57m @ 2.87 g/t Au** from 192m inc **5m @ 12.31 g/t Au** (BSDD0150)
- **22m @ 4.70 g/t Au** from 279m inc **2m @ 45.86 g/t Au** (BSDD0142)
- **1m @ 32.53 g/t Au** from 124m (BSDD0144)
- **4m @ 7.21 g/t Au** from 357m (BSDD0142)
- **11m @ 2.06 g/t Au** from 162m inc **2m @ 8.10 g/t Au** (BSDD0150)
- **2m @ 10.20 g/t Au** from 134m inc **0.50m @ 39.70 g/t Au** (BSDD0150)
- **5.81m @ 3.49 g/t Au** from 11.54m inc **1.46m @ 11.95 g/t Au** (BSDD0158).

These new results are in addition to previous exploration drilling at **BST1** that returned⁸:

- **30m @ 8.30 g/t Au** from 39m (NDC007)
- **3m @ 80.09 g/t Au** from 66m inc. **2m @ 117.73 g/t Au** (BSDD0091)
- **20m @ 10.45 g/t Au** from 38m (BRC0004S BIS)
- **2.63m @ 76.74 g/t Au** from 195.20m inc **1.30m @ 155.00 g/t Au** (BSDD0137)
- **5.63m @ 31.79 g/t Au** from 32m inc **2.63m @ 67.60 g/t Au** (BSDD0097)
- **38m @ 4.20 g/t Au** from 65m inc. **3m @ 30.52 g/t Au** (BSDD0096)
- **24m @ 6.31 g/t Au** from 108m inc **7m @ 19.25 g/t Au** (BSDD0143)
- **28m @ 4.04 g/t Au** from 3m (BRC003)

⁵ Refer to About Aurum's Boundiali Gold Project

⁶ Refer to Table 1 for collar information and Table 2 for full assay results for the new drilling

⁷ All intercepts are reported as downhole lengths using a 0.2 g/t Au cut-off grade with up to 3m consecutive internal dilution and no top cut applied

⁸ Refer to previously released information, holes that are not prefix BSDD were drilled by Predictive Discovery Limited or Turaco Gold Limited

- 1.43m @ 53.54 g/t Au from 74m (BSDD0134)
- 9.50m @ 7.59 g/t Au from 168.50m inc 2.85m @ 21.12 g/t Au (BSDD0135)
- 9m @ 7.90 g/t Au from 99m (BRC006).




Figure 1: Plan view showing new drill results (yellow) for the BST1 deposit⁹

⁹ Only showing selected new intercepts, full list of new intercepts included in assay results table

The **BST1** gold deposit, located 19km to the south of **BDT1** on the Nyangboue shear zone (Figure 4), is hosted in a sedimentary package comprising alternating sandstones and shales with minor intraformational conglomerates. Broad zones of lower grade disseminated mineralisation envelope higher grade zones, which are in some instances associated with quartz veining with visible gold. Extensive sulphide and carbonate alteration occurs with higher grade zones being associated with structurally controlled zones of quartz veining. Oxidation extends to approximately 50m vertical depth; the sedimentary protolith is soft and friable.

Gold mineralisation at **BST1** remains open along strike and at depth. Results from these holes will feed the next major Boundiali Mineral Resource update, and follow-up drilling to test the gold mineralisation identified outside the current resource is being planned. Aurum's drill rigs continue to work on the **BM** and **BST** tenements.

To date, Aurum's drilling at Boundiali has only targeted the most obvious outcropping anomalies. Aurum believes there remains a high potential for blind discoveries, providing a clear pathway for continued resource growth in CY2026 and beyond.

Next Steps

Aurum will continue to use its strong balance sheet and self-owned drill rig fleet to drive multi-rig drilling activity throughout CY2026 focussed on rapid resource conversion, resource growth and economic de-risking.

1. Boundiali: Moving to Development

- **Drilling (150,000m):** 16 diamond rigs to test strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Update:** Next major MRE update is targeted for early Q4 CY2026 (drill completed end September 2026).
- **DFS Delivery:** Results from 2026 drilling will be incorporated in a **DFS** expected in late 2026.

2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program planned to grow the 1.16Moz gold resource will commence in Q4 CY2026.
- **Drilling Efficiency:** Aurum is building an exploration camp close to the Napié gold deposits to reduce operating costs and improve access efficiency.

3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new targets identified via soil anomalies and geological mapping across the 75km of N-S mineralised corridor.
- **Early-Stage Growth:** Aurum is advancing its **Encore JV¹⁰** and **Major Star Plus¹¹** partnership projects to identify new gold systems in the region.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

¹⁰ ASX release dated 27 May 2025, Aurum secures strategic Joint Venture to expand Boundiali Gold Project, summarised in "About" section

¹¹ ASX release dated 1 September 2025, Aurum expands footprint of Boundiali and Napié Gold Projects, summarised in "About" section

FORWARD-LOOKING STATEMENTS

This release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, Mineral Resource Estimates, Ore Reserves, the Pre-Feasibility Study (PFS), the Definitive Feasibility Study (DFS), permitting, project funding, development timelines and the timing of first gold production. Forward-looking statements are identified by words such as "target", "expect", "plan", "potential", "anticipate", "goal" and similar expressions. These statements reflect the Company's current expectations, estimates and assumptions as at the date of this release. They are subject to risks and uncertainties that could cause actual results to differ materially. Those risks include, exploration and drilling outcomes, uncertainty in resource and reserve estimation, gold price and currency movements, obtaining and maintaining regulatory, environmental and mining approvals, including grant of the Mining Licences, securing development funding, project execution and operational risks, sovereign and geopolitical risks associated with Côte d'Ivoire, broader economic and market conditions. The production target and Ore Reserve referred to in this release are based on the PFS (ASX:AUE, 11 June 2026). As set out in the Compliance Statement, the Company confirms that the material assumptions underpinning them continue to apply and have not materially changed. Those assumptions will be reviewed as part of the DFS, and outcomes may differ. Investors should not place undue reliance on forward-looking statements. Except as required by law or the ASX Listing Rules, the Company undertakes no obligation to update them.

COMPETENT PERSON'S STATEMENT

he information in this release that relates to Exploration Results is based on, and fairly represents, information and supporting documentation prepared by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek is an Executive Director of the Company. Mr Strizek was a Non-Executive Director from 1 February 2024 and was appointed Executive Director on 1 June 2024. Mr Strizek holds shares in Aurum Resources Limited and holds options and performance rights that have been approved by shareholders of the Company. Mr Strizek has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the Company is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this release.

COMPLIANCE STATEMENT

The information in this release that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this release that relates to Boundiali Ore Reserves is extracted from the announcement "Boundiali PFS and Maiden Ore Reserve delivered" released to the Australian Securities Exchange on 11 June 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Ore Reserves, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this release that relates to Napié Mineral Resources is extracted from the announcement "Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

PREVIOUSLY REPORTED INFORMATION

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

25 Sep 2026, Aurum extends BST1 gold ahead of Boundiali MRE update (ASX:AUE)
 23 Sep 2026, A\$52.5m firm commitments to accelerate Boundiali development (ASX:AUE)
 18 Sep 2026, Boundiali BM drilling hits high-grade gold outside Resource (ASX:AUE)
 4 Sep 2026, Aurum adds more high grade gold at Boundiali BST1 deposit (ASX:AUE)
 17 Aug 2026, Gold extended at Boundiali BST1 deposit and BST2 prospect (ASX:AUE)
 7 Aug 2026, Aurum hits 0.72m @ 367g/t gold at Boundiali BMT3 (ASX:AUE)
 28 Jul 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 24 Jul 2026, Aurum extends BDT2 gold beyond current resource (ASX:AUE)
 29 Jun 2026, Aurum hits 1.7m @ 70.35 g/t gold from 276.5m at BDT2 (ASX:AUE)
 17 Jun 2026, AUE adds key personnel to strengthen Boundiali development (ASX:AUE)
 11 Jun 2026, Boundiali PFS and Maiden Ore Reserve delivered (ASX:AUE)
 25 May 2026, Aurum Receives Environmental Approvals for Boundiali (ASX:AUE)
 14 May 2026, Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz (ASX:AUE)
 7 May 2026, Aurum hits thick gold intersections at BDT2 (ASX:AUE)
 28 Apr 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 21 Apr 2026, Aurum hits multiple thick gold intersections at BDT2 (ASX:AUE)
 16 Apr 2026, Boundiali BST1 depth extension 220m below current MRE (ASX:AUE)
 10 Apr 2026, Napie Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au (ASX:AUE)
 23 Mar 2026, Aurum raises \$28.8M via Strategic Placement (ASX:AUE)
 13 Mar 2026, Half Yearly Report and Accounts (ASX:AUE)
 5 Mar 2026, Aurum Hits High-Grade Gold at Napie, Côte d'Ivoire (ASX:AUE)
 23 Feb 2026, Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)
 16 Feb 2026, Boundiali extends strike and depth at BDT3 and BST1 (ASX:AUE)
 5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE)
 28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)
 21 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)
 7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)
 19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)
 11 Dec 2025, Drilling at Napie Extends Gold Mineralisation to 400m Depth (ASX:AUE)
 28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE)
 18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)
 07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)
 06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)
 30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)
 06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)
 29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)
 10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napie (ASX:AUE)
 01 Sep 2025, Aurum expands footprint of Boundiali and Napie Gold Projects (ASX:AUE)
 05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)
 29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)
 25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napie (ASX:AUE)
 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
 27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
 21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
 13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
 13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)
 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
 27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
 7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 4 Feb 2025, Napie Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)
 30 Oct 2024, Bidders Statement (ASX:AUE)
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
 12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
 22 Jan 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)
 21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)
 15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte d'Ivoire (PDI:ASX)
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte d'Ivoire (PDI:ASX)
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)
 26 Nov 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 2: Location of Aurum's projects in Côte d'Ivoire




Figure 3: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 4: Aurum's Boundiali Gold Project




Figure 5: Long Section looking west (+/-300m) showing assays and projected MRE outline for BST1 deposit¹²

¹² Gold assays are plotted using Maximum Intensity Projection (MIP)




Figure 6: Cross Section looking north (+/-25m) showing new drill results (yellow) for BST1 deposit¹³

¹³ Only showing selected new intercepts, full list of new intercepts included in assay results table

Table 1: Drill collar information for new holes drilled at Boundiali (BST1)

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
BSDD0142	784,644	1,035,346	412	406.50	78	-58	BST1	DD
BSDD0144	784,725	1,035,301	414	261.30	84	-57		
BSDD0150	784,690	1,035,250	415	351.70	81	-58		
BSDD0151	784,589	1,035,346	411	440.50	78	-60		
BSDD0152	784,607	1,035,198	415	411.30	78	-60		
BSDD0155	784,551	1,035,198	414	470.40	78	-60		
BSDD0158	784,771	1,034,949	416	141.20	90	-50		
BSDD0160	784,741	1,034,748	412	81.45	90	-55		
8 holes				2,564.35m				

Table 2: Significant assay results for new holes drilled at Boundiali (BST1)¹⁴

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0142	0.40	1.50	1.10	1.289	5.20 m @ 1.09 g/t Au	5.7	2.60 m @ 1.76 g/t Au
BST1	BSDD0142	1.50	3.00	1.50	2.114			
BST1	BSDD0142	3.00	4.50	1.50	0.163			
BST1	BSDD0142	4.50	5.60	1.10	0.746			
BST1	BSDD0142	6.00	7.00	1.00	0.104			
BST1	BSDD0142	19.50	21.00	1.50	0.101			
BST1	BSDD0142	54.00	55.00	1.00	0.104			
BST1	BSDD0142	80.00	81.00	1.00	0.423	1.00 m @ 0.42 g/t Au	0.4	
BST1	BSDD0142	104.00	105.00	1.00	0.195			
BST1	BSDD0142	105.00	106.00	1.00	0.174			
BST1	BSDD0142	122.00	123.00	1.00	0.136			
BST1	BSDD0142	125.42	126.00	0.58	0.204	2.58 m @ 0.46 g/t Au	1.2	
BST1	BSDD0142	126.00	127.00	1.00	0.787			
BST1	BSDD0142	127.00	128.00	1.00	0.293			
BST1	BSDD0142	153.00	154.00	1.00	0.197			
BST1	BSDD0142	154.00	155.00	1.00	0.925	8.00 m @ 0.49 g/t Au	3.9	
BST1	BSDD0142	155.00	156.00	1.00	0.046			
BST1	BSDD0142	156.00	157.00	1.00	0.008			
BST1	BSDD0142	157.00	158.00	1.00	0.223			
BST1	BSDD0142	158.00	159.00	1.00	0.939			
BST1	BSDD0142	159.00	160.00	1.00	0.038			
BST1	BSDD0142	160.00	161.00	1.00	0.532			
BST1	BSDD0142	161.00	162.00	1.00	1.207			
BST1	BSDD0142	164.00	165.00	1.00	0.100			1.00 m @ 1.21 g/t Au
BST1	BSDD0142	165.00	166.00	1.00	0.335	1.00 m @ 0.34 g/t Au	0.3	
BST1	BSDD0142	169.00	170.00	1.00	0.182			
BST1	BSDD0142	173.00	174.00	1.00	0.569	10.96 m @ 0.75 g/t Au	8.2	
BST1	BSDD0142	174.00	175.19	1.19	0.298			
BST1	BSDD0142	175.19	175.87	0.68	5.623			
BST1	BSDD0142	175.87	177.00	1.13	0.300			
BST1	BSDD0142	177.00	178.00	1.00	0.326			
BST1	BSDD0142	178.00	179.00	1.00	0.752			

¹⁴ 0.2 g/t Au cut off used with up to 3m consecutive internal dilution and no top cut applied

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0142	179.00	180.00	1.00	0.944			
BST1	BSDD0142	180.00	181.00	1.00	0.222			
BST1	BSDD0142	181.00	182.00	1.00	0.098			
BST1	BSDD0142	182.00	183.00	1.00	0.097			
BST1	BSDD0142	183.00	183.96	0.96	0.739			
BST1	BSDD0142	183.96	185.16	1.20	0.162			
BST1	BSDD0142	185.16	186.00	0.84	0.142			
BST1	BSDD0142	186.00	187.00	1.00	0.645	6.00 m @ 0.50 g/t Au	3.0	
BST1	BSDD0142	187.00	188.00	1.00	0.165			
BST1	BSDD0142	188.00	189.00	1.00	0.247			
BST1	BSDD0142	189.00	190.00	1.00	0.738			
BST1	BSDD0142	190.00	191.00	1.00	0.967			
BST1	BSDD0142	191.00	192.00	1.00	0.232			
BST1	BSDD0142	192.00	193.00	1.00	0.117			
BST1	BSDD0142	193.00	194.00	1.00	0.148			
BST1	BSDD0142	194.00	195.00	1.00	0.162			
BST1	BSDD0142	195.00	196.00	1.00	0.234	5.00 m @ 0.21 g/t Au	1.0	
BST1	BSDD0142	196.00	197.00	1.00	0.008			
BST1	BSDD0142	197.00	198.00	1.00	0.158			
BST1	BSDD0142	198.00	199.00	1.00	0.373			
BST1	BSDD0142	199.00	200.00	1.00	0.270			
BST1	BSDD0142	200.00	201.00	1.00	0.156			
BST1	BSDD0142	202.00	203.00	1.00	0.154			
BST1	BSDD0142	204.00	205.00	1.00	1.191	1.00 m @ 1.19 g/t Au	1.2	1.00 m @ 1.19 g/t Au
BST1	BSDD0142	205.00	206.00	1.00	0.140			
BST1	BSDD0142	206.00	207.00	1.00	0.173			
BST1	BSDD0142	212.00	213.00	1.00	0.178			
BST1	BSDD0142	221.00	222.00	1.00	0.116			
BST1	BSDD0142	222.00	223.00	1.00	0.336	6.00 m @ 0.80 g/t Au	4.8	
BST1	BSDD0142	223.00	224.00	1.00	0.396			
BST1	BSDD0142	224.00	225.00	1.00	0.288			
BST1	BSDD0142	225.00	226.00	1.00	0.331			
BST1	BSDD0142	226.00	227.00	1.00	0.139			
BST1	BSDD0142	227.00	228.00	1.00	3.321			1.00 m @ 3.32 g/t Au
BST1	BSDD0142	231.00	232.00	1.00	0.379	1.00 m @ 0.38 g/t Au	0.4	
BST1	BSDD0142	235.00	236.00	1.00	1.481	13.00 m @ 0.61 g/t Au	8.0	1.00 m @ 1.48 g/t Au
BST1	BSDD0142	236.00	237.00	1.00	0.008			
BST1	BSDD0142	237.00	238.00	1.00	0.308			
BST1	BSDD0142	238.00	239.00	1.00	0.325			
BST1	BSDD0142	239.00	240.00	1.00	0.625			
BST1	BSDD0142	240.00	241.00	1.00	0.236			
BST1	BSDD0142	241.00	242.00	1.00	0.065			
BST1	BSDD0142	242.00	243.00	1.00	1.235			1.00 m @ 1.24 g/t Au
BST1	BSDD0142	243.00	244.00	1.00	0.706			
BST1	BSDD0142	244.00	245.00	1.00	0.914			
BST1	BSDD0142	245.00	246.00	1.00	0.446			
BST1	BSDD0142	246.00	247.00	1.00	1.077			1.00 m @ 1.08 g/t Au
BST1	BSDD0142	247.00	248.00	1.00	0.528			
BST1	BSDD0142	248.00	249.00	1.00	0.102			
BST1	BSDD0142	250.00	251.00	1.00	0.106			
BST1	BSDD0142	260.00	261.00	1.00	0.404	12.00 m @ 0.63 g/t Au	7.6	
BST1	BSDD0142	261.00	262.00	1.00	0.017			
BST1	BSDD0142	262.00	263.00	1.00	0.421			
BST1	BSDD0142	263.00	264.00	1.00	0.008			
BST1	BSDD0142	264.00	265.00	1.00	0.766			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0142	265.00	266.00	1.00	1.187			2.00 m @ 1.18 g/t Au
BST1	BSDD0142	266.00	267.00	1.00	1.168			
BST1	BSDD0142	267.00	268.00	1.00	0.683			
BST1	BSDD0142	268.00	269.00	1.00	0.472			
BST1	BSDD0142	269.00	270.00	1.00	0.391			
BST1	BSDD0142	270.00	271.00	1.00	1.666			1.00 m @ 1.67 g/t Au
BST1	BSDD0142	271.00	272.00	1.00	0.380			
BST1	BSDD0142	274.00	275.00	1.00	0.101			
BST1	BSDD0142	279.00	280.00	1.00	0.311	22.00 m @ 4.70 g/t Au	103.3	
BST1	BSDD0142	280.00	281.00	1.00	0.720			
BST1	BSDD0142	281.00	282.00	1.00	4.267			1.00 m @ 4.27 g/t Au
BST1	BSDD0142	282.00	283.00	1.00	0.300			
BST1	BSDD0142	283.00	284.00	1.00	0.079			
BST1	BSDD0142	284.00	285.00	1.00	0.008			
BST1	BSDD0142	285.00	286.00	1.00	0.498			
BST1	BSDD0142	286.00	287.00	1.00	36.258			2.00 m @ 45.86 g/t Au
BST1	BSDD0142	287.00	288.00	1.00	55.463			
BST1	BSDD0142	288.00	289.00	1.00	0.106			
BST1	BSDD0142	289.00	290.00	1.00	0.169			
BST1	BSDD0142	290.00	291.00	1.00	0.812			
BST1	BSDD0142	291.00	292.00	1.00	0.037			
BST1	BSDD0142	292.00	293.00	1.00	0.863			
BST1	BSDD0142	293.00	294.00	1.00	0.253			
BST1	BSDD0142	294.00	295.00	1.00	0.835			
BST1	BSDD0142	295.00	296.00	1.00	0.072			
BST1	BSDD0142	296.00	297.00	1.00	0.065			
BST1	BSDD0142	297.00	298.00	1.00	1.071			1.00 m @ 1.07 g/t Au
BST1	BSDD0142	298.00	299.00	1.00	0.215			
BST1	BSDD0142	299.00	300.00	1.00	0.061			
BST1	BSDD0142	300.00	301.00	1.00	0.855			
BST1	BSDD0142	301.00	302.00	1.00	0.120			
BST1	BSDD0142	302.00	303.00	1.00	0.132			
BST1	BSDD0142	304.00	305.00	1.00	1.286	1.00 m @ 1.29 g/t Au	1.3	1.00 m @ 1.29 g/t Au
BST1	BSDD0142	305.00	306.00	1.00	0.141			
BST1	BSDD0142	308.00	309.00	1.00	0.141			
BST1	BSDD0142	309.00	310.00	1.00	0.530	1.00 m @ 0.53 g/t Au	0.5	
BST1	BSDD0142	311.00	312.00	1.00	0.105			
BST1	BSDD0142	319.00	320.00	1.00	0.149			
BST1	BSDD0142	320.00	321.00	1.00	0.149			
BST1	BSDD0142	321.00	322.00	1.00	0.259	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0142	327.00	328.00	1.00	3.948	1.00 m @ 3.95 g/t Au	3.9	1.00 m @ 3.95 g/t Au
BST1	BSDD0142	332.00	333.00	1.00	0.453	1.00 m @ 0.45 g/t Au	0.5	
BST1	BSDD0142	337.00	338.00	1.00	1.494	5.00 m @ 0.55 g/t Au	2.7	1.00 m @ 1.49 g/t Au
BST1	BSDD0142	338.00	339.00	1.00	0.097			
BST1	BSDD0142	339.00	340.00	1.00	0.171			
BST1	BSDD0142	340.00	341.00	1.00	0.679			
BST1	BSDD0142	341.00	342.00	1.00	0.296			
BST1	BSDD0142	346.00	347.00	1.00	0.419	1.00 m @ 0.42 g/t Au	0.4	
BST1	BSDD0142	357.00	358.00	1.00	16.479	4.00 m @ 7.21 g/t Au	28.8	4.00 m @ 7.21 g/t Au
BST1	BSDD0142	358.00	359.00	1.00	0.008			
BST1	BSDD0142	359.00	360.00	1.00	0.209			
BST1	BSDD0142	360.00	361.00	1.00	12.133	5.00 m @ 0.32 g/t Au	1.6	
BST1	BSDD0142	370.00	371.00	1.00	0.334			
BST1	BSDD0142	371.00	372.00	1.00	0.918			
BST1	BSDD0142	372.00	373.00	1.00	0.022			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0142	373.00	374.00	1.00	0.008			
BST1	BSDD0142	374.00	375.00	1.00	0.333			
BST1	BSDD0142	381.00	382.00	1.00	0.342	1.00 m @ 0.34 g/t Au	0.3	
BST1	BSDD0142	385.00	386.00	1.00	0.152			
BST1	BSDD0142	402.00	403.00	1.00	0.356			
BST1	BSDD0142	403.00	404.00	1.00	0.077			
BST1	BSDD0142	404.00	405.00	1.00	0.152	4.50 m @ 0.33 g/t Au	1.5	
BST1	BSDD0142	405.00	406.00	1.00	0.635			
BST1	BSDD0142	406.00	406.50	0.50	0.545			
BST1	BSDD0144	0.00	1.50	1.50	0.237	1.50 m @ 0.24 g/t Au	0.4	
BST1	BSDD0144	2.34	3.00	0.66	0.143			
BST1	BSDD0144	3.00	4.05	1.05	0.265	1.05 m @ 0.27 g/t Au	0.3	
BST1	BSDD0144	4.92	6.00	1.08	0.155			
BST1	BSDD0144	9.55	10.50	0.95	0.170			
BST1	BSDD0144	10.50	11.28	0.78	0.503	0.78 m @ 0.50 g/t Au	0.4	
BST1	BSDD0144	16.50	18.00	1.50	1.462	3.80 m @ 0.72 g/t Au	2.7	1.50 m @ 1.46 g/t Au
BST1	BSDD0144	18.00	19.50	1.50	0.096			
BST1	BSDD0144	19.50	20.30	0.80	0.486			
BST1	BSDD0144	23.76	24.70	0.94	0.213	0.94 m @ 0.21 g/t Au	0.2	
BST1	BSDD0144	64.00	65.00	1.00	0.101			
BST1	BSDD0144	112.00	113.00	1.00	0.165			
BST1	BSDD0144	123.00	124.00	1.00	0.148			
BST1	BSDD0144	124.00	125.00	1.00	32.529	1.00 m @ 32.53 g/t Au	32.5	1.00 m @ 32.53 g/t Au
BST1	BSDD0144	132.00	133.00	1.00	0.517	1.00 m @ 0.52 g/t Au	0.5	
BST1	BSDD0144	176.00	177.00	1.00	0.144			
BST1	BSDD0144	181.00	182.00	1.00	0.114			
BST1	BSDD0144	182.00	183.00	1.00	0.802	1.00 m @ 0.80 g/t Au	0.8	
BST1	BSDD0144	183.00	184.00	1.00	0.156			
BST1	BSDD0144	187.00	188.00	1.00	0.135			
BST1	BSDD0144	193.00	194.00	1.00	0.122			
BST1	BSDD0144	198.00	199.00	1.00	0.361	1.00 m @ 0.36 g/t Au	0.4	
BST1	BSDD0144	199.00	200.00	1.00	0.164			
BST1	BSDD0144	202.00	203.00	1.00	0.358	2.00 m @ 0.59 g/t Au	1.2	
BST1	BSDD0144	203.00	204.00	1.00	0.826			
BST1	BSDD0144	210.00	211.00	1.00	0.286	1.00 m @ 0.29 g/t Au	0.3	
BST1	BSDD0144	218.00	219.00	1.00	0.283	3.00 m @ 0.29 g/t Au	0.9	
BST1	BSDD0144	219.00	220.00	1.00	0.008			
BST1	BSDD0144	220.00	221.00	1.00	0.577			
BST1	BSDD0144	239.00	240.00	1.00	1.165	1.00 m @ 1.17 g/t Au	1.2	1.00 m @ 1.17 g/t Au
BST1	BSDD0150	1.50	2.60	1.10	0.133			
BST1	BSDD0150	3.00	4.50	1.50	0.109			
BST1	BSDD0150	6.00	7.00	1.00	0.115			
BST1	BSDD0150	10.50	11.25	0.75	0.824	0.75 m @ 0.82 g/t Au	0.6	
BST1	BSDD0150	33.00	34.50	1.50	0.173			
BST1	BSDD0150	52.00	52.50	0.50	0.307	0.50 m @ 0.31 g/t Au	0.2	
BST1	BSDD0150	56.20	57.65	1.45	0.116			
BST1	BSDD0150	59.25	60.00	0.75	0.505	0.75 m @ 0.51 g/t Au	0.4	
BST1	BSDD0150	63.00	64.50	1.50	0.317	1.50 m @ 0.32 g/t Au	0.5	
BST1	BSDD0150	72.00	73.00	1.00	1.501	1.00 m @ 1.50 g/t Au	1.5	1.00 m @ 1.50 g/t Au
BST1	BSDD0150	134.00	135.00	1.00	0.249	2.00 m @ 10.20 g/t Au	20.4	
BST1	BSDD0150	135.00	135.50	0.50	39.703			0.50 m @ 39.70 g/t Au
BST1	BSDD0150	135.50	136.00	0.50	0.604			
BST1	BSDD0150	148.00	149.00	1.00	0.460	4.50 m @ 3.03 g/t Au	13.6	
BST1	BSDD0150	149.00	150.00	1.00	0.577			
BST1	BSDD0150	150.00	151.00	1.00	0.159			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0150	151.00	152.00	1.00	0.021			
BST1	BSDD0150	152.00	152.50	0.50	24.855			0.50 m @ 24.86 g/t Au
BST1	BSDD0150	155.00	156.00	1.00	0.641	1.00 m @ 0.64 g/t Au	0.6	
BST1	BSDD0150	161.00	162.00	1.00	0.163			
BST1	BSDD0150	162.00	162.70	0.70	1.774	11.00 m @ 2.06 g/t Au	22.7	2.00 m @ 8.10 g/t Au
BST1	BSDD0150	162.70	164.00	1.30	11.508			
BST1	BSDD0150	164.00	164.90	0.90	0.232			
BST1	BSDD0150	164.90	165.48	0.58	0.178			
BST1	BSDD0150	165.48	166.73	1.25	0.820			
BST1	BSDD0150	166.73	168.00	1.27	2.052			1.27 m @ 2.05 g/t Au
BST1	BSDD0150	168.00	169.00	1.00	0.837			
BST1	BSDD0150	169.00	170.30	1.30	0.392			
BST1	BSDD0150	170.30	171.00	0.70	0.085			
BST1	BSDD0150	171.00	172.00	1.00	0.050			
BST1	BSDD0150	172.00	173.00	1.00	1.091			1.00 m @ 1.09 g/t Au
BST1	BSDD0150	174.00	175.00	1.00	0.158			
BST1	BSDD0150	175.00	176.00	1.00	0.119			
BST1	BSDD0150	176.00	177.00	1.00	0.163			
BST1	BSDD0150	177.00	178.00	1.00	1.207	1.00 m @ 1.21 g/t Au	1.2	1.00 m @ 1.21 g/t Au
BST1	BSDD0150	181.00	182.00	1.00	0.220	7.00 m @ 0.33 g/t Au	2.3	
BST1	BSDD0150	182.00	183.00	1.00	0.332			
BST1	BSDD0150	183.00	184.00	1.00	0.122			
BST1	BSDD0150	184.00	185.00	1.00	0.706			
BST1	BSDD0150	185.00	186.00	1.00	0.008			
BST1	BSDD0150	186.00	187.00	1.00	0.008			
BST1	BSDD0150	187.00	188.00	1.00	0.942			
BST1	BSDD0150	192.00	193.00	1.00	0.871	57.00 m @ 2.87 g/t Au	163.8	
BST1	BSDD0150	193.00	194.00	1.00	5.937			12.00 m @ 2.73 g/t Au
BST1	BSDD0150	194.00	195.00	1.00	2.084			
BST1	BSDD0150	195.00	196.00	1.00	2.607			
BST1	BSDD0150	196.00	197.00	1.00	1.672			
BST1	BSDD0150	197.00	198.00	1.00	2.197			
BST1	BSDD0150	198.00	199.00	1.00	5.291			
BST1	BSDD0150	199.00	200.00	1.00	0.132			
BST1	BSDD0150	200.00	201.00	1.00	0.481			
BST1	BSDD0150	201.00	202.00	1.00	3.616			
BST1	BSDD0150	202.00	203.00	1.00	2.602			
BST1	BSDD0150	203.00	204.00	1.00	5.132			
BST1	BSDD0150	204.00	205.00	1.00	1.026			
BST1	BSDD0150	205.00	206.00	1.00	0.287			
BST1	BSDD0150	206.00	207.00	1.00	4.870			2.00 m @ 7.01 g/t Au
BST1	BSDD0150	207.00	208.00	1.00	9.148			
BST1	BSDD0150	208.00	209.00	1.00	0.348			
BST1	BSDD0150	209.00	210.00	1.00	3.965			6.00 m @ 2.91 g/t Au
BST1	BSDD0150	210.00	211.00	1.00	1.812			
BST1	BSDD0150	211.00	212.00	1.00	0.775			
BST1	BSDD0150	212.00	213.00	1.00	0.644			
BST1	BSDD0150	213.00	214.00	1.00	3.024			
BST1	BSDD0150	214.00	215.00	1.00	7.262			
BST1	BSDD0150	215.00	216.00	1.00	0.171			
BST1	BSDD0150	216.00	217.00	1.00	0.234			
BST1	BSDD0150	217.00	218.00	1.00	46.731			5.00 m @ 12.31 g/t Au
BST1	BSDD0150	218.00	219.00	1.00	1.002			
BST1	BSDD0150	219.00	220.00	1.00	8.116			
BST1	BSDD0150	220.00	221.00	1.00	1.414			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0150	221.00	222.00	1.00	4.268			
BST1	BSDD0150	222.00	223.00	1.00	0.008			
BST1	BSDD0150	223.00	224.00	1.00	0.862			
BST1	BSDD0150	224.00	225.00	1.00	0.062			
BST1	BSDD0150	225.00	226.00	1.00	0.252			
BST1	BSDD0150	226.00	227.00	1.00	0.405			
BST1	BSDD0150	227.00	228.00	1.00	0.350			
BST1	BSDD0150	228.00	229.00	1.00	0.008			
BST1	BSDD0150	229.00	230.00	1.00	0.107			
BST1	BSDD0150	230.00	231.00	1.00	0.380			
BST1	BSDD0150	231.00	232.00	1.00	0.291			
BST1	BSDD0150	232.00	233.00	1.00	0.504			
BST1	BSDD0150	233.00	234.00	1.00	0.270			
BST1	BSDD0150	234.00	235.00	1.00	0.430			
BST1	BSDD0150	235.00	236.00	1.00	8.160			
BST1	BSDD0150	236.00	237.00	1.00	4.824			6.00 m @ 3.22 g/t Au
BST1	BSDD0150	237.00	238.00	1.00	2.539			
BST1	BSDD0150	238.00	239.00	1.00	0.146			
BST1	BSDD0150	239.00	240.00	1.00	0.016			
BST1	BSDD0150	240.00	241.00	1.00	3.648			
BST1	BSDD0150	241.00	242.00	1.00	0.751			
BST1	BSDD0150	242.00	243.00	1.00	0.602			
BST1	BSDD0150	243.00	244.00	1.00	2.257			6.00 m @ 1.91 g/t Au
BST1	BSDD0150	244.00	245.00	1.00	3.612			
BST1	BSDD0150	245.00	246.38	1.38	0.281			
BST1	BSDD0150	246.38	247.00	0.62	0.400			
BST1	BSDD0150	247.00	248.00	1.00	3.675			
BST1	BSDD0150	248.00	249.00	1.00	1.301			
BST1	BSDD0150	249.00	250.00	1.00	0.157			
BST1	BSDD0150	294.00	295.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0150	312.00	313.00	1.00	8.059	1.00 m @ 8.06 g/t Au	8.1	1.00 m @ 8.06 g/t Au
BST1	BSDD0150	314.00	315.00	1.00	0.121			
BST1	BSDD0151	0.00	0.80	0.80	0.180			
BST1	BSDD0151	2.00	3.00	1.00	0.180			
BST1	BSDD0151	3.00	4.50	1.50	0.740	4.08 m @ 0.61 g/t Au	2.5	
BST1	BSDD0151	4.50	6.00	1.50	0.120			
BST1	BSDD0151	6.00	7.08	1.08	1.120			1.08 m @ 1.12 g/t Au
BST1	BSDD0151	8.19	9.00	0.81	0.150			
BST1	BSDD0151	9.00	10.50	1.50	1.330	4.50 m @ 1.25 g/t Au	5.6	4.50 m @ 1.25 g/t Au
BST1	BSDD0151	10.50	11.00	0.50	0.070			
BST1	BSDD0151	11.00	12.00	1.00	0.050			
BST1	BSDD0151	12.00	13.50	1.50	2.360			
BST1	BSDD0151	24.00	25.50	1.50	1.090	1.50 m @ 1.09 g/t Au	1.6	1.50 m @ 1.09 g/t Au
BST1	BSDD0151	31.50	33.00	1.50	0.950	1.50 m @ 0.95 g/t Au	1.4	
BST1	BSDD0151	47.00	48.00	1.00	1.580	1.00 m @ 1.58 g/t Au	1.6	1.00 m @ 1.58 g/t Au
BST1	BSDD0151	72.00	73.00	1.00	0.170			
BST1	BSDD0151	76.00	77.00	1.00	0.630	1.00 m @ 0.63 g/t Au	0.6	
BST1	BSDD0151	97.00	98.00	1.00	3.380	4.40 m @ 1.37 g/t Au	6.0	4.40 m @ 1.37 g/t Au
BST1	BSDD0151	98.00	99.00	1.00	0.830			
BST1	BSDD0151	99.00	100.00	1.00	0.030			
BST1	BSDD0151	100.00	101.40	1.40	1.270			
BST1	BSDD0151	155.00	156.00	1.00	0.870	1.00 m @ 0.87 g/t Au	0.9	
BST1	BSDD0151	181.00	182.00	1.00	2.470	1.00 m @ 2.47 g/t Au	2.5	1.00 m @ 2.47 g/t Au
BST1	BSDD0151	235.00	236.00	1.00	2.550	1.00 m @ 2.55 g/t Au	2.6	1.00 m @ 2.55 g/t Au
BST1	BSDD0151	241.00	242.00	1.00	0.160			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0151	254.00	255.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3	
BST1	BSDD0151	284.00	285.00	1.00	0.250	2.50 m @ 0.36 g/t Au	0.9	
BST1	BSDD0151	285.00	285.80	0.80	0.230			
BST1	BSDD0151	285.80	286.50	0.70	0.670			
BST1	BSDD0151	304.00	305.00	1.00	0.130			
BST1	BSDD0151	328.00	329.00	1.00	0.550	4.00 m @ 0.95 g/t Au	3.8	
BST1	BSDD0151	329.00	330.40	1.40	0.020			
BST1	BSDD0151	330.40	331.50	1.10	0.400			
BST1	BSDD0151	331.50	332.00	0.50	5.540			0.50 m @ 5.54 g/t Au
BST1	BSDD0151	332.00	333.14	1.14	0.190			
BST1	BSDD0151	335.00	336.00	1.00	0.660	6.00 m @ 0.27 g/t Au	1.6	
BST1	BSDD0151	336.00	337.32	1.32	0.240			
BST1	BSDD0151	337.32	338.00	0.68	0.110			
BST1	BSDD0151	338.00	339.00	1.00	0.010			
BST1	BSDD0151	339.00	340.00	1.00	0.240			
BST1	BSDD0151	340.00	341.00	1.00	0.300			
BST1	BSDD0151	341.00	342.00	1.00	0.180			
BST1	BSDD0151	342.00	343.00	1.00	0.120			
BST1	BSDD0151	344.00	345.00	1.00	0.100			
BST1	BSDD0151	350.00	351.00	1.00	0.130			
BST1	BSDD0151	352.00	353.00	1.00	0.340	2.00 m @ 0.47 g/t Au	0.9	
BST1	BSDD0151	353.00	354.00	1.00	0.590			
BST1	BSDD0151	364.00	365.00	1.00	0.110			
BST1	BSDD0151	367.00	368.00	1.00	0.390	1.00 m @ 0.39 g/t Au	0.4	
BST1	BSDD0151	368.70	370.00	1.30	0.100			
BST1	BSDD0151	371.00	372.00	1.00	0.150			
BST1	BSDD0151	372.00	373.00	1.00	1.350	1.00 m @ 1.35 g/t Au	1.4	1.00 m @ 1.35 g/t Au
BST1	BSDD0151	376.00	377.00	1.00	0.310	1.00 m @ 0.31 g/t Au	0.3	
BST1	BSDD0151	380.00	381.00	1.00	0.530	1.00 m @ 0.53 g/t Au	0.5	
BST1	BSDD0151	384.00	385.00	1.00	0.350	19.26 m @ 0.41 g/t Au	7.9	
BST1	BSDD0151	385.00	386.00	1.00	0.560			
BST1	BSDD0151	386.00	387.00	1.00	0.010			
BST1	BSDD0151	387.00	388.00	1.00	0.010			
BST1	BSDD0151	388.00	389.00	1.00	0.330			
BST1	BSDD0151	389.00	390.00	1.00	0.040			
BST1	BSDD0151	390.00	391.00	1.00	0.780			
BST1	BSDD0151	391.00	392.00	1.00	0.030			
BST1	BSDD0151	392.00	393.00	1.00	0.010			
BST1	BSDD0151	393.00	394.00	1.00	0.730			
BST1	BSDD0151	394.00	395.00	1.00	0.060			
BST1	BSDD0151	395.00	396.00	1.00	0.940			
BST1	BSDD0151	396.00	397.47	1.47	0.340			
BST1	BSDD0151	397.47	398.00	0.53	0.220			
BST1	BSDD0151	398.00	399.00	1.00	1.040			1.00 m @ 1.04 g/t Au
BST1	BSDD0151	399.00	400.00	1.00	0.480			
BST1	BSDD0151	400.00	401.00	1.00	0.150			
BST1	BSDD0151	401.00	402.00	1.00	1.140			1.00 m @ 1.14 g/t Au
BST1	BSDD0151	402.00	403.26	1.26	0.510	2.90 m @ 2.66 g/t Au	7.7	
BST1	BSDD0151	406.00	407.00	1.00	0.270			
BST1	BSDD0151	407.00	408.00	1.00	0.320			
BST1	BSDD0151	408.00	408.90	0.90	7.910			0.90 m @ 7.91 g/t Au
BST1	BSDD0151	412.00	413.00	1.00	0.130			
BST1	BSDD0151	413.00	414.00	1.00	2.340	1.00 m @ 2.34 g/t Au	2.3	1.00 m @ 2.34 g/t Au
BST1	BSDD0151	416.90	417.92	1.02	1.720	1.02 m @ 1.72 g/t Au	1.8	1.02 m @ 1.72 g/t Au
BST1	BSDD0151	423.00	424.46	1.46	0.360	6.00 m @ 0.47 g/t Au	2.8	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0151	424.46	425.00	0.54	0.050			
BST1	BSDD0151	425.00	426.00	1.00	0.040			
BST1	BSDD0151	426.00	427.00	1.00	1.320			1.00 m @ 1.32 g/t Au
BST1	BSDD0151	427.00	428.00	1.00	0.040			
BST1	BSDD0151	428.00	429.00	1.00	0.840			
BST1	BSDD0151	436.00	437.00	1.00	1.050	4.50 m @ 0.39 g/t Au	1.8	1.00 m @ 1.05 g/t Au
BST1	BSDD0151	437.00	438.00	1.00	0.010			
BST1	BSDD0151	438.00	439.00	1.00	0.020			
BST1	BSDD0151	439.00	440.50	1.50	0.450			
BST1	BSDD0152	0.00	1.00	1.00	0.180			
BST1	BSDD0152	1.00	2.30	1.30	0.130			
BST1	BSDD0152	2.30	3.00	0.70	0.120			
BST1	BSDD0152	6.00	7.40	1.40	0.260	6.00 m @ 2.53 g/t Au	15.2	4.60 m @ 3.22 g/t Au
BST1	BSDD0152	7.40	8.00	0.60	1.750			
BST1	BSDD0152	8.00	9.40	1.40	3.580			
BST1	BSDD0152	9.40	10.00	0.60	1.990			
BST1	BSDD0152	10.00	10.50	0.50	1.560			
BST1	BSDD0152	10.50	11.00	0.50	1.090			
BST1	BSDD0152	11.00	12.00	1.00	6.230			
BST1	BSDD0152	14.00	15.00	1.00	0.100			
BST1	BSDD0152	15.00	16.50	1.50	1.530	3.00 m @ 0.88 g/t Au	2.6	1.50 m @ 1.53 g/t Au
BST1	BSDD0152	16.50	18.00	1.50	0.230			
BST1	BSDD0152	19.00	20.00	1.00	0.140			
BST1	BSDD0152	22.00	23.00	1.00	0.270	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0152	23.00	24.00	1.00	0.190			
BST1	BSDD0152	47.00	48.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0152	48.52	49.50	0.98	2.690	1.61 m @ 2.53 g/t Au	4.1	1.61 m @ 2.53 g/t Au
BST1	BSDD0152	49.50	50.13	0.63	2.290			
BST1	BSDD0152	51.00	52.00	1.00	2.930	1.00 m @ 2.93 g/t Au	2.9	1.00 m @ 2.93 g/t Au
BST1	BSDD0152	52.00	53.00	1.00	0.170			
BST1	BSDD0152	55.00	56.00	1.00	0.340	2.00 m @ 0.45 g/t Au	0.9	
BST1	BSDD0152	56.00	57.00	1.00	0.550			
BST1	BSDD0152	57.00	58.00	1.00	0.120			
BST1	BSDD0152	64.00	65.00	1.00	0.150			
BST1	BSDD0152	65.00	66.00	1.00	0.130			
BST1	BSDD0152	67.00	68.33	1.33	0.190			
BST1	BSDD0152	68.33	69.00	0.67	0.240	5.67 m @ 0.80 g/t Au	4.5	0.64 m @ 3.50 g/t Au
BST1	BSDD0152	69.00	70.36	1.36	0.460			
BST1	BSDD0152	70.36	71.00	0.64	3.500			
BST1	BSDD0152	71.00	72.00	1.00	0.910			
BST1	BSDD0152	72.00	73.00	1.00	0.380			
BST1	BSDD0152	73.00	74.00	1.00	0.200			
BST1	BSDD0152	75.00	76.00	1.00	0.190			
BST1	BSDD0152	77.00	78.00	1.00	0.120			
BST1	BSDD0152	78.83	79.40	0.57	2.490	9.17 m @ 0.56 g/t Au	5.1	2.17 m @ 1.49 g/t Au
BST1	BSDD0152	79.40	80.03	0.63	0.030			
BST1	BSDD0152	80.03	81.00	0.97	1.860			
BST1	BSDD0152	81.00	82.00	1.00	0.540			
BST1	BSDD0152	82.00	83.00	1.00	0.010			
BST1	BSDD0152	83.00	83.75	0.75	0.010			
BST1	BSDD0152	83.75	85.00	1.25	0.200			
BST1	BSDD0152	85.00	86.00	1.00	0.010			
BST1	BSDD0152	86.00	87.00	1.00	0.800			
BST1	BSDD0152	87.00	88.00	1.00	0.260			
BST1	BSDD0152	118.00	119.00	1.00	0.700	1.00 m @ 0.70 g/t Au	0.7	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0152	122.00	123.00	1.00	0.640	1.00 m @ 0.64 g/t Au	0.6	
BST1	BSDD0152	133.00	134.00	1.00	0.830	1.00 m @ 0.83 g/t Au	0.8	
BST1	BSDD0152	137.00	138.00	1.00	0.920	2.00 m @ 1.56 g/t Au	3.1	1.00 m @ 2.20 g/t Au
BST1	BSDD0152	138.00	139.00	1.00	2.200			
BST1	BSDD0152	140.00	141.00	1.00	0.180	7.77 m @ 0.38 g/t Au	2.9	
BST1	BSDD0152	142.23	143.00	0.77	0.660			
BST1	BSDD0152	143.00	144.00	1.00	0.030			
BST1	BSDD0152	144.00	145.00	1.00	0.600			
BST1	BSDD0152	145.00	146.00	1.00	0.130			
BST1	BSDD0152	146.00	147.00	1.00	0.960			
BST1	BSDD0152	147.00	148.00	1.00	0.040			
BST1	BSDD0152	148.00	149.00	1.00	0.210			
BST1	BSDD0152	149.00	150.00	1.00	0.470			
BST1	BSDD0152	163.00	164.00	1.00	0.130			
BST1	BSDD0152	167.00	168.00	1.00	0.100			
BST1	BSDD0152	179.00	180.00	1.00	0.370	1.00 m @ 0.37 g/t Au	0.4	
BST1	BSDD0152	186.00	187.00	1.00	0.120			
BST1	BSDD0152	187.00	188.00	1.00	0.340	12.00 m @ 0.43 g/t Au	5.2	
BST1	BSDD0152	188.00	189.00	1.00	1.100			1.00 m @ 1.10 g/t Au
BST1	BSDD0152	189.00	190.00	1.00	0.410			
BST1	BSDD0152	190.00	191.00	1.00	0.710			
BST1	BSDD0152	191.00	192.00	1.00	0.310			
BST1	BSDD0152	192.00	193.33	1.33	0.290			
BST1	BSDD0152	193.33	194.00	0.67	0.050			
BST1	BSDD0152	194.00	195.00	1.00	0.510			
BST1	BSDD0152	195.00	196.00	1.00	0.280			
BST1	BSDD0152	196.00	197.00	1.00	0.110			
BST1	BSDD0152	197.00	198.00	1.00	0.310			
BST1	BSDD0152	198.00	199.00	1.00	0.680			
BST1	BSDD0152	204.00	205.00	1.00	0.630	28.80 m @ 22.92 g/t Au	660.2	
BST1	BSDD0152	205.00	206.00	1.00	0.550			
BST1	BSDD0152	206.00	207.00	1.00	0.270			
BST1	BSDD0152	207.00	208.00	1.00	0.140			
BST1	BSDD0152	208.00	209.00	1.00	0.030			
BST1	BSDD0152	209.00	210.00	1.00	0.290			
BST1	BSDD0152	210.00	211.33	1.33	0.100			
BST1	BSDD0152	211.33	211.94	0.61	0.520			
BST1	BSDD0152	211.94	213.00	1.06	1.110			
BST1	BSDD0152	213.00	214.00	1.00	0.950			
BST1	BSDD0152	214.00	215.00	1.00	1.060			
BST1	BSDD0152	215.00	215.93	0.93	40.930			
BST1	BSDD0152	215.93	216.67	0.74	4.910			
BST1	BSDD0152	216.67	217.28	0.61	2.850			
BST1	BSDD0152	217.28	218.00	0.72	182.420			
BST1	BSDD0152	218.00	219.36	1.36	80.910			
BST1	BSDD0152	219.36	220.38	1.02	287.800			
BST1	BSDD0152	220.38	221.25	0.87	9.810			
BST1	BSDD0152	221.25	222.00	0.75	13.330			
BST1	BSDD0152	222.00	223.00	1.00	4.020			
BST1	BSDD0152	223.00	223.73	0.73	1.490			
BST1	BSDD0152	223.73	224.41	0.68	11.130			
BST1	BSDD0152	224.41	225.00	0.59	8.620			
BST1	BSDD0152	225.00	226.00	1.00	11.850			
BST1	BSDD0152	226.00	226.50	0.50	3.280			
BST1	BSDD0152	226.50	227.47	0.97	0.620			17.95 m @ 36.57 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0152	227.47	228.52	1.05	3.210			
BST1	BSDD0152	228.52	229.37	0.85	23.100			
BST1	BSDD0152	229.37	229.89	0.52	2.830			
BST1	BSDD0152	229.89	231.00	1.11	0.340			
BST1	BSDD0152	231.00	232.00	1.00	0.720			
BST1	BSDD0152	232.00	232.80	0.80	0.380	1.30 m @ 0.72 g/t Au	0.9	
BST1	BSDD0152	235.00	235.70	0.70	0.190			
BST1	BSDD0152	235.70	237.00	1.30	0.720			
BST1	BSDD0152	240.00	241.00	1.00	0.890			
BST1	BSDD0152	241.00	242.00	1.00	0.040			
BST1	BSDD0152	242.00	243.00	1.00	0.060	11.00 m @ 0.62 g/t Au	6.8	2.34 m @ 2.10 g/t Au
BST1	BSDD0152	243.00	244.00	1.00	3.580			
BST1	BSDD0152	244.00	245.34	1.34	1.000			
BST1	BSDD0152	245.34	246.00	0.66	0.020			
BST1	BSDD0152	246.00	247.00	1.00	0.100			
BST1	BSDD0152	247.00	248.00	1.00	0.220			
BST1	BSDD0152	248.00	249.00	1.00	0.050			
BST1	BSDD0152	249.00	249.85	0.85	0.310			
BST1	BSDD0152	249.85	251.00	1.15	0.220			
BST1	BSDD0152	257.30	258.00	0.70	0.420			
BST1	BSDD0152	261.00	262.00	1.00	0.160	0.70 m @ 0.42 g/t Au	0.3	
BST1	BSDD0152	262.00	263.00	1.00	0.990	1.00 m @ 0.99 g/t Au	1.0	
BST1	BSDD0152	264.00	265.00	1.00	0.120	13.00 m @ 1.19 g/t Au	15.5	1.00 m @ 1.70 g/t Au
BST1	BSDD0152	267.00	268.00	1.00	1.700			
BST1	BSDD0152	268.00	269.00	1.00	0.050			
BST1	BSDD0152	269.00	270.00	1.00	0.340			
BST1	BSDD0152	270.00	271.00	1.00	0.770			
BST1	BSDD0152	271.00	272.00	1.00	0.020			
BST1	BSDD0152	272.00	273.00	1.00	0.210			
BST1	BSDD0152	273.00	274.00	1.00	0.340			
BST1	BSDD0152	274.00	275.00	1.00	0.350			
BST1	BSDD0152	275.00	276.00	1.00	0.100			
BST1	BSDD0152	276.00	277.00	1.00	0.030			
BST1	BSDD0152	277.00	278.00	1.00	9.820			
BST1	BSDD0152	278.00	279.00	1.00	0.110			
BST1	BSDD0152	279.00	280.00	1.00	1.640			
BST1	BSDD0152	285.40	286.00	0.60	0.280	3.22 m @ 1.41 g/t Au	4.5	0.62 m @ 6.50 g/t Au
BST1	BSDD0152	286.00	287.00	1.00	0.170			
BST1	BSDD0152	287.00	288.00	1.00	0.170			
BST1	BSDD0152	288.00	288.62	0.62	6.500	2.30 m @ 0.75 g/t Au	1.7	1.30 m @ 1.04 g/t Au
BST1	BSDD0152	294.00	295.00	1.00	0.380			
BST1	BSDD0152	295.00	296.30	1.30	1.040	4.00 m @ 0.20 g/t Au	0.8	
BST1	BSDD0152	302.00	303.00	1.00	0.260			
BST1	BSDD0152	303.00	304.00	1.00	0.010			
BST1	BSDD0152	304.00	305.00	1.00	0.030			
BST1	BSDD0152	305.00	306.00	1.00	0.500			
BST1	BSDD0152	307.00	308.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3	
BST1	BSDD0152	312.00	313.00	1.00	1.460	1.00 m @ 1.46 g/t Au	1.5	1.00 m @ 1.46 g/t Au
BST1	BSDD0152	315.00	315.90	0.90	0.120	5.00 m @ 0.42 g/t Au	2.1	
BST1	BSDD0152	315.90	316.70	0.80	0.760			
BST1	BSDD0152	319.00	320.00	1.00	0.170			
BST1	BSDD0152	320.00	321.00	1.00	0.660			
BST1	BSDD0152	321.00	322.00	1.00	0.010			
BST1	BSDD0152	322.00	323.00	1.00	0.010			
BST1	BSDD0152	323.00	324.00	1.00	0.470			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0152	324.00	325.00	1.00	0.960			
BST1	BSDD0152	341.00	341.70	0.70	0.460	8.00 m @ 0.31 g/t Au	2.5	
BST1	BSDD0152	341.70	342.36	0.66	0.490			
BST1	BSDD0152	342.36	343.00	0.64	0.220			
BST1	BSDD0152	343.00	344.00	1.00	0.010			
BST1	BSDD0152	344.00	345.00	1.00	0.470			
BST1	BSDD0152	345.00	346.00	1.00	0.020			
BST1	BSDD0152	346.00	347.00	1.00	0.030			
BST1	BSDD0152	347.00	348.00	1.00	0.860			
BST1	BSDD0152	348.00	349.00	1.00	0.320			
BST1	BSDD0152	358.00	359.00	1.00	0.410	1.00 m @ 0.41 g/t Au	0.4	
BST1	BSDD0152	366.00	367.00	1.00	2.240	1.00 m @ 2.24 g/t Au	2.2	1.00 m @ 2.24 g/t Au
BST1	BSDD0152	378.00	379.00	1.00	0.380	1.00 m @ 0.38 g/t Au	0.4	
BST1	BSDD0155	0.00	0.88	0.88	0.130			
BST1	BSDD0155	5.00	6.00	1.00	0.420	1.00 m @ 0.42 g/t Au	0.4	
BST1	BSDD0155	6.00	7.50	1.50	0.180			
BST1	BSDD0155	12.00	13.00	1.00	0.200	4.00 m @ 0.24 g/t Au	1.0	
BST1	BSDD0155	13.00	14.00	1.00	0.060			
BST1	BSDD0155	14.00	15.00	1.00	0.050			
BST1	BSDD0155	15.00	16.00	1.00	0.660			
BST1	BSDD0155	24.00	25.00	1.00	0.130			
BST1	BSDD0155	25.00	26.00	1.00	0.330	1.80 m @ 1.25 g/t Au	2.2	
BST1	BSDD0155	26.00	26.80	0.80	2.390			0.80 m @ 2.39 g/t Au
BST1	BSDD0155	28.00	29.00	1.00	0.120			
BST1	BSDD0155	29.00	30.00	1.00	1.830	1.00 m @ 1.83 g/t Au	1.8	1.00 m @ 1.83 g/t Au
BST1	BSDD0155	36.00	37.00	1.00	0.990	1.00 m @ 0.99 g/t Au	1.0	
BST1	BSDD0155	57.00	58.50	1.50	0.410	2.46 m @ 0.83 g/t Au	2.0	
BST1	BSDD0155	58.50	59.46	0.96	1.490			0.96 m @ 1.49 g/t Au
BST1	BSDD0155	60.00	61.00	1.00	0.140			
BST1	BSDD0155	93.00	94.00	1.00	0.400	1.00 m @ 0.40 g/t Au	0.4	
BST1	BSDD0155	133.00	134.00	1.00	0.450	1.00 m @ 0.45 g/t Au	0.5	
BST1	BSDD0155	158.00	159.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0155	164.00	165.00	1.00	0.130			
BST1	BSDD0155	179.00	180.00	1.00	0.530	6.05 m @ 0.38 g/t Au	2.3	
BST1	BSDD0155	180.00	181.00	1.00	0.040			
BST1	BSDD0155	181.00	182.00	1.00	0.010			
BST1	BSDD0155	182.00	183.00	1.00	0.480			
BST1	BSDD0155	183.00	184.00	1.00	0.030			
BST1	BSDD0155	184.00	185.05	1.05	1.160			1.05 m @ 1.16 g/t Au
BST1	BSDD0155	192.00	193.00	1.00	0.160			
BST1	BSDD0155	202.80	203.50	0.70	2.200	0.70 m @ 2.20 g/t Au	1.5	0.70 m @ 2.20 g/t Au
BST1	BSDD0155	214.76	216.00	1.24	0.880	1.24 m @ 0.88 g/t Au	1.1	
BST1	BSDD0155	227.00	228.00	1.00	0.160			
BST1	BSDD0155	228.00	229.27	1.27	0.860	1.27 m @ 0.86 g/t Au	1.1	
BST1	BSDD0155	249.00	250.00	1.00	0.270	2.00 m @ 0.24 g/t Au	0.5	
BST1	BSDD0155	250.00	251.00	1.00	0.210			
BST1	BSDD0155	258.00	258.93	0.93	0.110			
BST1	BSDD0155	260.00	261.00	1.00	0.190			
BST1	BSDD0155	263.00	264.00	1.00	0.130			
BST1	BSDD0155	267.00	267.80	0.80	0.310	1.50 m @ 3.02 g/t Au	4.5	
BST1	BSDD0155	267.80	268.50	0.70	6.110			0.70 m @ 6.11 g/t Au
BST1	BSDD0155	282.00	283.00	1.00	0.310	1.00 m @ 0.31 g/t Au	0.3	
BST1	BSDD0155	291.00	292.00	1.00	1.060	1.00 m @ 1.06 g/t Au	1.1	1.00 m @ 1.06 g/t Au
BST1	BSDD0155	301.00	302.00	1.00	0.120			
BST1	BSDD0155	303.50	305.00	1.50	0.140			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0155	310.50	311.66	1.16	0.500	1.16 m @ 0.50 g/t Au	0.6	
BST1	BSDD0155	319.00	320.00	1.00	0.140			
BST1	BSDD0155	322.75	323.60	0.85	0.510	3.25 m @ 0.25 g/t Au	0.8	
BST1	BSDD0155	323.60	325.00	1.40	0.030			
BST1	BSDD0155	325.00	326.00	1.00	0.340			
BST1	BSDD0155	326.00	327.00	1.00	0.130			
BST1	BSDD0155	329.28	330.00	0.72	1.410	0.72 m @ 1.41 g/t Au	1.0	0.72 m @ 1.41 g/t Au
BST1	BSDD0155	331.00	332.00	1.00	0.180			
BST1	BSDD0155	333.00	334.00	1.00	0.220	3.60 m @ 0.23 g/t Au	0.8	
BST1	BSDD0155	334.00	335.10	1.10	0.080			
BST1	BSDD0155	335.10	336.60	1.50	0.350			
BST1	BSDD0155	338.00	339.00	1.00	0.110			
BST1	BSDD0155	339.00	340.00	1.00	0.460	1.00 m @ 0.46 g/t Au	0.5	
BST1	BSDD0155	344.00	345.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0155	350.00	351.00	1.00	6.640	3.00 m @ 2.75 g/t Au	8.2	2.00 m @ 3.91 g/t Au
BST1	BSDD0155	351.00	352.00	1.00	1.180			
BST1	BSDD0155	352.00	353.00	1.00	0.420			
BST1	BSDD0155	357.00	358.00	1.00	0.540	6.00 m @ 0.32 g/t Au	1.9	
BST1	BSDD0155	358.00	359.00	1.00	0.100			
BST1	BSDD0155	359.00	360.00	1.00	0.010			
BST1	BSDD0155	360.00	361.00	1.00	0.670			
BST1	BSDD0155	361.00	362.00	1.00	0.060			
BST1	BSDD0155	362.00	363.00	1.00	0.530			
BST1	BSDD0155	366.00	367.00	1.00	0.160			
BST1	BSDD0155	372.00	373.00	1.00	0.650	2.00 m @ 0.47 g/t Au	0.9	
BST1	BSDD0155	373.00	374.00	1.00	0.280			
BST1	BSDD0155	379.00	380.00	1.00	0.400	1.00 m @ 0.40 g/t Au	0.4	
BST1	BSDD0155	381.00	382.00	1.00	0.180			
BST1	BSDD0155	383.00	384.37	1.37	6.010	4.00 m @ 2.14 g/t Au	8.5	1.37 m @ 6.01 g/t Au
BST1	BSDD0155	384.37	385.00	0.63	0.040			
BST1	BSDD0155	385.00	386.00	1.00	0.010			
BST1	BSDD0155	386.00	387.00	1.00	0.280			
BST1	BSDD0155	390.00	390.71	0.71	0.290	0.71 m @ 0.29 g/t Au	0.2	
BST1	BSDD0155	390.71	392.00	1.29	0.150			
BST1	BSDD0155	393.00	394.00	1.00	0.600	10.00 m @ 0.47 g/t Au	4.7	
BST1	BSDD0155	394.00	395.00	1.00	0.010			
BST1	BSDD0155	395.00	396.00	1.00	0.010			
BST1	BSDD0155	396.00	397.00	1.00	0.350			
BST1	BSDD0155	397.00	398.00	1.00	0.040			
BST1	BSDD0155	398.00	399.00	1.00	0.020			
BST1	BSDD0155	399.00	400.00	1.00	1.810			1.00 m @ 1.81 g/t Au
BST1	BSDD0155	400.00	401.00	1.00	0.030			
BST1	BSDD0155	401.00	402.00	1.00	0.030			
BST1	BSDD0155	402.00	403.00	1.00	1.830			1.00 m @ 1.83 g/t Au
BST1	BSDD0155	407.00	408.00	1.00	0.210	2.00 m @ 0.52 g/t Au	1.0	
BST1	BSDD0155	408.00	409.00	1.00	0.830			
BST1	BSDD0155	416.00	417.00	1.00	0.180			
BST1	BSDD0155	417.00	418.00	1.00	1.940	4.00 m @ 0.82 g/t Au	3.3	3.00 m @ 1.02 g/t Au
BST1	BSDD0155	418.00	419.00	1.00	0.010			
BST1	BSDD0155	419.00	420.00	1.00	1.100			
BST1	BSDD0155	420.00	421.00	1.00	0.240			
BST1	BSDD0155	429.00	430.00	1.00	0.240	3.00 m @ 1.00 g/t Au	3.0	2.00 m @ 1.38 g/t Au
BST1	BSDD0155	430.00	431.00	1.00	1.480			
BST1	BSDD0155	431.00	432.00	1.00	1.280			
BST1	BSDD0155	432.00	432.84	0.84	0.130			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0155	437.00	438.00	1.00	0.180			
BST1	BSDD0155	439.00	440.00	1.00	0.470	2.00 m @ 0.71 g/t Au	1.4	
BST1	BSDD0155	440.00	441.00	1.00	0.950			
BST1	BSDD0155	454.00	455.00	1.00	0.100			
BST1	BSDD0155	457.00	458.00	1.00	0.140			
BST1	BSDD0155	465.00	466.00	1.00	0.150			
BST1	BSDD0158	0.00	0.79	0.79	0.580	0.79 m @ 0.58 g/t Au	0.5	
BST1	BSDD0158	2.67	3.20	0.53	0.300	0.53 m @ 0.30 g/t Au	0.2	
BST1	BSDD0158	5.80	6.42	0.62	0.850	0.62 m @ 0.85 g/t Au	0.5	
BST1	BSDD0158	8.11	9.50	1.39	0.660	1.39 m @ 0.66 g/t Au	0.9	
BST1	BSDD0158	11.54	13.00	1.46	11.950	5.81 m @ 3.49 g/t Au	20.3	1.46 m @ 11.95 g/t Au
BST1	BSDD0158	13.00	14.50	1.50	0.680			
BST1	BSDD0158	14.50	16.00	1.50	0.400			
BST1	BSDD0158	16.00	17.35	1.35	0.910			
BST1	BSDD0158	18.00	19.00	1.00	0.730	1.00 m @ 0.73 g/t Au	0.7	
BST1	BSDD0158	19.50	21.00	1.50	0.150			
BST1	BSDD0158	21.00	22.50	1.50	0.140			
BST1	BSDD0158	22.50	24.00	1.50	0.120			
BST1	BSDD0158	24.00	25.50	1.50	0.260	3.00 m @ 0.23 g/t Au	0.7	
BST1	BSDD0158	25.50	27.00	1.50	0.200			
BST1	BSDD0158	27.00	28.50	1.50	0.110			
BST1	BSDD0158	28.50	30.00	1.50	0.100			
BST1	BSDD0158	30.00	31.50	1.50	0.190			
BST1	BSDD0158	33.00	34.50	1.50	0.250	1.50 m @ 0.25 g/t Au	0.4	
BST1	BSDD0158	34.50	36.00	1.50	0.130			
BST1	BSDD0158	40.50	42.00	1.50	0.230	1.50 m @ 0.23 g/t Au	0.3	
BST1	BSDD0158	52.50	53.50	1.00	0.100			
BST1	BSDD0158	59.00	60.00	1.00	0.130			
BST1	BSDD0158	65.00	66.00	1.00	0.180			
BST1	BSDD0158	89.00	90.00	1.00	0.100			
BST1	BSDD0158	116.15	117.00	0.85	0.140			
BST1	BSDD0160	0.00	1.50	1.50	0.330	2.15 m @ 0.35 g/t Au	0.7	
BST1	BSDD0160	1.50	2.15	0.65	0.390			
BST1	BSDD0160	5.00	6.00	1.00	0.170			
BST1	BSDD0160	6.00	7.50	1.50	0.100			
BST1	BSDD0160	10.50	12.00	1.50	0.100			
BST1	BSDD0160	15.00	16.50	1.50	2.790	3.00 m @ 1.61 g/t Au	4.8	1.50 m @ 2.79 g/t Au
BST1	BSDD0160	16.50	18.00	1.50	0.430			
BST1	BSDD0160	19.50	21.00	1.50	0.170			
BST1	BSDD0160	21.00	22.50	1.50	0.170			
BST1	BSDD0160	23.00	24.46	1.46	0.330	1.46 m @ 0.33 g/t Au	0.5	
BST1	BSDD0160	25.50	27.00	1.50	0.670	1.50 m @ 0.67 g/t Au	1.0	
BST1	BSDD0160	39.00	40.50	1.50	0.130			
BST1	BSDD0160	45.00	46.00	1.00	0.630	1.00 m @ 0.63 g/t Au	0.6	
BST1	BSDD0160	59.70	61.00	1.30	1.460	1.30 m @ 1.46 g/t Au	1.9	1.30 m @ 1.46 g/t Au
BST1	BSDD0160	61.00	61.92	0.92	0.150			
BST1	BSDD0160	68.00	69.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3	
BST1	BSDD0160	78.00	79.00	1.00	0.160			

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration and development company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 4.38 Moz gold resources coming from two gold projects, the 3.22 Moz Boundiali Gold Project and the 1.16 Moz Napié Gold Project. Aurum has 16 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Group Mineral Resources and Reserves

The Mineral Resources and Ore Reserves are reported in accordance with the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). The Mineral Resources are inclusive of the Ore Reserves. All figures are reported on a dry mass basis at 100% equity interest. Rounding may cause minor computational discrepancies. Ore Reserves are not precise calculations.

Table 3: Group Mineral Resources as at 30 June 2026 (figures may not add up due to appropriate rounding)

Project	Cut-off	Category	Tonnes (Mt)	Grade (g/t Au)	Gold (Moz)
Boundiali	0.4 g/t Au above 300m depth and 1.5 g/t below 300m depth	Indicated	54.5	1.0	1.70
		Inferred	52.9	0.9	1.52
		Total	107.5	1.0	3.22
Napié	0.3 g/t Au above 300m depth and 1.0 g/t below 300m depth	Indicated	8.9	1.2	0.35
		Inferred	21.2	1.2	0.82
		Total	30.0	1.2	1.16
Group		Indicated	63.4	1.0	2.05
		Inferred	74.1	1.0	2.34
		Total	137.5	1.0	4.38

There are no Measured Mineral Resources. Boundiali: drilling effective date 30 April 2026; Napié: drilling effective date 6 February 2026. Both projects are in Côte d'Ivoire, West Africa.

Table 4: Group Ore Reserves as at 30 June 2026 (figures may not add up due to appropriate rounding)

Mining area	Category	Tonnes (Mt)	Grade (g/t Au)	Gold (koz)
BDT1	Probable	10.3	1.0	323
BDT2	Probable	17.5	0.6	354
BMT3	Probable	8.8	1.4	383
BST	Probable	5.5	0.8	145
Total	Probable	42.1	0.9	1,210

There are no Proved Ore Reserves. All Ore Reserves are at the Boundiali Gold Project, Côte d'Ivoire, based on drilling effective date 30 April 2026.

Boundiali Gold Project (3.22 Moz)

The flagship Boundiali Gold Project is comprised of seven neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine in Mali and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 6Moz Koné project located to the south. Atlantic Group's Tongon mine (5.0Moz) is located to the northeast:

BM gold project JV 80% interest - PR893 ("BM"), 400km²

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):



- 80% if local partner contributes 11% capex
- 85% if local partner does not contribute capex – they go to 5% free carry
- 88% if local partner sells us 3% of their interest they go to 2% free carry.

BD gold project JV 80% interest - PR808 ("BD"), 260km²

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry.

BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km²

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025*
- 90% interest in future gold production company (Government receives 10% free carry from Aurum interest).

BN gold project JV - PR283 ("BN"), 208.87km²

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of licence grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of licence grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation licence, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%).

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km² are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its Boundiali Gold Project.
- Staged earn-in agreement aligns expenditure with milestones for each permit area:
 - Path to 51% interest: 4,000m diamond drilling
 - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Exploration permit PR1069 (granted on 21/7/2026), 114.53km², is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its Boundiali Gold Project
- Application (No. 0793), 99.12km², is strategically located on the immediate west of the Napié gold project, offering growth potential for its Napié Gold Project

- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
 - Path to 51% interest in an exploration permit: Either USD1.5 million nominal expenditure or 7,000m diamond drilling.
 - Path to 80% interest in an exploration permit: Either USD3.0 million nominal expenditure or 15,000m diamond drilling
 - Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
 - 85.5~87% interest in a future production mine.

Mako Gold Pty Ltd (1.16Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 1.16Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths.

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- Samples were collected using diamond drilling techniques generally angled at -50° to -70° on an azimuth designed to optimally intersect the mineralised zones. - Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically, the core was sampled to geological intervals as defined by the geologist within the sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site. - Sampling and QAQC procedures were carried out to industry standards. - Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Company employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamoussoukro for analysis via 500g Photon Assay.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource	All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content

Criteria	JORC Code explanation	Commentary
	estimation, mining studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	were recorded. Metallurgical, Geotechnical and structural data has been recorded - Photography and recovery measurements were carried out by assistants under a geologist's supervision. - All drill holes were logged in full. - Logging was qualitative and quantitative in nature.
Sub-sampling techniques and sample preparation	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. - For all sample types, the nature, quality and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. - Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	- NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the sample intervals utilised. All samples were collected from the same side of the core. - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au. - The entire sample was crushed to 70% passing 2mm. - Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks. - Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd, - Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled. - Coarse blank samples: Inserted 1 in every 20 samples - Laboratory Internal Duplicates and Standards - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold
Quality of assay data and laboratory tests	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.	The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g

Criteria	JORC Code explanation	Commentary
	- For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. - Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting. - No geophysical tools were used to determine any element concentrations used for this report. - Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client. - The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- No holes have been twinned - No adjustment to assay data - Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format. - Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	- DD collar positions were initially located using a handheld GPS with a location error of +/-3m. - The datum employed is WGS84, Zone 29

Criteria	JORC Code explanation	Commentary
	• Specification of the grid system used. • Quality and adequacy of topographic control.	• All drill hole locations are then surveyed utilising the differential GPS methods by both company and third-party surveyors. • DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.
• Data spacing and distribution	• Data spacing for reporting of Exploration Results. • Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been applied.	• Drillholes were completed on variable line spacings (from 100m to 50m) and orientations. • The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures. • The samples were not composited prior to assay.
• Orientation of data in relation to geological structure	• Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. • If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	• Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.
• Sample security	• The measures taken to ensure sample security.	• Chain of custody is managed by the Companies senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were handed over to the laboratory by company geologists. Company employees have no further involvement in the preparation or analysis of the samples.
• Audits or reviews	• The results of any audits or reviews of sampling techniques and data.	• Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.

Section 2 of the JORC Code, 2012 Edition – Table 1

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- Exploration results are from the Boundiali project area - PR893 (BM), 400km², holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km², holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner. - There are no impediments to working in the area.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	Exploration work undertaken prior to Aurum was undertaken by Predictive Discovery, Turaco Gold and comprised drilling, soil sampling and airborne geophysics.
Geology	Deposit type, geological setting and style of mineralisation.	- The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué-Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N. - The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts showing evidence of shearing. Free gold is frequently observed. Alteration is weak to strong depending on the development of the

Criteria	JORC Code explanation	Commentary
		system typically being sericite. Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.
Drill hole information	- A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	Drill hole locations shown in figure in main body of announcement and all locations and dip/azimuth details are provided in tables in the announcement.
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	- All mineralised and significantly anomalous intercepts of >0.2 g/t gold are reported in Table 2, calculated as downhole lengths using a 0.2 g/t Au lower cut-off with up to 3m of consecutive internal dilution and no top cut applied. Higher-grade intercepts calculated on the same basis at a 1.0 g/t Au lower cut-off are reported alongside them. - Metal equivalent values are not being reported.
Relationship	These relationships are particularly	True widths are estimated at

Criteria	JORC Code explanation	Commentary
between mineralisation widths and intercept lengths	important in the reporting of Exploration Results. - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	approximately 60–85% of reported downhole, based on the interpreted geometry of the mineralised zones. The holes were drilled to test a steeply east/west dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Appropriate diagrams relevant to material results are shown in the body of this announcement.
Balanced Reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	All mineralised and significantly anomalous intercepts of >0.2 g/t gold are reported in Table 2, calculated as downhole lengths using a 0.2 g/t Au lower cut-off with up to 3m of consecutive internal dilution and no top cut applied. Higher-grade intercepts calculated on the same basis at a 1.0 g/t Au lower cut-off are reported alongside them.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	All relevant exploration data is either reported in this announcement or has been reported previously and is referred to in the announcement.
Further work	- The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	- The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs. - Diagrams included in body of report as deemed appropriate by competent person