

05 February 2026

Aurum confirms high-grade 150m depth extension at Boundiali's BDT3; 700m strike extension at BDT1

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce high-grade gold results from its ongoing 100,000m diamond drilling program at the 2.41Moz Boundiali Gold Project¹ in Côte d'Ivoire. Results from **BDT3**, **BDT2**, and **BDT1** focus on expanding the resource footprint and increasing classification confidence ahead of the upcoming Boundiali Mineral Resource Estimate (**MRE**) update.

Key drill intercepts include²:

BDT3 Deposit:

- **12m @ 7.52 g/t Au** from 394m incl. **3m @ 18.51 g/t Au** (DSDD0343)
- **9.80m @ 2.53 g/t Au** from 106.20m (DSDD0328)

BDT2 Deposit:

- **29m @ 0.73 g/t Au** from 215m incl. **0.60m @ 17.38 g/t Au** (DSDD0332)
- **29.90m @ 0.80 g/t Au** from 315.10m incl. **2.90m @ 5.36 g/t Au** (DSDD0332)

BDT1 Deposit (700m Step-out):

- **0.72m @ 11.98 g/t Au** from 15m (DSDD0307)
- **4m @ 1.65 g/t Au** from 87m (DSDD0309).

Investment Highlights:

- **BDT3 demonstrates persistence at depth:** Hole DSDD0343 encountered high-grade mineralisation 200m vertically below high-grade hole DSDD0162³ and 135m below the current resource model.
- **Strike growth:** Reconnaissance drilling confirms gold mineralisation 700m north-northwest of the **BDT1** deposit limits; system remains open.
- **Q1 2026 catalysts:** Boundiali and Napié MRE updates plus the Boundiali PFS are on track for release this quarter.
- **Strong cash position:** Unaudited cash balance of ~\$40.1M (as of 31 Dec 2025) to fund aggressive 130,000m 2026 drill program.

Aurum's Managing Director Dr. Caigen Wang said: "These results continue to demonstrate the significant scale and continuity of the Boundiali system. At **BDT3**, new hole DSDD0343, which returned **12m @ 7.52 g/t Au** from 394m, incl. **3m @ 18.51 g/t Au**, was drilled on the same section as high-grade hole DSDD0162 (**22.71m @ 4.78 g/t Au** from 177.59m).

Notably, DSDD0343 encountered high-grade mineralisation approximately **200m vertically below high-grade intercept of DSDD0162** and **135m vertically below the deepest previously recorded intercept** on that section in the current resource model. This confirms that the **BDT3** system has significant depth persistence and remains open in the fresh rock. While these results will be integrated into the upcoming **MRE** update, assays for seven holes remain pending and are also expected to be included in the update.

Simultaneously, a successful **700m reconnaissance step-out drill program at BDT1** has confirmed that the gold system remains open to the north. This discovery provides a clear pathway for continued resource growth throughout the 2026 drilling campaign with another **MRE** update in H2 2026. With our 12 company-owned rigs active and \$40M in the bank, we are perfectly positioned to deliver our **Boundiali PFS** this quarter and move rapidly toward a **DFS** in late 2026."

¹ "Boundiali indicated gold resources grows by 53% in two month" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au

² Refer to tables accompanying this report for collar location information and assay results for the new drilling

³ 16 April 2025, Aurum hits 89m @ 2.42 g/t gold from 213m at 1.59Moz Boundiali Project (ASX:AUE)

New Drilling – Boundiali Gold Project⁴

Aurum has received new assay results from 30 diamond drill (DD) holes totalling 7,942.85m, conducted as part of an integrated step-out, step-back, and infill program on the BD tenement (80% interest). The campaign specifically targeted the **BDT2** and **BDT3** deposits to provide the final data density required for the Mineral Resource Estimate (MRE) update scheduled for release later this month.

At **BDT3**, Aurum completed 15 DD holes for 4,476.00m to increase the known extent of gold mineralisation. These results are highlighted by hole DSDD0343 (**12m @ 7.52 g/t Au** from 394m, incl. **3m @ 18.51 g/t Au**), which was drilled on the same section as high-grade hole DSDD0162⁵ (**22.71m @ 4.78 g/t Au** from 177.59m inc. **5.41m @ 12.66 g/t Au**).

Notably, DSDD0343 encountered high-grade mineralisation approximately 200m vertically below DSDD0162 and 135m vertically below the deepest previously recorded intercept on that section in the current resource model. This demonstrates significant depth persistence of the **BDT3** system, which remains open. While these results will be integrated into the upcoming MRE update, assays for seven holes remain pending.

At **BDT2**, the Company completed seven (7) DD holes for 2,411.50m. These assays represent the final data batch required to close out the **BDT2** resource model in preparation for the February MRE update.

Beyond the immediate MRE footprint, Aurum successfully tested the northern strike continuity of the **BDT1** deposit via a strategic exploration fence (eight DD holes for 1,055.35m) located approximately 700m north-northwest of the previous deposit limits. While these **BDT1** results will not be used for the pending MRE update, the encounter of gold mineralisation in this frontier fence is highly significant. It confirms that the **BDT1** system remains open to the north, providing a clear pathway for resource growth in subsequent updates planned for early in H2 2026.

Aurum is planning follow-up drilling to define the scale of this northern extension and its structural relationship to the core **BDT1** mineralisation.

Better intercepts from drilling include⁶:

- **BDT3 Deposit:**
 - **12m @ 7.52 g/t Au** from 394m inc. **3m @ 18.51 g/t Au** (DSDD0343)
 - **9.80m @ 2.53 g/t Au** from 106.20m inc. **4.30m @ 5.47 g/t Au** (DSDD0328)
 - **23.80m @ 0.88 g/t Au** from 437.20m inc. **1m @ 14.91 g/t Au** (DSDD0329).
- **BDT2 Deposit:**
 - **29.90m @ 0.80 g/t Au** from 315.10m inc. **2.90m @ 5.36 g/t Au** (DSDD0332)
 - **29m @ 0.73 g/t Au** from 215m inc. **0.60m @ 17.38 g/t Au** (DSDD0332).
- **BDT1 Deposit (extension):**
 - **1m @ 7.76 g/t Au** from 0m (DSDD0307)
 - **0.72m @ 11.98 g/t Au** from 15m
 - **1m @ 7.76 g/t Au** from 0m (DSDD0307).

The **BD** gold deposit lies within an underexplored **13km by 3km mineralised corridor**. Gold mineralisation is hosted in a thick, north-south trending sandstone unit, positioned between hanging wall and footwall volcano-sedimentary rocks. The gold which is free milling⁷ is associated with fine disseminated pyrite and an alteration assemblage of hematite, silica, chlorite, tourmaline, quartz veinlets, albite, and carbonate. True widths for these shallow, wide gold intercepts are estimated at about 65% - 80% of reported downhole lengths.

⁴ Refer to About Aurum's Boundiali Gold Project

⁵ 16 April 2025, Aurum hits 89m @ 2.42 g/t gold from 213m at 1.59Moz Boundiali Project (ASX:AUE)

⁶ Refer to Table 1 for collar information and Table 2 for assay results for the new drilling

⁷ ASX release dated 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali



Details of drill collar location and assay results and intercepts for the new drilling at **BD** can be found in and Table 2 respectively. Plans showing location of the Boundiali Gold Project and the assay results are presented in the following figures: General locations in Figure 1 and Figure 2, and project details in Figure 3. A detailed plan showing results is presented in Figure 4 (BDT3), Figure 5 (BDT2), Figure 6 (DBT1) and an example cross section showing the latest drill results is presented in Figure 7.

Gold mineralisation at **BD** remains open along strike and at depth on all deposits with drilling ongoing and Aurum is planning further work.

Next Steps

Aurum is leveraging its strong balance sheet and self-owned drill fleet to maintain a continuous news flow throughout CY2026. The strategy focuses on rapid resource conversion and economic de-risking.

1. Boundiali: Moving to Development

- **PFS Delivery:** Completion of the open-pit Pre-Feasibility Study is expected in **Q1 CY2026** to evaluate project economics.
- **Drilling (100,000m):** Up to 12 diamond rigs will continue testing strike and depth extensions across **BD, BM, and BST** tenements.
- **Resource Updates:** Following the imminent Q1 Mineral Resource Estimate (MRE) update, two additional MRE updates are targeted for **mid and late 2026**.
- **DFS Transition:** Results from 2026 drilling and the PFS will facilitate progress toward a **Definitive Feasibility Study (DFS)** in late 2026.

2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program is ongoing to grow the existing 0.87Moz gold resource.
- **Q1 MRE Update:** An updated MRE for the Napié Gold Project is scheduled for release in **Q1 CY2026**.

3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new targets identified via soil anomalies and geological mapping.
- **Early-Stage Growth:** Advancement of the **Encore JV** and **Major Star Plus** partnership projects to identify new gold systems.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS



FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, and potential Mineral Resource Estimate at the Boundiali and Napié Gold Projects. These statements are based on current expectations and are subject to risks and uncertainties inherent in mineral exploration and mining. Factors that could cause actual results to differ materially include exploration risks, drilling results, resource estimation, gold prices, operational risks, regulatory changes, and broader economic conditions. Investors should not place undue reliance on these forward-looking statements.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a non-executive Director of the Company since 1 February 2024 and joined as an executive Director on 1 June 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this presentation.

COMPLIANCE STATEMENT

The information in this presentation that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali indicated gold resources grows by 53% in two month" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)
14 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)
7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)
19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)
11 Dec 2025, Drilling at Napié Extends Gold Mineralisation to 400m Depth (ASX:AUE)
28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE)
18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)
07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)
06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)
30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)
06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)
29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)
10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napié (ASX:AUE)
01 Sep 2025, Aurum expands footprint of Boundiali and Napié Gold Projects (ASX:AUE)
05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)
29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)
25 Jul 2025, Aurum hits 1.43m @ 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)
17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)
16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
27 Mar 2025, Aurum hits 83m @ 4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)
30 Oct 2024, Bidders Statement (ASX:AUE)
16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)
21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
21 November 2023, AUE Acquisition Presentation (ASX:AUE)
21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)
21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)
22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)
15 July 2019, RC, Trench Results Grow Boundiali Potential in Côte d'Ivoire (PDI:ASX)
27 May 2019, New Drill Results Strengthen Boundiali Project Côte d'Ivoire (PDI:ASX)
16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)
26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Plan view showing new drill results (yellow) for **BDT3**⁸

⁸ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.




Figure 5: Plan view showing new drill results (yellow) for **BDT2**⁹

⁹ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.




Figure 6: Plan view showing new drill results (yellow) for **BDT1**¹⁰

¹⁰ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.




Figure 7: Cross Section looking north (+/-25m) showing new drill results (yellow) for BDT3¹¹

¹¹ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of new intercepts included in assay results table.

Table 1: Drill collar information for holes drilled at BD (BDT2, BDT3 & BDT1)

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0270	788,904	1,059,149	361.00	231.40	270	-50	BDT2	DD
DSDD0264	789,444.27	1,059,050.17	350.36	188.40	270	-50		
DSDD0269	789,052.10	1,059,101.39	357.91	454.90	270	-50		
DSDD0330	789,465.79	1,059,301.81	353.04	446.80	270	-50		
DSDD0332	789,375.70	1,059,252.05	353.87	388.15	270	-50		
DSDD0333	789,309.19	1,059,349.10	356.09	300.90	270	-50		
DSDD0334	789,221.93	1,059,398.75	358.01	301.60	270	-50		
DSDD0340	789,336.83	1,059,401.10	356.18	330.75	270	-50		
7 holes				2,411.50m				
DSDD0327	785,694.81	1,052,726.44	380.56	182.40	90	-50	BDT3	
DSDD0328	785,488.23	1,052,623.67	382.34	396.60	90	-55		
DSDD0329	785,532.08	1,053,020.63	373.04	482.40	90	-52		
DSDD0331	785,636.09	1,053,125.25	371.12	251.40	90	-60		
DSDD0335	785,761.94	1,053,226.88	369.64	251.80	270	-55		
DSDD0336	785,614.05	1,053,323.55	366.32	257.40	270	-55		
DSDD0337	785,599.11	1,053,518.00	363.88	305.35	270	-57		
DSDD0338	785,601.02	1,053,025.02	373.16	250.25	270	-55		
DSDD0339	785,593.13	1,053,620.03	363.84	307.10	270	-57		
DSDD0341	785,559.38	1,053,724.46	368.57	310.40	270	-57		
DSDD0342	785,389.59	1,053,924.40	378.71	200.20	270	-50		
DSDD0343	785,653.71	1,053,832.96	372.94	450.00	270	-57		
DSDD0344	785,395.62	1,054,022.35	380.88	210.00	270	-50		
DSDD0346	785,771.81	1,053,325.28	367.41	255.00	270	-55		
DSDD0350	785,528.54	1,054,027.82	378.63	365.70	270	-60		
15 holes				4,476.00m				
DSDD0300	787,017.66	1,055,373.84	396.87	113.50	255	-55	BDT1	
DSDD0303	787,063.12	1,055,393.62	395.80	111.30	255	-55		
DSDD0307	787,114.42	1,055,397.98	394.65	111.00	255	-55		
DSDD0309	787,149.00	1,055,407.06	393.94	114.20	255	-55		
DSDD0314	787,191.97	1,055,417.56	392.54	151.70	255	-55		
DSDD0315	787,246.50	1,055,434.47	390.30	151.35	255	-55		
DSDD0319	787,293.14	1,055,448.67	388.68	151.30	255	-55		
DSDD0323	787,340.78	1,055,455.70	386.83	151.00	255	-55		
8 holes				1,055.35m				
30 holes				7,942.85m			TOTAL	

Table 2: Significant assay results for holes drilled at BD (BDT2, BDT3 & BDT1)¹²

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BDT2	DSDD0264					NSI	0.1		
BDT2	DSDD0269	0.00	1.00	1.00	0.137				
BDT2	DSDD0269	2.44	3.00	0.56	0.210	0.56 m @ 0.21 g/t Au			
BDT2	DSDD0269	4.00	5.00	1.00	0.169				
BDT2	DSDD0269	5.00	6.00	1.00	0.134				
BDT2	DSDD0269	7.50	9.00	1.50	0.135				
BDT2	DSDD0269	38.12	39.15	1.03	0.107				
BDT2	DSDD0269	39.15	40.00	0.85	0.141				
BDT2	DSDD0269	40.00	41.00	1.00	0.466				1.56 m @ 0.43 g/t Au
BDT2	DSDD0269	41.00	41.56	0.56	0.367				
BDT2	DSDD0269	42.00	43.50	1.50	0.641	14.00 m @ 0.47 g/t Au	6.6	1.00 m @ 1.01 g/t Au	
BDT2	DSDD0269	43.50	44.00	0.50	0.977				
BDT2	DSDD0269	44.00	45.00	1.00	0.553				
BDT2	DSDD0269	45.00	46.00	1.00	0.993				
BDT2	DSDD0269	46.00	47.00	1.00	0.204				
BDT2	DSDD0269	47.00	48.00	1.00	0.404				
BDT2	DSDD0269	48.00	49.00	1.00	0.126				
BDT2	DSDD0269	49.00	50.00	1.00	1.015				
BDT2	DSDD0269	50.00	50.50	0.50	0.431				
BDT2	DSDD0269	50.50	51.00	0.50	0.810				
BDT2	DSDD0269	51.00	52.00	1.00	0.698				
BDT2	DSDD0269	52.00	53.00	1.00	0.075				
BDT2	DSDD0269	53.00	54.00	1.00	0.033				
BDT2	DSDD0269	54.00	55.00	1.00	0.008				
BDT2	DSDD0269	55.00	56.00	1.00	0.393				
BDT2	DSDD0269	68.00	69.00	1.00	0.154				
BDT2	DSDD0269	73.00	74.00	1.00	0.463	1.00 m @ 0.46 g/t Au	0.5		
BDT2	DSDD0269	84.00	85.00	1.00	0.205	1.00 m @ 0.20 g/t Au	0.2		
BDT2	DSDD0269	112.00	113.00	1.00	0.119				
BDT2	DSDD0269	116.00	117.00	1.00	0.100				
BDT2	DSDD0269	122.00	123.00	1.00	0.180				
BDT2	DSDD0269	123.00	124.00	1.00	0.137				
BDT2	DSDD0269	124.00	125.00	1.00	0.232	1.00 m @ 0.23 g/t Au	0.2		
BDT2	DSDD0269	125.00	126.40	1.40	0.129				
BDT2	DSDD0269	143.00	144.00	1.00	0.675	1.00 m @ 0.68 g/t Au	0.7		
BDT2	DSDD0269	154.00	154.60	0.60	0.106	2.65 m @ 0.38 g/t Au	1.0		
BDT2	DSDD0269	154.60	156.00	1.40	0.487				
BDT2	DSDD0269	156.00	157.25	1.25	0.260				
BDT2	DSDD0269	163.00	164.00	1.00	0.215	1.00 m @ 0.21 g/t Au	0.2		
BDT2	DSDD0269	169.60	171.00	1.40	0.285	11.70 m @ 0.37 g/t Au	4.4		1.00 m @ 1.21 g/t Au
BDT2	DSDD0269	171.00	172.00	1.00	0.471				
BDT2	DSDD0269	172.00	173.00	1.00	0.732				
BDT2	DSDD0269	173.00	174.00	1.00	0.175				
BDT2	DSDD0269	174.00	175.00	1.00	1.211				

¹² 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BDT2	DSDD0269	175.00	176.00	1.00	0.091				
BDT2	DSDD0269	176.00	177.00	1.00	0.701				
BDT2	DSDD0269	177.00	178.00	1.00	0.008				
BDT2	DSDD0269	178.00	179.00	1.00	0.008				
BDT2	DSDD0269	179.00	180.00	1.00	0.250				
BDT2	DSDD0269	180.00	181.30	1.30	0.262				
BDT2	DSDD0269	188.00	189.00	1.00	2.993	13.00 m @ 0.66 g/t Au	8.5	1.00 m @ 2.99 g/t Au	
BDT2	DSDD0269	189.00	190.00	1.00	0.248				
BDT2	DSDD0269	190.00	191.00	1.00	0.024				
BDT2	DSDD0269	191.00	192.30	1.30	0.038			3.00 m @ 1.09 g/t Au	
BDT2	DSDD0269	192.30	193.00	0.70	0.205				
BDT2	DSDD0269	193.00	194.00	1.00	1.583				
BDT2	DSDD0269	194.00	195.00	1.00	0.020				
BDT2	DSDD0269	195.00	196.00	1.00	1.659				
BDT2	DSDD0269	196.00	197.00	1.00	0.029				
BDT2	DSDD0269	197.00	198.00	1.00	0.890				
BDT2	DSDD0269	198.00	199.00	1.00	0.286				
BDT2	DSDD0269	199.00	200.00	1.00	0.123				
BDT2	DSDD0269	200.00	201.00	1.00	0.495				
BDT2	DSDD0269	213.28	214.00	0.72	0.549	2.72 m @ 0.45 g/t Au	1.2		
BDT2	DSDD0269	214.00	215.00	1.00	0.037				
BDT2	DSDD0269	215.00	216.00	1.00	0.792				
BDT2	DSDD0269	218.00	219.00	1.00	0.192	3.00 m @ 0.32 g/t Au	1.0		
BDT2	DSDD0269	221.00	222.00	1.00	0.334				
BDT2	DSDD0269	222.00	223.00	1.00	0.252				
BDT2	DSDD0269	223.00	224.00	1.00	0.375				
BDT2	DSDD0269	224.00	225.30	1.30	0.119	2.00 m @ 1.72 g/t Au	3.4	1.00 m @ 2.92 g/t Au	
BDT2	DSDD0269	229.00	230.00	1.00	2.923				
BDT2	DSDD0269	230.00	231.00	1.00	0.508				
BDT2	DSDD0269	247.55	249.00	1.45	0.195				
BDT2	DSDD0269	249.00	250.00	1.00	0.140				
BDT2	DSDD0269	250.00	251.00	1.00	0.195				
BDT2	DSDD0269	251.00	252.00	1.00	0.131				
BDT2	DSDD0269	252.00	253.00	1.00	0.108				
BDT2	DSDD0269	373.00	374.00	1.00	0.102				
BDT2	DSDD0330	0.00	1.50	1.50	0.150				
BDT2	DSDD0330	113.00	114.00	1.00	0.120	3.00 m @ 0.54 g/t Au	1.6	1.00 m @ 1.23 g/t Au	
BDT2	DSDD0330	160.00	161.00	1.00	1.230				
BDT2	DSDD0330	161.00	162.00	1.00	0.060				
BDT2	DSDD0330	162.00	163.00	1.00	0.320	1.00 m @ 0.45 g/t Au	0.5		
BDT2	DSDD0330	168.00	169.00	1.00	0.110				
BDT2	DSDD0330	169.00	170.00	1.00	0.450	3.00 m @ 0.20 g/t Au	0.6		
BDT2	DSDD0330	179.00	180.00	1.00	0.180				
BDT2	DSDD0330	180.00	181.00	1.00	0.100				
BDT2	DSDD0330	183.00	184.00	1.00	0.230				
BDT2	DSDD0330	184.00	185.00	1.00	0.060	2.00 m @ 0.40 g/t Au	0.8		
BDT2	DSDD0330	185.00	186.00	1.00	0.320				
BDT2	DSDD0330	195.00	196.00	1.00	0.130				
BDT2	DSDD0330	199.00	200.00	1.00	0.460				
BDT2	DSDD0330	200.00	201.00	1.00	0.340				

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BDT2	DSDD0330	228.00	229.00	1.00	0.130				
BDT2	DSDD0330	229.00	230.00	1.00	0.190				
BDT2	DSDD0330	230.00	231.00	1.00	0.230	2.00 m @ 0.27 g/t Au	0.5		
BDT2	DSDD0330	231.00	232.00	1.00	0.310				
BDT2	DSDD0330	233.00	234.00	1.00	0.110				
BDT2	DSDD0330	234.00	235.00	1.00	0.100				
BDT2	DSDD0330	235.00	236.00	1.00	0.100				
BDT2	DSDD0330	236.00	237.00	1.00	0.170				
BDT2	DSDD0330	237.00	238.00	1.00	0.140				
BDT2	DSDD0330	238.00	239.00	1.00	0.200				
BDT2	DSDD0330	239.00	240.00	1.00	0.120				
BDT2	DSDD0330	240.00	241.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2		
BDT2	DSDD0330	241.00	242.03	1.03	0.170				
BDT2	DSDD0330	245.91	247.00	1.09	0.190				
BDT2	DSDD0330	247.00	248.00	1.00	0.150				
BDT2	DSDD0330	248.00	249.00	1.00	0.120				
BDT2	DSDD0330	249.00	250.00	1.00	0.190				
BDT2	DSDD0330	250.00	251.00	1.00	0.130				
BDT2	DSDD0330	251.00	252.00	1.00	0.140				
BDT2	DSDD0330	252.00	253.00	1.00	0.110				
BDT2	DSDD0330	253.00	254.00	1.00	0.180				
BDT2	DSDD0330	254.00	255.00	1.00	0.160				
BDT2	DSDD0330	255.00	256.00	1.00	0.110				
BDT2	DSDD0330	258.00	258.84	0.84	0.150				
BDT2	DSDD0330	268.00	269.00	1.00	0.710	1.00 m @ 0.71 g/t Au	0.7		
BDT2	DSDD0330	272.00	273.00	1.00	0.100				
BDT2	DSDD0330	274.00	275.00	1.00	0.150				
BDT2	DSDD0330	275.00	276.00	1.00	0.400	7.00 m @ 0.33 g/t Au	2.3		
BDT2	DSDD0330	276.00	277.00	1.00	0.320				
BDT2	DSDD0330	277.00	278.00	1.00	0.460				
BDT2	DSDD0330	278.00	279.00	1.00	0.340				
BDT2	DSDD0330	279.00	280.00	1.00	0.060				
BDT2	DSDD0330	280.00	281.00	1.00	0.370				
BDT2	DSDD0330	281.00	282.00	1.00	0.330				
BDT2	DSDD0330	286.00	287.00	1.00	0.160				
BDT2	DSDD0330	287.00	288.00	1.00	0.130				
BDT2	DSDD0330	288.00	289.00	1.00	0.230	18.00 m @ 0.22 g/t Au	3.9		
BDT2	DSDD0330	289.00	290.00	1.00	0.200				
BDT2	DSDD0330	290.00	291.00	1.00	0.440				
BDT2	DSDD0330	291.00	292.00	1.00	0.310				
BDT2	DSDD0330	292.00	293.00	1.00	0.070				
BDT2	DSDD0330	293.00	294.00	1.00	0.010				
BDT2	DSDD0330	294.00	295.00	1.00	0.010				
BDT2	DSDD0330	295.00	296.00	1.00	0.220				
BDT2	DSDD0330	296.00	297.00	1.00	0.190				
BDT2	DSDD0330	297.00	298.00	1.00	0.460				
BDT2	DSDD0330	298.00	299.00	1.00	0.160				
BDT2	DSDD0330	299.00	300.00	1.00	0.360				
BDT2	DSDD0330	300.00	301.00	1.00	0.250				
BDT2	DSDD0330	301.00	302.00	1.00	0.270				

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0330	302.00	303.00	1.00	0.090			
BDT2	DSDD0330	303.00	304.00	1.00	0.100			
BDT2	DSDD0330	304.00	305.00	1.00	0.260			
BDT2	DSDD0330	305.00	306.00	1.00	0.250			
BDT2	DSDD0330	306.00	307.00	1.00	0.100			
BDT2	DSDD0330	307.00	308.00	1.00	0.120			
BDT2	DSDD0330	308.00	309.00	1.00	0.160			
BDT2	DSDD0330	311.00	312.00	1.00	0.190			
BDT2	DSDD0330	312.00	313.00	1.00	0.480	3.00 m @ 0.30 g/t Au	0.9	
BDT2	DSDD0330	313.00	314.00	1.00	0.210			
BDT2	DSDD0330	314.00	315.00	1.00	0.200			
BDT2	DSDD0330	316.00	317.00	1.00	0.120			
BDT2	DSDD0330	320.00	321.00	1.00	0.370	44.00 m @ 0.43 g/t Au	19.1	
BDT2	DSDD0330	321.00	322.00	1.00	0.280			
BDT2	DSDD0330	322.00	323.00	1.00	0.270			
BDT2	DSDD0330	323.00	324.00	1.00	0.280			
BDT2	DSDD0330	324.00	325.00	1.00	0.310			
BDT2	DSDD0330	325.00	326.00	1.00	0.220			
BDT2	DSDD0330	326.00	327.00	1.00	0.480			
BDT2	DSDD0330	327.00	328.00	1.00	0.340			
BDT2	DSDD0330	328.00	329.00	1.00	0.410			
BDT2	DSDD0330	329.00	330.00	1.00	0.120			
BDT2	DSDD0330	330.00	331.00	1.00	0.080			
BDT2	DSDD0330	331.00	332.00	1.00	0.140			
BDT2	DSDD0330	332.00	333.00	1.00	0.870			
BDT2	DSDD0330	333.00	334.00	1.00	0.510			
BDT2	DSDD0330	334.00	335.00	1.00	0.050			
BDT2	DSDD0330	335.00	336.00	1.00	1.760			3.00 m @ 1.82 g/t Au
BDT2	DSDD0330	336.00	337.00	1.00	0.500			
BDT2	DSDD0330	337.00	338.00	1.00	3.210			
BDT2	DSDD0330	338.00	339.00	1.00	0.230			
BDT2	DSDD0330	339.00	340.00	1.00	0.010			
BDT2	DSDD0330	340.00	341.00	1.00	0.350			
BDT2	DSDD0330	341.00	342.00	1.00	0.170			
BDT2	DSDD0330	342.00	343.00	1.00	0.660			
BDT2	DSDD0330	343.00	344.00	1.00	0.260			
BDT2	DSDD0330	344.00	345.00	1.00	0.310			
BDT2	DSDD0330	345.00	346.00	1.00	0.460			
BDT2	DSDD0330	346.00	347.00	1.00	0.620			
BDT2	DSDD0330	347.00	348.00	1.00	0.440			
BDT2	DSDD0330	348.00	349.00	1.00	0.300			
BDT2	DSDD0330	349.00	350.00	1.00	0.270			
BDT2	DSDD0330	350.00	351.00	1.00	0.300			
BDT2	DSDD0330	351.00	352.00	1.00	0.890			
BDT2	DSDD0330	352.00	353.00	1.00	0.280			
BDT2	DSDD0330	353.00	354.00	1.00	0.670			
BDT2	DSDD0330	354.00	355.00	1.00	0.250			
BDT2	DSDD0330	355.00	356.00	1.00	0.290			
BDT2	DSDD0330	356.00	357.00	1.00	0.060			
BDT2	DSDD0330	357.00	358.00	1.00	0.090			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0330	358.00	359.00	1.00	0.610			
BDT2	DSDD0330	359.00	360.00	1.00	0.580			
BDT2	DSDD0330	360.00	361.00	1.00	0.120			
BDT2	DSDD0330	361.00	362.00	1.00	0.010			
BDT2	DSDD0330	362.00	363.00	1.00	0.290			
BDT2	DSDD0330	363.00	364.00	1.00	0.420			
BDT2	DSDD0330	365.00	366.00	1.00	0.150			
BDT2	DSDD0330	366.00	367.00	1.00	0.150			
BDT2	DSDD0330	367.00	368.00	1.00	0.100			
BDT2	DSDD0330	368.00	369.00	1.00	1.790	1.00 m @ 1.79 g/t Au	1.8	1.00 m @ 1.79 g/t Au
BDT2	DSDD0330	369.00	370.00	1.00	0.140			
BDT2	DSDD0330	374.00	375.00	1.00	0.110			
BDT2	DSDD0330	375.00	376.00	1.00	0.110			
BDT2	DSDD0330	381.00	382.00	1.00	0.100			
BDT2	DSDD0330	382.00	383.00	1.00	0.180			
BDT2	DSDD0330	383.00	384.00	1.00	0.330	14.00 m @ 0.34 g/t Au	4.7	
BDT2	DSDD0330	384.00	385.00	1.00	0.220			
BDT2	DSDD0330	385.00	386.00	1.00	0.090			
BDT2	DSDD0330	386.00	387.00	1.00	0.340			
BDT2	DSDD0330	387.00	388.00	1.00	0.360			
BDT2	DSDD0330	388.00	389.00	1.00	0.100			
BDT2	DSDD0330	389.00	390.00	1.00	1.050			
BDT2	DSDD0330	390.00	391.00	1.00	0.090			
BDT2	DSDD0330	391.00	392.00	1.00	0.520			
BDT2	DSDD0330	392.00	393.00	1.00	0.170			
BDT2	DSDD0330	393.00	394.00	1.00	0.060			
BDT2	DSDD0330	394.00	395.00	1.00	0.480			
BDT2	DSDD0330	395.00	396.00	1.00	0.350			
BDT2	DSDD0330	396.00	397.00	1.00	0.530			
BDT2	DSDD0330	399.00	400.00	1.00	0.120			
BDT2	DSDD0330	402.00	403.00	1.00	0.100	2.00 m @ 0.53 g/t Au	1.1	
BDT2	DSDD0330	403.00	404.00	1.00	0.110			
BDT2	DSDD0330	404.00	405.00	1.00	0.640			
BDT2	DSDD0330	405.00	406.00	1.00	0.410	4.80 m @ 0.31 g/t Au	1.5	
BDT2	DSDD0330	411.00	412.00	1.00	0.440			
BDT2	DSDD0330	412.00	413.00	1.00	0.350			
BDT2	DSDD0330	413.00	414.00	1.00	0.110			
BDT2	DSDD0330	414.00	415.00	1.00	0.080			
BDT2	DSDD0330	415.00	415.80	0.80	0.640	1.30 m @ 0.34 g/t Au	0.4	
BDT2	DSDD0330	432.00	433.30	1.30	0.340			
BDT2	DSDD0332	0.00	1.50	1.50	0.133			
BDT2	DSDD0332	1.50	3.00	1.50	0.123			
BDT2	DSDD0332	3.00	4.50	1.50	0.157			
BDT2	DSDD0332	97.00	98.00	1.00	0.192			
BDT2	DSDD0332	109.00	110.00	1.00	0.113			
BDT2	DSDD0332	113.00	114.00	1.00	0.455	11.00 m @ 0.22 g/t Au	2.4	
BDT2	DSDD0332	114.00	115.23	1.23	0.207			
BDT2	DSDD0332	115.23	116.00	0.77	0.357			
BDT2	DSDD0332	116.00	117.00	1.00	0.047			
BDT2	DSDD0332	117.00	118.00	1.00	0.008			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BDT2	DSDD0332	118.00	119.00	1.00	0.024				
BDT2	DSDD0332	119.00	120.17	1.17	0.644				
BDT2	DSDD0332	120.17	121.00	0.83	0.034				
BDT2	DSDD0332	121.00	122.00	1.00	0.008				
BDT2	DSDD0332	122.00	123.00	1.00	0.234				
BDT2	DSDD0332	123.00	124.00	1.00	0.334				
BDT2	DSDD0332	128.00	129.00	1.00	0.127				
BDT2	DSDD0332	129.00	130.00	1.00	0.208	1.00 m @ 0.21 g/t Au	0.2		
BDT2	DSDD0332	131.00	132.00	1.00	0.272	1.00 m @ 0.27 g/t Au	0.3		
BDT2	DSDD0332	135.00	135.76	0.76	0.131				
BDT2	DSDD0332	135.76	136.50	0.74	0.197				
BDT2	DSDD0332	144.00	145.00	1.00	0.975	6.00 m @ 0.45 g/t Au	2.7	1.00 m @ 1.22 g/t Au	
BDT2	DSDD0332	145.00	146.00	1.00	0.243				
BDT2	DSDD0332	146.00	147.00	1.00	1.221				
BDT2	DSDD0332	147.00	148.00	1.00	0.008				
BDT2	DSDD0332	148.00	149.00	1.00	0.033				
BDT2	DSDD0332	149.00	150.00	1.00	0.250				
BDT2	DSDD0332	155.00	156.00	1.00	0.495	1.00 m @ 0.49 g/t Au	0.5		
BDT2	DSDD0332	160.75	161.25	0.50	0.172				
BDT2	DSDD0332	168.10	169.00	0.90	0.122				
BDT2	DSDD0332	169.00	170.50	1.50	0.164				
BDT2	DSDD0332	184.00	185.00	1.00	0.246	1.00 m @ 0.25 g/t Au	0.2		
BDT2	DSDD0332	212.00	213.00	1.00	0.116				
BDT2	DSDD0332	213.00	214.00	1.00	0.138				
BDT2	DSDD0332	215.00	216.00	1.00	0.600	29.00 m @ 0.73 g/t Au	21.3		
BDT2	DSDD0332	216.00	217.00	1.00	0.285				
BDT2	DSDD0332	217.00	218.00	1.00	0.351				
BDT2	DSDD0332	218.00	219.00	1.00	0.434				
BDT2	DSDD0332	219.00	220.00	1.00	0.248				
BDT2	DSDD0332	220.00	221.00	1.00	0.247				
BDT2	DSDD0332	221.00	222.00	1.00	0.251				
BDT2	DSDD0332	222.00	223.00	1.00	0.518				
BDT2	DSDD0332	223.00	224.00	1.00	0.178				
BDT2	DSDD0332	224.00	225.00	1.00	0.463				
BDT2	DSDD0332	225.00	226.00	1.00	0.272				
BDT2	DSDD0332	226.00	227.00	1.00	0.460				
BDT2	DSDD0332	227.00	227.50	0.50	0.708				
BDT2	DSDD0332	227.50	228.50	1.00	0.328				
BDT2	DSDD0332	228.50	229.50	1.00	0.472				
BDT2	DSDD0332	229.50	230.50	1.00	0.628				
BDT2	DSDD0332	230.50	231.10	0.60	17.379			0.60 m @ 17.38 g/t Au	
BDT2	DSDD0332	231.10	232.10	1.00	0.195				
BDT2	DSDD0332	232.10	233.00	0.90	0.348				
BDT2	DSDD0332	233.00	234.00	1.00	0.300				
BDT2	DSDD0332	234.00	235.00	1.00	0.257				
BDT2	DSDD0332	235.00	236.00	1.00	0.390				
BDT2	DSDD0332	236.00	237.00	1.00	0.178				
BDT2	DSDD0332	237.00	238.00	1.00	0.108				
BDT2	DSDD0332	238.00	239.00	1.00	0.305				
BDT2	DSDD0332	239.00	240.00	1.00	0.260				

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0332	240.00	241.00	1.00	0.948			
BDT2	DSDD0332	241.00	242.00	1.00	0.821			
BDT2	DSDD0332	242.00	243.00	1.00	0.283			
BDT2	DSDD0332	243.00	244.00	1.00	0.406			
BDT2	DSDD0332	245.50	246.50	1.00	0.109			
BDT2	DSDD0332	246.50	247.20	0.70	0.125			
BDT2	DSDD0332	247.20	247.90	0.70	0.300	4.80 m @ 0.46 g/t Au	2.2	
BDT2	DSDD0332	247.90	248.90	1.00	0.394			
BDT2	DSDD0332	248.90	249.50	0.60	0.188			
BDT2	DSDD0332	249.50	250.00	0.50	0.125			
BDT2	DSDD0332	250.00	251.00	1.00	0.121			
BDT2	DSDD0332	251.00	252.00	1.00	1.303			1.00 m @ 1.30 g/t Au
BDT2	DSDD0332	252.00	253.00	1.00	0.101			
BDT2	DSDD0332	253.00	254.00	1.00	0.180			
BDT2	DSDD0332	254.00	255.00	1.00	0.181			
BDT2	DSDD0332	255.00	256.00	1.00	0.150			
BDT2	DSDD0332	257.00	258.00	1.00	0.223	22.00 m @ 0.36 g/t Au	7.8	
BDT2	DSDD0332	258.00	259.00	1.00	0.194			
BDT2	DSDD0332	259.00	260.00	1.00	0.425			
BDT2	DSDD0332	260.00	261.00	1.00	0.324			
BDT2	DSDD0332	261.00	262.00	1.00	0.117			
BDT2	DSDD0332	262.00	263.00	1.00	0.103			
BDT2	DSDD0332	263.00	264.00	1.00	0.386			
BDT2	DSDD0332	264.00	265.00	1.00	0.854			
BDT2	DSDD0332	265.00	266.00	1.00	0.360			
BDT2	DSDD0332	266.00	267.00	1.00	0.317			
BDT2	DSDD0332	267.00	268.00	1.00	0.248			
BDT2	DSDD0332	268.00	269.00	1.00	2.484			1.00 m @ 2.48 g/t Au
BDT2	DSDD0332	269.00	270.00	1.00	0.091			
BDT2	DSDD0332	270.00	271.00	1.00	0.085			
BDT2	DSDD0332	271.00	272.00	1.00	0.034			
BDT2	DSDD0332	272.00	273.00	1.00	0.385			
BDT2	DSDD0332	273.00	274.00	1.00	0.293			
BDT2	DSDD0332	274.00	275.00	1.00	0.147			
BDT2	DSDD0332	275.00	276.00	1.00	0.283			
BDT2	DSDD0332	276.00	277.00	1.00	0.074			
BDT2	DSDD0332	277.00	278.00	1.00	0.152			
BDT2	DSDD0332	278.00	279.00	1.00	0.258			
BDT2	DSDD0332	279.00	280.00	1.00	0.162			
BDT2	DSDD0332	281.00	282.23	1.23	0.197			
BDT2	DSDD0332	286.00	287.00	1.00	0.134			
BDT2	DSDD0332	287.00	288.00	1.00	0.160			
BDT2	DSDD0332	297.50	298.75	1.25	0.122	2.25 m @ 0.35 g/t Au	0.8	
BDT2	DSDD0332	298.75	299.25	0.50	0.856			
BDT2	DSDD0332	299.25	300.00	0.75	0.156			
BDT2	DSDD0332	300.00	301.00	1.00	0.253			
BDT2	DSDD0332	301.00	302.50	1.50	0.114			
BDT2	DSDD0332	302.50	303.90	1.40	0.152			
BDT2	DSDD0332	306.00	307.00	1.00	1.328	5.06 m @ 0.78 g/t Au	3.9	
BDT2	DSDD0332	307.00	308.10	1.10	1.539			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0332	308.10	309.00	0.90	0.390			
BDT2	DSDD0332	309.00	310.00	1.00	0.177			
BDT2	DSDD0332	310.00	311.06	1.06	0.358			
BDT2	DSDD0332	315.10	315.90	0.80	16.740			
BDT2	DSDD0332	315.90	317.00	1.10	0.990			2.90 m @ 5.36 g/t Au
BDT2	DSDD0332	317.00	318.00	1.00	1.070			
BDT2	DSDD0332	318.00	319.13	1.13	0.251			
BDT2	DSDD0332	319.13	320.25	1.12	0.135			
BDT2	DSDD0332	320.25	321.10	0.85	0.252			
BDT2	DSDD0332	321.10	322.00	0.90	0.692			
BDT2	DSDD0332	322.00	323.00	1.00	0.189			
BDT2	DSDD0332	323.00	324.20	1.20	0.216			
BDT2	DSDD0332	324.20	325.00	0.80	0.302			
BDT2	DSDD0332	325.00	326.00	1.00	0.114			
BDT2	DSDD0332	326.00	327.00	1.00	0.274			
BDT2	DSDD0332	327.00	328.00	1.00	0.655			
BDT2	DSDD0332	328.00	328.50	0.50	0.739			
BDT2	DSDD0332	328.50	329.00	0.50	0.439			
BDT2	DSDD0332	329.00	330.00	1.00	0.313	29.90 m @ 0.80 g/t Au	23.9	
BDT2	DSDD0332	330.00	331.00	1.00	0.077			
BDT2	DSDD0332	331.00	332.00	1.00	0.202			
BDT2	DSDD0332	332.00	333.00	1.00	0.080			
BDT2	DSDD0332	333.00	334.00	1.00	0.512			
BDT2	DSDD0332	334.00	335.00	1.00	0.896			
BDT2	DSDD0332	335.00	336.00	1.00	0.312			
BDT2	DSDD0332	336.00	337.00	1.00	0.038			
BDT2	DSDD0332	337.00	337.83	0.83	0.122			
BDT2	DSDD0332	337.83	339.00	1.17	0.398			
BDT2	DSDD0332	339.00	340.00	1.00	0.476			
BDT2	DSDD0332	340.00	341.00	1.00	0.046			
BDT2	DSDD0332	341.00	342.00	1.00	0.060			
BDT2	DSDD0332	342.00	343.00	1.00	0.235			
BDT2	DSDD0332	343.00	344.00	1.00	0.711			
BDT2	DSDD0332	344.00	345.00	1.00	0.222			
BDT2	DSDD0332	356.70	358.00	1.30	0.469	2.30 m @ 0.41 g/t Au	0.9	
BDT2	DSDD0332	358.00	359.00	1.00	0.325			
BDT2	DSDD0332	363.00	364.35	1.35	0.349	1.35 m @ 0.35 g/t Au	0.5	
BDT2	DSDD0332	368.00	368.60	0.60	0.111			
BDT2	DSDD0332	368.60	369.50	0.90	0.406			
BDT2	DSDD0332	369.50	370.30	0.80	0.049	4.40 m @ 0.25 g/t Au	1.1	
BDT2	DSDD0332	370.30	371.00	0.70	0.074			
BDT2	DSDD0332	371.00	372.00	1.00	0.393			
BDT2	DSDD0332	372.00	373.00	1.00	0.254			
BDT2	DSDD0332	375.00	376.00	1.00	0.102			
BDT2	DSDD0332	376.00	377.00	1.00	0.151			
BDT2	DSDD0332	379.00	380.00	1.00	0.140			
BDT2	DSDD0333	0.50	1.00	0.50	0.230	1.89 m @ 0.25 g/t Au	0.5	
BDT2	DSDD0333	1.00	2.39	1.39	0.260			
BDT2	DSDD0333	3.53	4.50	0.97	0.140			
BDT2	DSDD0333	45.25	46.10	0.85	0.280	19.92 m @ 0.26 g/t Au	5.2	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0333	46.10	47.00	0.90	0.370			
BDT2	DSDD0333	47.00	47.50	0.50	0.210			
BDT2	DSDD0333	47.50	48.00	0.50	0.310			
BDT2	DSDD0333	48.00	49.20	1.20	0.270			
BDT2	DSDD0333	49.20	50.00	0.80	0.750			
BDT2	DSDD0333	50.00	51.00	1.00	0.250			
BDT2	DSDD0333	51.00	52.00	1.00	0.040			
BDT2	DSDD0333	52.00	53.00	1.00	0.100			
BDT2	DSDD0333	53.00	54.00	1.00	0.380			
BDT2	DSDD0333	54.00	55.00	1.00	0.120			
BDT2	DSDD0333	55.00	56.20	1.20	0.250			
BDT2	DSDD0333	56.20	57.00	0.80	0.100			
BDT2	DSDD0333	57.00	58.00	1.00	0.010			
BDT2	DSDD0333	58.00	59.00	1.00	0.010			
BDT2	DSDD0333	59.00	60.00	1.00	0.510			
BDT2	DSDD0333	60.00	61.00	1.00	0.020			
BDT2	DSDD0333	61.00	62.00	1.00	0.300			
BDT2	DSDD0333	62.00	63.00	1.00	0.850			
BDT2	DSDD0333	63.00	64.00	1.00	0.120			
BDT2	DSDD0333	64.00	65.17	1.17	0.340			
BDT2	DSDD0333	65.17	66.00	0.83	0.120			
BDT2	DSDD0333	68.00	69.00	1.00	0.150			
BDT2	DSDD0333	71.50	72.25	0.75	0.310			
BDT2	DSDD0333	72.25	73.00	0.75	1.010	5.67 m @ 0.34 g/t Au	1.9	0.75 m @ 1.01 g/t Au
BDT2	DSDD0333	73.00	74.45	1.45	0.040			
BDT2	DSDD0333	74.45	75.00	0.55	0.270			
BDT2	DSDD0333	75.00	76.00	1.00	0.400			
BDT2	DSDD0333	76.00	77.17	1.17	0.260			
BDT2	DSDD0333	77.17	78.00	0.83	0.160	11.84 m @ 0.58 g/t Au	6.9	
BDT2	DSDD0333	78.00	79.00	1.00	0.130			
BDT2	DSDD0333	82.00	83.27	1.27	0.240			
BDT2	DSDD0333	83.27	84.00	0.73	0.930			
BDT2	DSDD0333	84.00	85.00	1.00	0.690			
BDT2	DSDD0333	85.00	85.54	0.54	0.120			
BDT2	DSDD0333	85.54	87.00	1.46	0.030			
BDT2	DSDD0333	87.00	87.80	0.80	0.010			
BDT2	DSDD0333	87.80	89.00	1.20	2.370			
BDT2	DSDD0333	89.00	89.80	0.80	0.180			
BDT2	DSDD0333	89.80	90.53	0.73	1.380			
BDT2	DSDD0333	90.53	91.44	0.91	0.090			
BDT2	DSDD0333	91.44	92.00	0.56	0.190			
BDT2	DSDD0333	92.00	93.00	1.00	0.510			
BDT2	DSDD0333	93.00	93.84	0.84	0.500			
BDT2	DSDD0333	93.84	95.00	1.16	0.110			
BDT2	DSDD0333	96.00	97.00	1.00	0.130			
BDT2	DSDD0333	97.00	97.83	0.83	0.210	0.83 m @ 0.21 g/t Au	0.2	
BDT2	DSDD0333	97.83	98.80	0.97	0.180			
BDT2	DSDD0333	98.80	99.50	0.70	0.120			
BDT2	DSDD0333	117.00	118.00	1.00	0.500			
BDT2	DSDD0333	118.00	118.77	0.77	0.240			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0333	120.60	122.00	1.40	0.130			
BDT2	DSDD0333	122.00	123.00	1.00	0.170			
BDT2	DSDD0333	123.00	124.00	1.00	0.250			
BDT2	DSDD0333	124.00	125.00	1.00	0.990			
BDT2	DSDD0333	125.00	125.64	0.64	0.090			
BDT2	DSDD0333	125.64	127.00	1.36	0.080			
BDT2	DSDD0333	127.00	128.00	1.00	0.170			
BDT2	DSDD0333	128.00	129.00	1.00	0.250			
BDT2	DSDD0333	129.00	130.00	1.00	0.270			
BDT2	DSDD0333	130.00	131.00	1.00	0.210			
BDT2	DSDD0333	131.00	132.00	1.00	0.670			
BDT2	DSDD0333	135.00	136.00	1.00	0.150			
BDT2	DSDD0333	136.00	137.00	1.00	0.160			
BDT2	DSDD0333	137.00	137.84	0.84	1.200			
BDT2	DSDD0333	137.84	138.85	1.01	1.090			
BDT2	DSDD0333	138.85	140.00	1.15	2.550			
BDT2	DSDD0333	140.00	141.00	1.00	0.560			
BDT2	DSDD0333	141.00	142.00	1.00	0.540			
BDT2	DSDD0333	142.00	143.00	1.00	0.180			
BDT2	DSDD0333	143.00	144.00	1.00	0.190			
BDT2	DSDD0333	144.00	145.00	1.00	0.120			
BDT2	DSDD0333	146.00	147.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3	
BDT2	DSDD0333	147.00	148.00	1.00	0.120			
BDT2	DSDD0333	150.00	150.50	0.50	0.180			
BDT2	DSDD0333	150.50	151.00	0.50	0.100			
BDT2	DSDD0333	151.00	151.87	0.87	3.780			
BDT2	DSDD0333	151.87	152.50	0.63	2.450			
BDT2	DSDD0333	152.50	154.00	1.50	0.080			
BDT2	DSDD0333	154.00	155.00	1.00	0.140			
BDT2	DSDD0333	155.00	156.00	1.00	0.860			
BDT2	DSDD0333	167.00	168.00	1.00	0.830			
BDT2	DSDD0333	168.00	169.00	1.00	1.170			
BDT2	DSDD0333	169.00	170.00	1.00	0.090			
BDT2	DSDD0333	170.00	171.00	1.00	0.010			
BDT2	DSDD0333	171.00	172.00	1.00	1.670			
BDT2	DSDD0333	176.00	177.00	1.00	0.710			
BDT2	DSDD0333	177.00	178.00	1.00	0.460			
BDT2	DSDD0333	178.00	179.00	1.00	0.070			
BDT2	DSDD0333	179.00	180.00	1.00	0.080			
BDT2	DSDD0333	180.00	181.00	1.00	0.010			
BDT2	DSDD0333	181.00	182.00	1.00	0.240			
BDT2	DSDD0333	182.00	183.00	1.00	0.150			
BDT2	DSDD0333	183.00	184.00	1.00	0.100			
BDT2	DSDD0333	184.00	185.00	1.00	0.220			
BDT2	DSDD0333	185.00	186.00	1.00	0.010			
BDT2	DSDD0333	186.00	187.00	1.00	0.010			
BDT2	DSDD0333	187.00	188.00	1.00	0.600			
BDT2	DSDD0333	188.00	189.00	1.00	0.010			
BDT2	DSDD0333	189.00	190.00	1.00	1.830			
BDT2	DSDD0333	197.50	198.00	0.50	0.690	0.50 m @ 0.69 g/t Au	0.3	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BDT2	DSDD0333	206.00	207.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3		
BDT2	DSDD0333	214.00	215.00	1.00	0.120				
BDT2	DSDD0333	221.00	222.00	1.00	0.550	1.00 m @ 0.55 g/t Au	0.6		
BDT2	DSDD0333	229.00	230.00	1.00	0.120				
BDT2	DSDD0333	230.00	231.00	1.00	0.410	9.40 m @ 0.36 g/t Au	3.3		
BDT2	DSDD0333	231.00	232.00	1.00	0.120				
BDT2	DSDD0333	232.00	233.00	1.00	0.470				
BDT2	DSDD0333	233.00	234.00	1.00	0.120				
BDT2	DSDD0333	234.00	235.00	1.00	0.120				
BDT2	DSDD0333	235.00	236.00	1.00	0.060				
BDT2	DSDD0333	236.00	237.00	1.00	0.640				
BDT2	DSDD0333	237.00	238.00	1.00	0.250				
BDT2	DSDD0333	238.00	239.40	1.40	0.820				
BDT2	DSDD0333	245.00	246.00	1.00	0.530	4.00 m @ 0.35 g/t Au	1.4		
BDT2	DSDD0333	246.00	247.00	1.00	0.620				
BDT2	DSDD0333	247.00	248.00	1.00	0.050				
BDT2	DSDD0333	248.00	249.00	1.00	0.200				
BDT2	DSDD0333	252.00	253.00	1.00	0.170				
BDT2	DSDD0333	253.00	254.00	1.00	0.430	7.00 m @ 0.52 g/t Au	3.7	1.00 m @ 1.24 g/t Au	
BDT2	DSDD0333	254.00	255.00	1.00	0.840				
BDT2	DSDD0333	255.00	256.00	1.00	1.240				
BDT2	DSDD0333	256.00	257.00	1.00	0.280				
BDT2	DSDD0333	257.00	258.00	1.00	0.160				
BDT2	DSDD0333	258.00	259.00	1.00	0.440				
BDT2	DSDD0333	259.00	260.00	1.00	0.280				
BDT2	DSDD0334	2.45	3.00	0.55	0.191				
BDT2	DSDD0334	3.00	4.00	1.00	0.157				
BDT2	DSDD0334	7.50	9.00	1.50	0.194				
BDT2	DSDD0334	9.00	10.50	1.50	0.114				
BDT2	DSDD0334	10.50	11.57	1.07	0.147				
BDT2	DSDD0334	12.00	12.80	0.80	0.186				
BDT2	DSDD0334	13.50	14.35	0.85	4.158	0.85 m @ 4.16 g/t Au	3.5	0.85 m @ 4.16 g/t Au	
BDT2	DSDD0334	128.00	129.00	1.00	0.755	7.00 m @ 0.25 g/t Au	1.8		
BDT2	DSDD0334	129.00	130.00	1.00	0.008				
BDT2	DSDD0334	130.00	131.00	1.00	0.008				
BDT2	DSDD0334	131.00	132.00	1.00	0.015				
BDT2	DSDD0334	132.00	133.00	1.00	0.496				
BDT2	DSDD0334	133.00	134.00	1.00	0.203				
BDT2	DSDD0334	134.00	135.00	1.00	0.266				
BDT2	DSDD0334	137.00	138.00	1.00	0.120				
BDT2	DSDD0334	174.00	175.00	1.00	0.207	1.00 m @ 0.21 g/t Au	0.2		
BDT2	DSDD0334	269.75	270.65	0.90	0.485	1.85 m @ 0.42 g/t Au	0.8		
BDT2	DSDD0334	270.65	271.60	0.95	0.361				
BDT2	DSDD0334	291.00	292.00	1.00	0.261	2.00 m @ 0.24 g/t Au	0.5		
BDT2	DSDD0334	292.00	293.00	1.00	0.210				
BDT2	DSDD0340	0.00	1.00	1.00	0.294	2.35 m @ 0.24 g/t Au	0.6		
BDT2	DSDD0340	1.00	2.35	1.35	0.206				
BDT2	DSDD0340	3.00	4.50	1.50	0.264	1.50 m @ 0.26 g/t Au	0.4		
BDT2	DSDD0340	24.00	25.00	1.00	0.224	1.00 m @ 0.22 g/t Au	0.2		
BDT2	DSDD0340	31.50	33.00	1.50	0.103				

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BDT2	DSDD0340	34.50	35.26	0.76	0.666	0.76 m @ 0.67 g/t Au	0.5		
BDT2	DSDD0340	36.58	37.50	0.92	0.120				
BDT2	DSDD0340	41.00	42.45	1.45	0.162				
BDT2	DSDD0340	52.40	53.00	0.60	0.188				
BDT2	DSDD0340	53.00	54.00	1.00	0.374				
BDT2	DSDD0340	54.00	55.26	1.26	0.821	2.26 m @ 0.62 g/t Au	1.4		
BDT2	DSDD0340	58.35	59.00	0.65	0.167	8.60 m @ 0.56 g/t Au	4.8		
BDT2	DSDD0340	59.00	60.00	1.00	0.316				
BDT2	DSDD0340	60.00	61.00	1.00	0.858				
BDT2	DSDD0340	61.00	62.00	1.00	0.928				
BDT2	DSDD0340	62.00	63.00	1.00	0.019				
BDT2	DSDD0340	63.00	64.00	1.00	0.112				
BDT2	DSDD0340	64.00	65.00	1.00	0.614				
BDT2	DSDD0340	65.00	66.00	1.00	0.983				
BDT2	DSDD0340	66.00	67.00	1.00	0.692				
BDT2	DSDD0340	67.00	67.60	0.60	0.505				
BDT2	DSDD0340	74.00	75.00	1.00	6.743	5.00 m @ 2.07 g/t Au	10.3		4.00 m @ 2.47 g/t Au
BDT2	DSDD0340	75.00	76.00	1.00	0.979				
BDT2	DSDD0340	76.00	77.00	1.00	1.069				
BDT2	DSDD0340	77.00	78.00	1.00	1.107				
BDT2	DSDD0340	78.00	79.00	1.00	0.443				
BDT2	DSDD0340	87.00	88.00	1.00	0.196				
BDT2	DSDD0340	91.23	92.00	0.77	0.102				
BDT2	DSDD0340	162.00	163.00	1.00	0.119				
BDT2	DSDD0340	163.00	164.00	1.00	0.138				
BDT2	DSDD0340	164.00	165.00	1.00	0.177				
BDT2	DSDD0340	165.00	166.00	1.00	0.372	28.48 m @ 0.67 g/t Au	19.0		5.00 m @ 1.70 g/t Au
BDT2	DSDD0340	166.00	167.00	1.00	0.147				
BDT2	DSDD0340	167.00	168.00	1.00	0.086				
BDT2	DSDD0340	168.00	169.00	1.00	1.826				
BDT2	DSDD0340	169.00	170.00	1.00	1.320				
BDT2	DSDD0340	170.00	171.00	1.00	1.140				
BDT2	DSDD0340	171.00	172.00	1.00	3.005				
BDT2	DSDD0340	172.00	173.00	1.00	1.210				
BDT2	DSDD0340	173.00	174.00	1.00	0.051				
BDT2	DSDD0340	174.00	175.00	1.00	0.328				
BDT2	DSDD0340	175.00	176.00	1.00	0.849				
BDT2	DSDD0340	176.00	177.00	1.00	0.063				
BDT2	DSDD0340	177.00	178.00	1.00	0.374				
BDT2	DSDD0340	178.00	179.00	1.00	0.630				
BDT2	DSDD0340	179.00	180.00	1.00	0.878				
BDT2	DSDD0340	180.00	181.00	1.00	0.504				
BDT2	DSDD0340	181.00	182.00	1.00	0.410				
BDT2	DSDD0340	182.00	183.00	1.00	0.493				
BDT2	DSDD0340	183.00	184.00	1.00	0.407				
BDT2	DSDD0340	184.00	185.00	1.00	0.700				
BDT2	DSDD0340	185.00	186.00	1.00	0.246				
BDT2	DSDD0340	186.00	187.00	1.00	0.309				
BDT2	DSDD0340	187.00	188.00	1.00	0.727				
BDT2	DSDD0340	188.00	189.00	1.00	0.186				

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT2	DSDD0340	189.00	190.00	1.00	0.371			
BDT2	DSDD0340	190.00	191.00	1.00	0.706			
BDT2	DSDD0340	191.00	192.00	1.00	0.037			
BDT2	DSDD0340	192.00	192.50	0.50	0.008			
BDT2	DSDD0340	192.50	193.48	0.98	1.668			
BDT2	DSDD0340	193.48	194.00	0.52	0.187			0.98 m @ 1.67 g/t Au
BDT2	DSDD0340	194.00	195.00	1.00	0.150			
BDT2	DSDD0340	198.00	199.00	1.00	0.290			
BDT2	DSDD0340	199.00	200.00	1.00	0.323			
BDT2	DSDD0340	200.00	201.00	1.00	0.949			
BDT2	DSDD0340	201.00	202.00	1.00	0.961	12.00 m @ 0.58 g/t Au	6.9	
BDT2	DSDD0340	202.00	203.00	1.00	0.202			
BDT2	DSDD0340	203.00	204.00	1.00	0.273			
BDT2	DSDD0340	204.00	204.95	0.95	0.052			
BDT2	DSDD0340	204.95	206.00	1.05	0.371			
BDT2	DSDD0340	206.00	207.00	1.00	1.262			
BDT2	DSDD0340	207.00	208.00	1.00	1.111			
BDT2	DSDD0340	208.00	209.00	1.00	0.693			
BDT2	DSDD0340	209.00	210.00	1.00	0.400			
BDT2	DSDD0340	210.00	210.71	0.71	0.165			
BDT2	DSDD0340	222.00	223.00	1.00	0.203	1.00 m @ 0.20 g/t Au	0.2	
BDT2	DSDD0340	227.00	228.00	1.00	0.225	6.00 m @ 0.31 g/t Au	1.8	
BDT2	DSDD0340	228.00	229.00	1.00	0.016			
BDT2	DSDD0340	229.00	230.00	1.00	0.008			
BDT2	DSDD0340	230.00	231.00	1.00	0.130			
BDT2	DSDD0340	231.00	232.00	1.00	0.554			
BDT2	DSDD0340	232.00	233.00	1.00	0.917			
BDT2	DSDD0340	233.00	233.60	0.60	0.147			
BDT2	DSDD0340	233.60	234.50	0.90	0.120			
BDT2	DSDD0340	249.00	250.00	1.00	0.274	1.00 m @ 0.27 g/t Au	0.3	
BDT2	DSDD0340	262.00	263.00	1.00	0.222	2.00 m @ 0.25 g/t Au	0.5	
BDT2	DSDD0340	263.00	264.00	1.00	0.283			
BDT2	DSDD0340	268.00	269.00	1.00	6.073	1.00 m @ 6.07 g/t Au	6.1	1.00 m @ 6.07 g/t Au
BDT2	DSDD0340	274.00	275.00	1.00	0.128	14.00 m @ 0.89 g/t Au	12.5	
BDT2	DSDD0340	276.00	277.00	1.00	0.739			
BDT2	DSDD0340	277.00	278.00	1.00	0.743			
BDT2	DSDD0340	278.00	279.00	1.00	0.239			
BDT2	DSDD0340	279.00	279.70	0.70	0.016			
BDT2	DSDD0340	279.70	280.50	0.80	2.077			
BDT2	DSDD0340	280.50	281.00	0.50	0.700			
BDT2	DSDD0340	281.00	282.00	1.00	0.251			
BDT2	DSDD0340	282.00	283.00	1.00	0.235			
BDT2	DSDD0340	283.00	284.00	1.00	0.552			
BDT2	DSDD0340	284.00	285.00	1.00	0.047			
BDT2	DSDD0340	285.00	285.70	0.70	8.409			
BDT2	DSDD0340	285.70	286.50	0.80	0.428			
BDT2	DSDD0340	286.50	287.00	0.50	0.588			
BDT2	DSDD0340	287.00	288.00	1.00	0.127			
BDT2	DSDD0340	288.00	289.00	1.00	0.047			
BDT2	DSDD0340	289.00	290.00	1.00	0.982			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BDT2	DSDD0340	292.00	293.00	1.00	0.101				
BDT2	DSDD0340	293.00	293.50	0.50	0.137				
BDT2	DSDD0340	293.50	294.40	0.90	0.642				
BDT2	DSDD0340	294.40	295.00	0.60	1.130	2.50 m @ 0.59 g/t Au	1.5	0.60 m @ 1.13 g/t Au	
BDT2	DSDD0340	295.00	296.00	1.00	0.231				
BDT2	DSDD0340	298.00	299.00	1.00	0.122				
BDT2	DSDD0340	317.00	318.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2		
BDT2	DSDD0340	319.00	320.00	1.00	0.164				
BDT3	DSDD0327	0.00	0.83	0.83	0.121				
BDT3	DSDD0327	4.50	5.22	0.72	0.102				
BDT3	DSDD0327	19.02	19.76	0.74	4.591	0.74 m @ 4.59 g/t Au	3.4		0.74 m @ 4.59 g/t Au
BDT3	DSDD0327	64.00	65.00	1.00	0.688	1.00 m @ 0.69 g/t Au	0.7		
BDT3	DSDD0328	0.00	1.50	1.50	0.290	1.50 m @ 0.29 g/t Au	0.4		
BDT3	DSDD0328	74.00	75.00	1.00	0.226	1.00 m @ 0.23 g/t Au	0.2		
BDT3	DSDD0328	81.00	82.00	1.00	0.521	1.00 m @ 0.52 g/t Au	0.5		
BDT3	DSDD0328	87.00	88.00	1.00	0.110				
BDT3	DSDD0328	95.00	96.00	1.00	0.270				
BDT3	DSDD0328	96.00	96.75	0.75	2.182				0.75 m @ 2.18 g/t Au
BDT3	DSDD0328	96.75	98.00	1.25	0.066				
BDT3	DSDD0328	98.00	99.00	1.00	0.008				
BDT3	DSDD0328	99.00	99.75	0.75	0.139				
BDT3	DSDD0328	99.75	100.90	1.15	0.573				
BDT3	DSDD0328	100.90	101.50	0.60	0.313				
BDT3	DSDD0328	101.50	103.00	1.50	0.241				
BDT3	DSDD0328	106.20	107.00	0.80	1.090	9.80 m @ 2.53 g/t Au	24.8		4.30 m @ 5.47 g/t Au
BDT3	DSDD0328	107.00	108.00	1.00	1.229				
BDT3	DSDD0328	108.00	109.30	1.30	0.235				
BDT3	DSDD0328	109.30	110.50	1.20	17.582				
BDT3	DSDD0328	110.50	111.00	0.50	0.246				
BDT3	DSDD0328	111.00	112.00	1.00	0.409				
BDT3	DSDD0328	112.00	113.00	1.00	0.073				
BDT3	DSDD0328	113.00	114.00	1.00	0.041				
BDT3	DSDD0328	114.00	115.00	1.00	0.247				
BDT3	DSDD0328	115.00	116.00	1.00	0.388				
BDT3	DSDD0328	121.00	122.50	1.50	0.491				
BDT3	DSDD0328	122.50	123.00	0.50	0.414				
BDT3	DSDD0328	123.00	124.00	1.00	0.239				
BDT3	DSDD0328	126.00	127.00	1.00	0.142	3.00 m @ 0.39 g/t Au	1.2		
BDT3	DSDD0328	137.00	138.00	1.00	0.210				
BDT3	DSDD0328	138.00	139.00	1.00	1.504				
BDT3	DSDD0328	139.00	140.00	1.00	1.032				
BDT3	DSDD0328	140.00	141.00	1.00	1.592				
BDT3	DSDD0328	141.00	142.00	1.00	0.008				
BDT3	DSDD0328	142.00	143.00	1.00	0.008				
BDT3	DSDD0328	143.00	144.00	1.00	0.474				
BDT3	DSDD0328	151.00	152.00	1.00	0.366				
BDT3	DSDD0328	155.00	156.00	1.00	0.187				
BDT3	DSDD0328	160.00	161.00	1.00	0.124				
BDT3	DSDD0328	161.00	162.00	1.00	0.123				
BDT3	DSDD0328	162.00	163.00	1.00	6.687	1.00 m @ 6.69 g/t Au	6.7	1.00 m @ 6.69 g/t Au	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
BDT3	DSDD0328	163.00	164.00	1.00	0.161				
BDT3	DSDD0328	166.40	167.60	1.20	0.277	1.20 m @ 0.28 g/t Au	0.3		
BDT3	DSDD0328	170.00	171.00	1.00	0.297	1.00 m @ 0.30 g/t Au	0.3		
BDT3	DSDD0328	172.00	173.00	1.00	0.211	1.00 m @ 0.21 g/t Au	0.2		
BDT3	DSDD0328	178.00	179.00	1.00	0.198				
BDT3	DSDD0328	181.00	182.00	1.00	0.528	2.00 m @ 0.41 g/t Au	0.8		
BDT3	DSDD0328	182.00	183.00	1.00	0.291				
BDT3	DSDD0328	184.00	185.00	1.00	0.182				
BDT3	DSDD0328	194.00	195.00	1.00	0.170				
BDT3	DSDD0328	195.00	196.00	1.00	0.182				
BDT3	DSDD0328	259.00	260.00	1.00	0.107				
BDT3	DSDD0328	275.00	276.00	1.00	0.258	1.00 m @ 0.26 g/t Au	0.3		
BDT3	DSDD0328	293.00	294.00	1.00	0.117				
BDT3	DSDD0328	331.80	333.00	1.20	0.343	7.20 m @ 0.27 g/t Au	1.9		
BDT3	DSDD0328	333.00	334.00	1.00	0.107				
BDT3	DSDD0328	334.00	335.00	1.00	0.704				
BDT3	DSDD0328	335.00	336.00	1.00	0.212				
BDT3	DSDD0328	336.00	337.00	1.00	0.047				
BDT3	DSDD0328	337.00	338.00	1.00	0.054				
BDT3	DSDD0328	338.00	339.00	1.00	0.390				
BDT3	DSDD0328	343.00	344.00	1.00	0.110				
BDT3	DSDD0328	344.00	344.80	0.80	0.167				
BDT3	DSDD0328	344.80	346.00	1.20	0.211	3.20 m @ 1.54 g/t Au	4.9		1.00 m @ 4.03 g/t Au
BDT3	DSDD0328	346.00	347.00	1.00	4.027				
BDT3	DSDD0328	347.00	348.00	1.00	0.646				
BDT3	DSDD0328	358.00	359.00	1.00	0.231	1.00 m @ 0.23 g/t Au	0.2		
BDT3	DSDD0328	376.00	377.00	1.00	0.107				
BDT3	DSDD0328	391.00	392.00	1.00	0.105				
BDT3	DSDD0329	2.00	3.00	1.00	0.332	1.00 m @ 0.33 g/t Au	0.3		
BDT3	DSDD0329	28.00	29.00	1.00	0.236	1.00 m @ 0.24 g/t Au	0.2		
BDT3	DSDD0329	127.00	128.00	1.00	0.108				
BDT3	DSDD0329	201.00	202.00	1.00	5.295	1.00 m @ 5.29 g/t Au	5.3	1.00 m @ 5.29 g/t Au	
BDT3	DSDD0329	231.00	232.00	1.00	0.137				
BDT3	DSDD0329	232.00	232.90	0.90	0.106				
BDT3	DSDD0329	234.00	235.40	1.40	0.215	1.40 m @ 0.21 g/t Au	0.3		
BDT3	DSDD0329	240.00	241.00	1.00	0.173	2.00 m @ 0.48 g/t Au	1.0		
BDT3	DSDD0329	241.00	242.00	1.00	0.138				
BDT3	DSDD0329	242.76	244.00	1.24	0.188				
BDT3	DSDD0329	244.00	245.00	1.00	0.549				
BDT3	DSDD0329	245.00	246.00	1.00	0.413				
BDT3	DSDD0329	246.00	247.00	1.00	0.157				
BDT3	DSDD0329	253.00	254.00	1.00	0.410	3.00 m @ 0.27 g/t Au	0.8		
BDT3	DSDD0329	254.00	255.00	1.00	0.038				
BDT3	DSDD0329	255.00	256.00	1.00	0.370				
BDT3	DSDD0329	256.00	257.00	1.00	0.159				
BDT3	DSDD0329	265.00	266.00	1.00	0.118				
BDT3	DSDD0329	267.00	268.50	1.50	0.100				
BDT3	DSDD0329	393.00	394.00	1.00	0.113				
BDT3	DSDD0329	394.00	395.00	1.00	0.225	1.00 m @ 0.23 g/t Au	0.2		
BDT3	DSDD0329	396.00	397.00	1.00	0.173				

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT3	DSDD0329	418.00	419.00	1.00	0.119			
BDT3	DSDD0329	437.20	438.00	0.80	0.248			
BDT3	DSDD0329	438.00	439.00	1.00	14.912			1.00 m @ 14.91 g/t Au
BDT3	DSDD0329	439.00	440.00	1.00	0.298			
BDT3	DSDD0329	440.00	441.00	1.00	0.008			
BDT3	DSDD0329	441.00	442.00	1.00	0.008			
BDT3	DSDD0329	442.00	443.00	1.00	0.290			
BDT3	DSDD0329	443.00	444.00	1.00	0.175			
BDT3	DSDD0329	444.00	445.00	1.00	0.372			
BDT3	DSDD0329	445.00	446.00	1.00	0.136			
BDT3	DSDD0329	446.00	447.00	1.00	0.134			
BDT3	DSDD0329	447.00	448.00	1.00	0.305			
BDT3	DSDD0329	448.00	449.00	1.00	0.088			
BDT3	DSDD0329	449.00	450.00	1.00	0.235			
BDT3	DSDD0329	450.00	451.00	1.00	0.629			
BDT3	DSDD0329	451.00	452.00	1.00	0.423			
BDT3	DSDD0329	452.00	453.00	1.00	0.882			
BDT3	DSDD0329	453.00	454.00	1.00	0.243			
BDT3	DSDD0329	454.00	455.00	1.00	0.198			
BDT3	DSDD0329	455.00	456.00	1.00	0.051			
BDT3	DSDD0329	456.00	457.00	1.00	0.047			
BDT3	DSDD0329	457.00	458.00	1.00	0.305			
BDT3	DSDD0329	458.00	459.00	1.00	0.486			
BDT3	DSDD0329	459.00	460.00	1.00	0.170			
BDT3	DSDD0329	460.00	461.00	1.00	0.251			
BDT3	DSDD0329	461.00	462.28	1.28	0.198			
BDT3	DSDD0329	471.20	472.50	1.30	0.123			
BDT3	DSDD0331	5.00	5.60	0.60	2.275	0.60 m @ 2.27 g/t Au	1.4	0.60 m @ 2.27 g/t Au
BDT3	DSDD0331	11.10	12.00	0.90	0.156			
BDT3	DSDD0335	15.95	16.77	0.82	5.294	0.82 m @ 5.29 g/t Au	4.3	0.82 m @ 5.29 g/t Au
BDT3	DSDD0335	22.26	22.81	0.55	0.304	0.55 m @ 0.30 g/t Au	0.2	
BDT3	DSDD0335	88.20	89.51	1.31	0.416			
BDT3	DSDD0335	89.51	91.00	1.49	0.111			
BDT3	DSDD0335	91.00	92.00	1.00	0.031			
BDT3	DSDD0335	92.00	93.00	1.00	0.353			
BDT3	DSDD0335	101.50	103.00	1.50	0.137			
BDT3	DSDD0335	125.00	126.00	1.00	0.768			
BDT3	DSDD0335	126.00	127.00	1.00	0.885			
BDT3	DSDD0335	127.00	128.00	1.00	0.948			
BDT3	DSDD0335	128.00	129.00	1.00	0.396			
BDT3	DSDD0335	129.00	130.00	1.00	0.713			
BDT3	DSDD0335	130.00	131.00	1.00	0.265			
BDT3	DSDD0335	131.00	132.00	1.00	0.359			
BDT3	DSDD0335	132.00	133.00	1.00	0.118			
BDT3	DSDD0335	133.00	134.00	1.00	0.604			
BDT3	DSDD0335	134.00	135.00	1.00	0.112			
BDT3	DSDD0335	139.00	140.00	1.00	0.113			
BDT3	DSDD0335	142.00	143.00	1.00	0.278	1.00 m @ 0.28 g/t Au	0.3	
BDT3	DSDD0335	143.00	144.00	1.00	0.117			
BDT3	DSDD0335	158.00	159.00	1.00	0.421	1.00 m @ 0.42 g/t Au	0.4	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT3	DSDD0335	173.00	174.00	1.00	0.155			
BDT3	DSDD0335	174.00	175.00	1.00	0.825			
BDT3	DSDD0335	175.00	176.00	1.00	4.313	2.00 m @ 2.57 g/t Au	5.1	1.00 m @ 4.31 g/t Au
BDT3	DSDD0335	176.00	177.40	1.40	0.189			
BDT3	DSDD0335	207.00	208.00	1.00	0.264			
BDT3	DSDD0335	208.00	209.00	1.00	0.042			
BDT3	DSDD0335	209.00	210.00	1.00	0.379	4.00 m @ 0.31 g/t Au	1.2	
BDT3	DSDD0335	210.00	211.00	1.00	0.560			
BDT3	DSDD0335	211.00	212.00	1.00	0.129			
BDT3	DSDD0335	212.00	213.00	1.00	0.190			
BDT3	DSDD0335	213.00	214.00	1.00	0.147			
BDT3	DSDD0335	214.00	215.00	1.00	0.136			
BDT3	DSDD0335	215.00	216.00	1.00	0.112			
BDT3	DSDD0335	218.00	219.00	1.00	0.156			
BDT3	DSDD0336	212.00	213.00	1.00	0.170			
BDT3	DSDD0336					NSI		
BDT3	DSDD0337	90.00	91.16	1.16	0.220	1.16 m @ 0.22 g/t Au	0.3	
BDT3	DSDD0337	113.00	114.00	1.00	0.110			
BDT3	DSDD0337	219.75	221.00	1.25	0.130			
BDT3	DSDD0337	222.00	223.00	1.00	0.130			
BDT3	DSDD0338	79.50	80.60	1.10	0.220			
BDT3	DSDD0338	80.60	82.00	1.40	0.400	2.50 m @ 0.32 g/t Au	0.8	
BDT3	DSDD0338	82.00	83.00	1.00	0.100			
BDT3	DSDD0338	85.00	86.00	1.00	0.120			
BDT3	DSDD0338	86.00	87.00	1.00	0.120			
BDT3	DSDD0338	88.00	89.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
BDT3	DSDD0338	92.00	93.00	1.00	0.250			
BDT3	DSDD0338	93.00	94.00	1.00	0.230			
BDT3	DSDD0338	94.00	95.00	1.00	0.050			
BDT3	DSDD0338	95.00	96.00	1.00	0.280	6.00 m @ 0.25 g/t Au	1.5	
BDT3	DSDD0338	96.00	97.00	1.00	0.320			
BDT3	DSDD0338	97.00	98.00	1.00	0.370			
BDT3	DSDD0338	100.00	101.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BDT3	DSDD0338	114.00	115.00	1.00	0.100			
BDT3	DSDD0338	140.00	141.00	1.00	0.110			
BDT3	DSDD0338	167.00	168.00	1.00	0.840			
BDT3	DSDD0338	168.00	169.00	1.00	0.200	2.00 m @ 0.52 g/t Au	1.0	
BDT3	DSDD0338	226.00	227.26	1.26	0.170			
BDT3	DSDD0338	231.00	232.00	1.00	0.100			
BDT3	DSDD0338	232.00	233.00	1.00	0.180			
BDT3	DSDD0338	233.00	234.00	1.00	0.100			
BDT3	DSDD0339	98.00	99.00	1.00	0.805	1.00 m @ 0.81 g/t Au	0.8	
BDT3	DSDD0339	132.00	133.00	1.00	0.115			
BDT3	DSDD0339	239.00	240.00	1.00	0.235	1.00 m @ 0.23 g/t Au	0.2	
BDT3	DSDD0339	253.00	254.00	1.00	0.413			
BDT3	DSDD0339	254.00	255.00	1.00	0.780			
BDT3	DSDD0339	255.00	256.00	1.00	0.574	4.17 m @ 0.66 g/t Au	2.7	
BDT3	DSDD0339	256.00	257.17	1.17	0.839			
BDT3	DSDD0339	257.17	258.00	0.83	0.124			
BDT3	DSDD0341	185.00	186.00	1.00	0.282	1.00 m @ 0.28 g/t Au	0.3	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT3	DSDD0341	186.00	187.00	1.00	0.132			
BDT3	DSDD0341	188.00	189.00	1.00	0.187			
BDT3	DSDD0341	205.00	205.60	0.60	0.106			
BDT3	DSDD0341	209.00	210.00	1.00	0.224	13.00 m @ 0.20 g/t Au	2.6	
BDT3	DSDD0341	210.00	211.00	1.00	0.067			
BDT3	DSDD0341	211.00	212.00	1.00	0.485			
BDT3	DSDD0341	212.00	213.00	1.00	0.082			
BDT3	DSDD0341	213.00	214.00	1.00	0.350			
BDT3	DSDD0341	214.00	215.00	1.00	0.274			
BDT3	DSDD0341	215.00	216.00	1.00	0.008			
BDT3	DSDD0341	216.00	217.00	1.00	0.031			
BDT3	DSDD0341	217.00	218.00	1.00	0.332			
BDT3	DSDD0341	218.00	219.00	1.00	0.040			
BDT3	DSDD0341	219.00	220.00	1.00	0.120			
BDT3	DSDD0341	220.00	221.00	1.00	0.299			
BDT3	DSDD0341	221.00	222.00	1.00	0.316			
BDT3	DSDD0341	223.00	224.00	1.00	0.140			
BDT3	DSDD0341	223.00	224.00	1.00	0.140			
BDT3	DSDD0341	238.00	239.00	1.00	0.377	8.00 m @ 1.69 g/t Au	13.5	7.00 m @ 1.87 g/t Au
BDT3	DSDD0341	239.00	240.00	1.00	1.517			
BDT3	DSDD0341	240.00	241.00	1.00	1.553			
BDT3	DSDD0341	241.00	242.00	1.00	2.053			
BDT3	DSDD0341	242.00	243.00	1.00	3.423			
BDT3	DSDD0341	243.00	244.00	1.00	1.076			
BDT3	DSDD0341	244.00	245.00	1.00	1.774			
BDT3	DSDD0341	245.00	246.00	1.00	1.707			
BDT3	DSDD0341	247.00	248.00	1.00	0.117			
BDT3	DSDD0341	248.00	249.10	1.10	0.102			
BDT3	DSDD0341	251.00	252.00	1.00	0.114			
BDT3	DSDD0341	254.00	255.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
BDT3	DSDD0342	10.05	11.50	1.45	0.221	1.45 m @ 0.22 g/t Au	0.3	
BDT3	DSDD0342	16.50	17.06	0.56	0.146			
BDT3	DSDD0342	96.00	97.00	1.00	0.114			
BDT3	DSDD0342	133.00	134.00	1.00	0.195			
BDT3	DSDD0342	135.90	137.00	1.10	0.451	1.10 m @ 0.45 g/t Au	0.5	
BDT3	DSDD0342	143.00	144.00	1.00	0.155			
BDT3	DSDD0342	147.00	148.00	1.00	0.131			
BDT3	DSDD0342	172.90	174.00	1.10	0.170			
BDT3	DSDD0342	174.00	175.00	1.00	2.235	1.00 m @ 2.23 g/t Au	2.2	1.00 m @ 2.23 g/t Au
BDT3	DSDD0342	178.00	179.00	1.00	0.123			
BDT3	DSDD0342	179.00	180.00	1.00	0.206	1.00 m @ 0.21 g/t Au	0.2	
BDT3	DSDD0343	78.00	79.00	1.00	0.116			
BDT3	DSDD0343	169.00	170.00	1.00	0.101			
BDT3	DSDD0343	333.00	334.00	1.00	0.194			
BDT3	DSDD0343	334.00	335.00	1.00	0.119			
BDT3	DSDD0343	335.00	336.00	1.00	0.103			
BDT3	DSDD0343	336.00	337.00	1.00	0.159			
BDT3	DSDD0343	337.00	338.00	1.00	0.187			
BDT3	DSDD0343	338.00	339.00	1.00	0.212			
BDT3	DSDD0343	339.00	340.00	1.00	0.221	12.00 m @ 0.38 g/t Au	4.6	
BDT3	DSDD0343	340.00	341.00	1.00	2.060			1.00 m @ 2.06 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT3	DSDD0343	341.00	342.00	1.00	0.406			
BDT3	DSDD0343	342.00	343.00	1.00	0.173			
BDT3	DSDD0343	343.00	344.00	1.00	0.224			
BDT3	DSDD0343	344.00	345.00	1.00	0.155			
BDT3	DSDD0343	345.00	346.00	1.00	0.235			
BDT3	DSDD0343	346.00	347.00	1.00	0.095			
BDT3	DSDD0343	347.00	348.00	1.00	0.535			
BDT3	DSDD0343	348.00	349.00	1.00	0.066			
BDT3	DSDD0343	349.00	350.00	1.00	0.214			
BDT3	DSDD0343	353.00	354.00	1.00	0.126			
BDT3	DSDD0343	356.00	357.00	1.00	0.148	3.00 m @ 0.60 g/t Au	1.8	1.00 m @ 1.06 g/t Au
BDT3	DSDD0343	357.00	358.00	1.00	1.063			
BDT3	DSDD0343	358.00	359.00	1.00	0.291			
BDT3	DSDD0343	359.00	360.00	1.00	0.458			
BDT3	DSDD0343	360.00	361.00	1.00	0.160	12.00 m @ 7.52 g/t Au	90.3	2.00 m @ 9.06 g/t Au
BDT3	DSDD0343	394.00	395.00	1.00	16.221			
BDT3	DSDD0343	395.00	396.00	1.00	1.891			
BDT3	DSDD0343	396.00	397.00	1.00	0.516			1.00 m @ 14.29 g/t Au
BDT3	DSDD0343	397.00	398.00	1.00	0.355			
BDT3	DSDD0343	398.00	398.80	0.80	0.081			
BDT3	DSDD0343	398.80	400.00	1.20	0.299			3.00 m @ 18.51 g/t Au
BDT3	DSDD0343	400.00	400.50	0.50	6.973			
BDT3	DSDD0343	400.50	401.00	0.50	21.606			
BDT3	DSDD0343	401.00	402.00	1.00	0.533			
BDT3	DSDD0343	402.00	402.50	0.50	5.422			
BDT3	DSDD0343	402.50	403.50	1.00	0.403			
BDT3	DSDD0343	403.50	404.50	1.00	0.609			
BDT3	DSDD0343	404.50	405.00	0.50	103.607			
BDT3	DSDD0343	405.00	406.00	1.00	0.499			
BDT3	DSDD0344	105.75	107.00	1.25	0.888	1.25 m @ 0.89 g/t Au	1.1	
BDT3	DSDD0344	109.43	110.00	0.57	0.121			
BDT3	DSDD0346	34.00	35.08	1.08	0.131			
BDT3	DSDD0346	37.05	38.00	0.95	0.368			
BDT3	DSDD0346	38.00	39.00	1.00	0.113			
BDT3	DSDD0346	39.00	40.00	1.00	0.202			
BDT3	DSDD0346	40.00	40.73	0.73	4.937	0.73 m @ 4.94 g/t Au		
BDT3	DSDD0346	59.00	60.00	1.00	0.128	2.00 m @ 0.37 g/t Au	0.7	
BDT3	DSDD0346	85.00	86.00	1.00	0.387			
BDT3	DSDD0346	86.00	87.00	1.00	0.351			
BDT3	DSDD0346	94.00	95.00	1.00	0.153			
BDT3	DSDD0346	95.00	96.00	1.00	3.068	6.00 m @ 0.94 g/t Au	5.6	1.00 m @ 3.07 g/t Au
BDT3	DSDD0346	96.00	97.00	1.00	0.720			
BDT3	DSDD0346	97.00	98.00	1.00	0.323			
BDT3	DSDD0346	98.00	99.00	1.00	0.158			
BDT3	DSDD0346	99.00	100.00	1.00	0.018			
BDT3	DSDD0346	100.00	101.00	1.00	1.325			1.00 m @ 1.32 g/t Au
BDT3	DSDD0346	101.00	102.00	1.00	0.180			
BDT3	DSDD0346	103.00	104.00	1.00	0.137			
BDT3	DSDD0346	111.09	112.00	0.91	0.127			
BDT3	DSDD0346	115.00	116.00	1.00	0.387	7.00 m @ 0.35 g/t Au	2.4	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT3	DSDD0346	116.00	117.35	1.35	0.047			
BDT3	DSDD0346	117.35	118.00	0.65	0.029			
BDT3	DSDD0346	118.00	119.00	1.00	0.029			
BDT3	DSDD0346	119.00	120.00	1.00	0.916			
BDT3	DSDD0346	120.00	121.00	1.00	0.177			
BDT3	DSDD0346	121.00	122.00	1.00	0.847			
BDT3	DSDD0346	122.00	123.00	1.00	0.149			
BDT3	DSDD0346	123.00	124.00	1.00	0.101			
BDT3	DSDD0346	126.00	127.00	1.00	0.287	1.00 m @ 0.29 g/t Au	0.3	
BDT3	DSDD0346	127.00	128.00	1.00	0.161			
BDT3	DSDD0346	130.00	131.00	1.00	0.130			
BDT3	DSDD0346	131.00	132.00	1.00	0.177			
BDT3	DSDD0346	132.00	133.00	1.00	0.541	2.30 m @ 2.02 g/t Au	4.6	1.30 m @ 3.15 g/t Au
BDT3	DSDD0346	133.00	134.30	1.30	3.150			
BDT3	DSDD0346	146.00	147.00	1.00	0.508	1.00 m @ 0.51 g/t Au	0.5	
BDT3	DSDD0346	158.00	159.41	1.41	0.165			
BDT3	DSDD0346	185.00	186.00	1.00	0.120			
BDT3	DSDD0346	195.00	196.00	1.00	0.111			
BDT3	DSDD0346	212.00	213.37	1.37	0.161			
BDT3	DSDD0346	213.37	214.00	0.63	0.160			
BDT3	DSDD0346	227.00	228.00	1.00	1.717	1.00 m @ 1.72 g/t Au	1.7	1.00 m @ 1.72 g/t Au
BDT3	DSDD0350	0.00	1.50	1.50	0.152			
BDT3	DSDD0350	15.00	16.50	1.50	0.406	1.50 m @ 0.41 g/t Au	0.6	
BDT3	DSDD0350	87.89	89.00	1.11	0.115			
BDT3	DSDD0350	89.00	90.00	1.00	0.387	1.00 m @ 0.39 g/t Au	0.4	
BDT3	DSDD0350	153.00	154.00	1.00	0.751	1.00 m @ 0.75 g/t Au	0.8	
BDT3	DSDD0350	164.50	165.00	0.50	0.125	3.00 m @ 0.50 g/t Au	1.5	
BDT3	DSDD0350	165.00	166.00	1.00	0.443			
BDT3	DSDD0350	166.00	167.00	1.00	0.630			
BDT3	DSDD0350	167.00	168.00	1.00	0.424	4.00 m @ 0.21 g/t Au	0.8	
BDT3	DSDD0350	242.00	243.00	1.00	0.285			
BDT3	DSDD0350	243.00	243.80	0.80	0.235			
BDT3	DSDD0350	243.80	245.00	1.20	0.038			
BDT3	DSDD0350	245.00	246.00	1.00	0.313	1.00 m @ 0.25 g/t Au	0.2	
BDT3	DSDD0350	249.00	250.00	1.00	0.249			
BDT3	DSDD0350	254.00	255.00	1.00	0.110			
BDT3	DSDD0350	265.00	266.00	1.00	0.125			
BDT3	DSDD0350	292.64	293.79	1.15	6.981	1.15 m @ 6.98 g/t Au	8.0	1.15 m @ 6.98 g/t Au
BDT3	DSDD0350	297.00	298.00	1.00	0.101	1.80 m @ 0.30 g/t Au	0.5	
BDT3	DSDD0350	300.00	301.00	1.00	0.304			
BDT3	DSDD0350	310.00	311.00	1.00	0.180			
BDT3	DSDD0350	311.58	313.00	1.42	0.196			
BDT3	DSDD0350	313.00	314.00	1.00	0.187			
BDT3	DSDD0350	318.00	319.00	1.00	0.124			
BDT3	DSDD0350	319.00	320.00	1.00	0.208			
BDT3	DSDD0350	320.00	320.80	0.80	0.424			
BDT3	DSDD0350	324.00	325.00	1.00	0.107			
BDT3	DSDD0350	328.00	329.00	1.00	0.173			
BDT3	DSDD0350	342.00	343.00	1.00	0.153	4.00 m @ 0.28 g/t Au	1.1	
BDT3	DSDD0350	343.00	344.00	1.00	0.448			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BDT3	DSDD0350	344.00	344.50	0.50	0.030			
BDT3	DSDD0350	344.50	345.00	0.50	0.008			
BDT3	DSDD0350	345.00	346.00	1.00	0.024			
BDT3	DSDD0350	346.00	347.00	1.00	0.644			
BDT3	DSDD0350	349.00	350.23	1.23	0.167			
BDT3	DSDD0350	355.60	357.00	1.40	0.187			
BDT1	DSDD0300					NSI		
BDT1	DSDD0303	1.00	2.00	1.00	0.303	1.00 m @ 0.30 g/t Au	0.3	
BDT1	DSDD0303	39.00	40.00	1.00	0.393	1.00 m @ 0.39 g/t Au	0.4	
BDT1	DSDD0307	0.00	1.00	1.00	7.760	1.00 m @ 7.76 g/t Au	7.8	1.00 m @ 7.76 g/t Au
BDT1	DSDD0307	10.00	11.00	1.00	0.520	2.56 m @ 0.32 g/t Au	0.8	
BDT1	DSDD0307	11.00	12.00	1.00	0.100			
BDT1	DSDD0307	12.00	12.56	0.56	0.370			
BDT1	DSDD0307	14.50	15.00	0.50	0.130			
BDT1	DSDD0307	15.00	15.72	0.72	11.980	0.72 m @ 11.98 g/t Au	8.6	0.72 m @ 11.98 g/t Au
BDT1	DSDD0307	16.50	17.00	0.50	1.480	4.08 m @ 0.38 g/t Au	1.5	0.50 m @ 1.48 g/t Au
BDT1	DSDD0307	17.00	18.00	1.00	0.130			
BDT1	DSDD0307	18.00	19.00	1.00	0.340			
BDT1	DSDD0307	19.00	20.00	1.00	0.110			
BDT1	DSDD0307	20.00	20.58	0.58	0.390			
BDT1	DSDD0307	21.00	22.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BDT1	DSDD0307	90.00	91.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.3	
BDT1	DSDD0309	3.68	5.00	1.32	0.198			
BDT1	DSDD0309	63.00	64.00	1.00	0.106			
BDT1	DSDD0309	65.00	66.00	1.00	2.890	1.00 m @ 2.89 g/t Au	2.9	1.00 m @ 2.89 g/t Au
BDT1	DSDD0309	66.00	67.00	1.00	0.140	4.00 m @ 1.65 g/t Au	6.6	3.00 m @ 1.99 g/t Au
BDT1	DSDD0309	86.50	87.00	0.50	0.106			
BDT1	DSDD0309	87.00	88.00	1.00	1.367			
BDT1	DSDD0309	88.00	89.00	1.00	0.630			
BDT1	DSDD0309	89.00	90.00	1.00	3.968			
BDT1	DSDD0309	90.00	91.00	1.00	0.634			
BDT1	DSDD0314	88.00	89.00	1.00	2.455	1.00 m @ 2.46 g/t Au	2.5	1.00 m @ 2.46 g/t Au
BDT1	DSDD0314	105.00	106.00	1.00	0.172			
BDT1	DSDD0314	106.00	107.00	1.00	0.705	1.00 m @ 0.70 g/t Au	0.7	
BDT1	DSDD0314	107.00	108.00	1.00	0.196			
BDT1	DSDD0314	121.00	122.00	1.00	0.244	1.00 m @ 0.24 g/t Au	0.2	
BDT1	DSDD0314	124.00	125.00	1.00	0.190			
BDT1	DSDD0314	131.00	132.00	1.00	0.275	1.00 m @ 0.28 g/t Au	0.3	
BDT1	DSDD0315	0.00	1.10	1.10	0.484	1.10 m @ 0.48 g/t Au	0.5	
BDT1	DSDD0319					NSI		
BDT1	DSDD0323					NSI		

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 3.28Moz gold resources coming from two gold projects, the 2.41Moz Boundiali Gold Project and the 0.87Moz Napié Gold Project. Aurum owns and runs 12 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Group Mineral Resources

Table 3: Group Mineral Resources Statement for contained gold as at 30 September 2025 (figures may not add up due to appropriate rounding)

Mineral Resources			Indicated			Inferred			Total Resources		
Project	Type	Cut-off	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)
Boundiali	Oxide	0.4 g/t Au above 300m depth and 1.0 g/t below 300m depth	1.9	1.0	0.07	2.3	0.8	0.07	4.3	0.9	0.13
	Transition		2.0	1.1	0.07	2.8	0.8	0.09	4.7	0.9	0.14
	Fresh		21.9	1.1	0.78	46	0.9	1.35	68	1.0	2.13
	Total		26.0	1.1	0.92	51	0.9	1.49	77	1.0	2.41
Napié	Oxide	0.6 g/t Au	-	-	-	2.4	1.2	0.09	2.4	1.2	0.09
	Transition		-	-	-	1.9	1.1	0.07	1.9	1.1	0.07
	Fresh		-	-	-	18.3	1.2	0.71	18.3	1.2	0.71
	Total		-	-	-	22.5	1.2	0.87	22.5	1.2	0.87
Total			26.0	1.1	0.92	73.5	1.0	2.36	100	1.0	3.28

Annual review and material changes since 30 June 2024

At the start of the 2025 financial year (1 July 2024), the Company did not have any Mineral Resources and is not able to make a prior year comparison. A summary of the material changes in Mineral Resources throughout the 2025 financial year and subsequent is presented below:

- **Boundiali Mineral Resources:**
 - “Aurum delivers 1.59Moz Maiden JORC Resource at Boundiali Gold Project” released to the Australian Securities Exchange on 30 December 2024 and amended on 31 December 2024 and available to view on www.asx.com.au.
 - “Aurum delivers 2.41Moz Maiden JORC Resource at Boundiali Gold Project” released to the Australian Securities Exchange on 5 August 2025 and available to view on www.asx.com.au
 - “Boundiali indicated gold resources grows by 53% in two month” released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au.
- **Napié Mineral Resources:**
 - “Napié Project Listing Rule 5.6 disclosure” released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au

Boundiali Gold Project (2.41Moz)

The flagship 2.41Moz Boundiali Gold Project is comprised of four neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 5.5Moz Koné project located to the south. Barrick's Tongon mine (5.0Moz) is located to the northeast (Figure 1 and Figure 2):

BM gold project JV 80% interest - PR0893 ("BM"), 400km²

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BD gold project JV 80% interest - PR808 ("BD"), 260km²

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km²

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government get 10% free carry from Aurum interest)

BN gold project JV - PR283 ("BN"), 208.87km²

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of license grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of license grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement.
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation license, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km² are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its 1.6Moz Boundiali Gold Project.

- Staged earn-in agreement aligns expenditure with milestones for each permit area:
 - Path to 51% interest: 4,000m diamond drilling.
 - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Applications (No. 0791), 114.53km², is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its 2.41Moz Boundiali Gold Project.
- Applications (No. 0793), 99.12km², are structurally located on the immediate west of the Napié gold project, offering growth potential for its 0.87Moz Napié Project.
- Applications (No. 0804), 254.97km², is a separate gold exploration project located in central Côte D'Ivoire.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
 - Path to 51% interest in an exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.
 - Path to 80% interest in an exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling
 - Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
 - 85.5~87% interest in a future production mine

Mako Gold Pty Ltd (0.87Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 0.87Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones. - Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically, the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site. - Sampling and QAQC procedures were carried out to industry standards. - Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamousoukro for analysis via 500g Photon Assay.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining	All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.

Criteria	JORC Code explanation	Commentary
	<i>studies and metallurgical studies.</i> - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	<i>Metallurgical, Geotechnical and structural data has been recorded</i> - Photography and recovery measurements were carried out by assistants under a geologist's supervision. - All drill holes were logged in full. - Logging was qualitative and quantitative in nature.
Sub-sampling techniques and sample preparation	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. - For all sample types, the nature, quality and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. - Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	- NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core. - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au. - The entire sample was crushed to 70% passing 2mm. - Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks. - Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd, - Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled. - Coarse blank samples: Inserted 1 in every 20 samples - Laboratory Internal Duplicates and Standards - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold
Quality of assay data and laboratory tests	- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. - For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and	The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to

Criteria	JORC Code explanation	Commentary
	model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting. - No geophysical tools were used to determine any element concentrations used for this report. - Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client. - The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- NA - No holes have been twinned - No adjustment to assay data - Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format. - Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- DD collar positions were initially located using a handheld GPS with a location error of +/-3m. - The datum employed is WGS84, Zone 29 - All drill hole locations are then surveyed utilising the differential GPS methods by both company and third-party surveyors. - DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- Drillholes were completed on variable line spacings (from 100m to 50m) and orientations. - The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures. - The samples were not composited prior to assay.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.
Sample security	The measures taken to ensure sample security.	Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.

•

• Section 2 of the JORC Code, 2012 Edition – Table 1

• Criteria	• JORC Code explanation	• Commentary
• Mineral tenement and land tenure status	• Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. • The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.	• Exploration results are from the Boundiali project area • PR893 (BM), 400km², holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km², holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner. • There are no impediments to working in the area.
• Exploration done by other parties	• Acknowledgment and appraisal of exploration by other parties.	• The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited • The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.
• Geology	• Deposit type, geological setting and style of mineralisation.	• The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of from the Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué- Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N. • The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts

• Criteria	• JORC Code explanation	• Commentary
		showing evidence of shearing. Free gold is frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite. Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.
Drill hole information	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	- Complete drill hole data has been provided. - Drill hole collar locations are shown in figures in main body of announcement.
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	- Assay Intervals are shown in detail. Drilling intervals are predominantly 1m. - Metal equivalent values are not being reported.
Relationship between	These relationships are particularly important in the reporting of Exploration	True widths have not been estimated as the geological controls on mineralisation

• Criteria	• JORC Code explanation	• Commentary
mineralisation widths and intercept lengths	Results. - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	in these initial drill holes into the prospect are not yet well understood. The holes were drilled to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Appropriate diagrams relevant to material results are shown in the body of this announcement.
Balanced Reporting	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	- All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported. - Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole. being reported
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.
Further work	- The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	- The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs. - Diagrams included in body of report as deemed appropriate by competent person